



# Fission

URANIUM CORP.

## Drill Core Assay Summary: R1515W - Patterson Lake South

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-530	142.10	142.50	0.40	0.207
PLS17-530	142.50	143.00	0.50	0.085
PLS17-530	143.00	143.50	0.50	0.104
PLS17-530	143.50	144.00	0.50	0.024
PLS17-530	144.00	144.50	0.50	0.041
PLS17-530	144.50	145.00	0.50	0.016
PLS17-530	145.00	145.50	0.50	0.009
PLS17-530	145.50	146.00	0.50	0.009
PLS17-530	146.00	146.50	0.50	0.006
PLS17-530	146.50	147.00	0.50	0.012
PLS17-530	147.00	147.50	0.50	0.015
PLS17-530	147.50	148.00	0.50	0.007
PLS17-530	148.00	148.50	0.50	0.033
PLS17-530	148.50	149.00	0.50	0.014
PLS17-530	149.00	149.50	0.50	0.013
PLS17-530	149.50	150.00	0.50	0.031
PLS17-530	150.00	150.50	0.50	0.020
PLS17-530	150.50	151.00	0.50	0.017
PLS17-530	151.00	151.50	0.50	0.019
PLS17-530	151.50	152.00	0.50	0.012
PLS17-530	152.00	152.50	0.50	0.008
PLS17-530	152.50	153.00	0.50	0.011
PLS17-530	153.00	153.50	0.50	0.013
PLS17-530	153.50	154.00	0.50	0.011
PLS17-530	154.00	154.50	0.50	0.017
PLS17-530	154.50	155.00	0.50	0.083
PLS17-530	155.00	155.50	0.50	0.153
PLS17-530	155.50	156.00	0.50	0.012
PLS17-530	156.00	156.50	0.50	0.039
PLS17-530	156.50	157.00	0.50	0.308
PLS17-530	157.00	157.50	0.50	0.023
PLS17-530	157.50	158.00	0.50	0.012
PLS17-530	158.00	158.50	0.50	0.008
PLS17-530	158.50	159.00	0.50	0.010
PLS17-530	159.00	159.50	0.50	0.007
PLS17-530	159.50	160.00	0.50	0.007
PLS17-530	160.00	160.50	0.50	0.009

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-530	160.50	161.00	0.50	0.006
PLS17-530	161.00	161.50	0.50	0.015
PLS17-530	161.50	162.00	0.50	0.019
PLS17-530	162.00	162.50	0.50	0.011
PLS17-530	162.50	163.00	0.50	0.011
PLS17-530	163.00	163.50	0.50	0.018
PLS17-530	163.50	164.00	0.50	0.009
PLS17-530	164.00	164.50	0.50	0.022
PLS17-530	164.50	165.00	0.50	0.011
PLS17-530	165.00	165.50	0.50	0.012
PLS17-530	165.50	166.00	0.50	0.012
PLS17-530	166.00	166.50	0.50	0.012
PLS17-530	166.50	167.00	0.50	0.006
PLS17-530	167.00	167.50	0.50	0.006
PLS17-530	167.50	168.00	0.50	0.009
PLS17-530	168.00	168.50	0.50	0.011
PLS17-530	168.50	169.00	0.50	0.008
PLS17-530	169.00	169.50	0.50	0.026
PLS17-530	169.50	170.00	0.50	0.017
PLS17-530	170.00	170.50	0.50	0.005
PLS17-530	170.50	171.00	0.50	0.005
PLS17-530	171.00	171.50	0.50	0.005
PLS17-530	171.50	172.00	0.50	0.009
PLS17-530	172.00	172.50	0.50	0.013
PLS17-530	172.50	173.00	0.50	0.004
PLS17-530	173.00	173.50	0.50	0.004
PLS17-530	173.50	174.00	0.50	0.005
PLS17-530	174.00	174.50	0.50	0.010
PLS17-530	174.50	175.00	0.50	0.006
PLS17-530	175.00	175.50	0.50	0.003
PLS17-530	175.50	176.00	0.50	0.011
PLS17-530	176.00	176.50	0.50	0.012
PLS17-530	176.50	177.00	0.50	0.011
PLS17-530	177.00	177.50	0.50	0.005
PLS17-530	177.50	178.00	0.50	0.008
PLS17-530	178.00	178.50	0.50	0.012
PLS17-530	178.50	179.00	0.50	0.016
PLS17-530	179.00	179.50	0.50	0.002
PLS17-530	179.50	180.00	0.50	0.005
PLS17-530	180.00	180.50	0.50	0.006
PLS17-530	197.50	198.00	0.50	<0.001
PLS17-530	198.00	198.50	0.50	<0.001
PLS17-530	198.50	199.00	0.50	<0.001
PLS17-530	199.00	199.50	0.50	0.004
PLS17-530	199.50	200.00	0.50	0.019

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-530	200.00	200.50	0.50	0.003
PLS17-530	200.50	201.00	0.50	0.003
PLS17-530	201.00	201.50	0.50	0.001
PLS17-530	201.50	202.00	0.50	0.001
PLS17-530	202.00	202.50	0.50	0.002
PLS17-530	202.50	203.00	0.50	0.003
PLS17-530	203.00	203.50	0.50	0.068
PLS17-530	203.50	204.00	0.50	0.004
PLS17-530	204.00	204.50	0.50	0.007
PLS17-530	204.50	205.00	0.50	0.003
PLS17-530	205.00	205.50	0.50	0.004
PLS17-530	205.50	206.00	0.50	0.004
PLS17-530	206.00	206.50	0.50	0.006
PLS17-530	206.50	207.00	0.50	0.009
PLS17-530	207.00	207.50	0.50	0.012
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-533	137.00	140.00	3.00	0.009
PLS17-533	140.00	141.00	1.00	0.051
PLS17-533	141.00	142.00	1.00	0.060
PLS17-533	142.00	143.00	1.00	0.022
PLS17-533	143.00	144.00	1.00	0.026
PLS17-533	144.00	145.00	1.00	0.029
PLS17-533	145.00	146.00	1.00	0.156
<b>PLS17-533</b>	<b>146.00</b>	<b>146.50</b>	<b>0.50</b>	<b>2.090</b>
PLS17-533	146.50	147.00	0.50	0.114
PLS17-533	147.00	147.50	0.50	0.090
PLS17-533	147.50	148.00	0.50	0.048
PLS17-533	148.00	148.50	0.50	0.085
PLS17-533	148.50	149.00	0.50	0.166
<b>PLS17-533</b>	<b>149.00</b>	<b>149.50</b>	<b>0.50</b>	<b>1.400</b>
PLS17-533	149.50	150.00	0.50	0.761
PLS17-533	150.00	150.50	0.50	0.380
PLS17-533	150.50	151.00	0.50	0.110
PLS17-533	151.00	151.50	0.50	0.061
PLS17-533	151.50	152.00	0.50	0.737
PLS17-533	152.00	152.50	0.50	0.854
<b>PLS17-533</b>	<b>152.50</b>	<b>153.00</b>	<b>0.50</b>	<b>1.730</b>
PLS17-533	153.00	153.50	0.50	0.341
PLS17-533	153.50	154.00	0.50	0.124
PLS17-533	154.00	154.50	0.50	0.105
PLS17-533	154.50	155.00	0.50	0.460
PLS17-533	155.00	155.50	0.50	0.150
PLS17-533	155.50	156.00	0.50	0.110
PLS17-533	156.00	156.50	0.50	0.282
PLS17-533	156.50	157.00	0.50	0.011

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-533	157.00	157.50	0.50	0.013
PLS17-533	157.50	158.00	0.50	0.011
PLS17-533	158.00	158.50	0.50	0.013
PLS17-533	158.50	159.00	0.50	0.006
PLS17-533	159.00	159.50	0.50	0.004
PLS17-533	159.50	160.00	0.50	0.006
PLS17-533	160.00	160.50	0.50	0.009
PLS17-533	160.50	161.00	0.50	0.006
PLS17-533	161.00	161.50	0.50	0.004
PLS17-533	161.50	162.00	0.50	0.014
PLS17-533	162.00	162.50	0.50	0.011
PLS17-533	162.50	163.00	0.50	0.007
PLS17-533	163.00	163.50	0.50	0.008
PLS17-533	163.50	164.00	0.50	0.020
PLS17-533	164.00	164.50	0.50	0.030
PLS17-533	164.50	165.00	0.50	0.006
PLS17-533	165.00	165.50	0.50	0.005
PLS17-533	165.50	166.00	0.50	0.002
PLS17-533	166.00	166.50	0.50	0.005
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-537	No Significant Mineralization			
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-539	132.50	133.00	0.50	0.016
PLS17-539	133.00	133.50	0.50	0.017
PLS17-539	133.50	134.00	0.50	0.013
PLS17-539	134.00	134.50	0.50	0.016
PLS17-539	134.50	135.00	0.50	0.081
PLS17-539	135.00	135.50	0.50	0.012
PLS17-539	165.00	165.50	0.50	0.046
PLS17-539	165.50	166.00	0.50	0.064
PLS17-539	166.00	166.50	0.50	0.016
PLS17-539	189.00	189.50	0.50	0.009
PLS17-539	189.50	190.00	0.50	0.007
PLS17-539	190.00	190.50	0.50	0.012
PLS17-539	190.50	191.00	0.50	0.013
PLS17-539	191.00	191.50	0.50	0.028
PLS17-539	191.50	192.00	0.50	0.601
<b>PLS17-539</b>	<b>192.00</b>	<b>192.50</b>	<b>0.50</b>	<b>3.170</b>
PLS17-539	192.50	193.00	0.50	0.049
PLS17-539	193.00	193.50	0.50	0.128
<b>PLS17-539</b>	<b>193.50</b>	<b>194.00</b>	<b>0.50</b>	<b>1.540</b>
<b>PLS17-539</b>	<b>194.00</b>	<b>194.50</b>	<b>0.50</b>	<b>1.010</b>
PLS17-539	194.50	195.00	0.50	0.188
PLS17-539	195.00	195.50	0.50	0.113
PLS17-539	195.50	196.00	0.50	0.475

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-539	196.00	196.50	0.50	0.100
PLS17-539	196.50	197.00	0.50	0.081
PLS17-539	197.00	197.50	0.50	0.044
PLS17-539	197.50	198.00	0.50	0.307
PLS17-539	198.00	198.50	0.50	0.176
PLS17-539	198.50	199.00	0.50	0.094
PLS17-539	199.00	199.50	0.50	0.159
PLS17-539	199.50	200.00	0.50	0.121
PLS17-539	200.00	200.50	0.50	0.042
PLS17-539	200.50	201.00	0.50	0.012
PLS17-539	201.00	201.50	0.50	0.018
PLS17-539	201.50	202.00	0.50	0.060
PLS17-539	202.00	202.50	0.50	0.068
PLS17-539	202.50	203.00	0.50	0.205
PLS17-539	203.00	203.50	0.50	0.016
<b>PLS17-539</b>	<b>203.50</b>	<b>204.00</b>	<b>0.50</b>	<b>1.860</b>
PLS17-539	204.00	204.50	0.50	0.668
PLS17-539	204.50	205.00	0.50	0.039
PLS17-539	205.00	205.50	0.50	0.046
PLS17-539	205.50	206.00	0.50	0.069
PLS17-539	206.00	206.50	0.50	0.047
PLS17-539	206.50	207.00	0.50	0.006
PLS17-539	207.00	207.50	0.50	0.008
PLS17-539	207.50	208.00	0.50	0.018
PLS17-539	208.00	208.50	0.50	0.011
PLS17-539	208.50	209.00	0.50	0.030
PLS17-539	209.00	209.50	0.50	0.029
PLS17-539	209.50	210.00	0.50	0.008
PLS17-539	210.00	210.50	0.50	0.006
PLS17-539	210.50	211.00	0.50	0.007
PLS17-539	211.00	211.50	0.50	0.014
PLS17-539	211.50	212.00	0.50	0.043
PLS17-539	212.00	212.50	0.50	0.017
PLS17-539	212.50	213.00	0.50	0.011
PLS17-539	213.00	213.50	0.50	0.016
PLS17-539	213.50	214.00	0.50	0.019
PLS17-539	214.00	214.50	0.50	0.003
PLS17-539	214.50	215.00	0.50	0.002
PLS17-539	215.00	215.50	0.50	0.021
PLS17-539	215.50	216.00	0.50	0.011
PLS17-539	216.00	216.50	0.50	0.008
PLS17-539	216.50	217.00	0.50	0.010
PLS17-539	217.00	217.50	0.50	0.009
PLS17-539	217.50	218.00	0.50	0.016
PLS17-539	218.00	218.50	0.50	0.008

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-539	218.50	219.00	0.50	0.013
PLS17-539	219.00	219.50	0.50	0.021
PLS17-539	219.50	220.00	0.50	0.006
PLS17-539	220.00	220.50	0.50	0.009
PLS17-539	220.50	221.00	0.50	0.310
PLS17-539	221.00	221.50	0.50	0.057
PLS17-539	221.50	222.00	0.50	0.006
PLS17-539	222.00	222.50	0.50	0.002
PLS17-539	222.50	223.00	0.50	<0.001
PLS17-539	223.00	223.50	0.50	<0.001
PLS17-539	223.50	224.00	0.50	<0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-547	183.50	184.00	0.50	0.005
PLS17-547	184.00	184.50	0.50	0.005
PLS17-547	184.50	185.00	0.50	0.002
PLS17-547	185.00	185.50	0.50	0.005
PLS17-547	185.50	186.00	0.50	0.033
PLS17-547	186.00	186.50	0.50	0.006
PLS17-547	186.50	187.00	0.50	0.005
PLS17-547	187.00	187.50	0.50	0.003
PLS17-547	187.50	188.00	0.50	0.005
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-553	138.50	139.00	0.50	0.007
PLS17-553	139.00	139.50	0.50	0.012
PLS17-553	139.50	140.00	0.50	0.012
PLS17-553	140.00	140.50	0.50	0.038
PLS17-553	140.50	141.00	0.50	0.063
PLS17-553	141.00	141.50	0.50	0.100
PLS17-553	141.50	142.00	0.50	0.052
PLS17-553	142.00	142.50	0.50	0.088
PLS17-553	142.50	143.00	0.50	0.115
PLS17-553	143.00	143.50	0.50	0.325
PLS17-553	143.50	144.00	0.50	0.701
PLS17-553	144.00	144.50	0.50	0.536
PLS17-553	144.50	145.00	0.50	0.296
<b>PLS17-553</b>	<b>145.00</b>	<b>145.50</b>	<b>0.50</b>	<b>1.040</b>
PLS17-553	145.50	146.00	0.50	0.074
PLS17-553	146.00	146.50	0.50	0.063
PLS17-553	146.50	147.00	0.50	0.048
PLS17-553	147.00	147.50	0.50	0.016
PLS17-553	147.50	148.00	0.50	0.006
PLS17-553	148.00	148.50	0.50	0.004
PLS17-553	148.50	149.00	0.50	0.005
PLS17-553	149.00	149.50	0.50	0.003
PLS17-553	164.50	165.00	0.50	0.005

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-553	165.00	165.50	0.50	0.003
PLS17-553	165.50	166.00	0.50	0.004
PLS17-553	166.00	166.50	0.50	0.016
PLS17-553	166.50	167.00	0.50	0.023
PLS17-553	167.00	167.50	0.50	0.025
PLS17-553	167.50	168.00	0.50	0.013
PLS17-553	168.00	168.50	0.50	0.032
PLS17-553	168.50	169.00	0.50	0.046
PLS17-553	169.00	169.50	0.50	0.068
PLS17-553	169.50	170.00	0.50	0.085
PLS17-553	170.00	170.50	0.50	0.015
PLS17-553	170.50	171.00	0.50	0.002
PLS17-553	171.00	171.50	0.50	0.014
PLS17-553	171.50	172.00	0.50	0.007
PLS17-553	172.00	172.50	0.50	0.003
PLS17-553	172.50	173.00	0.50	0.011
PLS17-553	173.00	173.50	0.50	0.002
PLS17-553	173.50	174.00	0.50	0.102
PLS17-553	174.00	174.50	0.50	0.046
PLS17-553	174.50	175.00	0.50	0.006
PLS17-553	175.00	175.50	0.50	0.059
PLS17-553	175.50	176.00	0.50	0.021
PLS17-553	176.00	176.50	0.50	0.006
PLS17-553	176.50	177.00	0.50	0.018
PLS17-553	177.00	177.50	0.50	0.002
PLS17-553	177.50	178.00	0.50	0.001
PLS17-553	178.00	178.50	0.50	<0.001
PLS17-553	178.50	179.00	0.50	0.002
PLS17-553	179.00	179.50	0.50	0.005
PLS17-553	179.50	180.00	0.50	0.053
PLS17-553	180.00	180.50	0.50	0.085
<b>PLS17-553</b>	<b>180.50</b>	<b>181.00</b>	<b>0.50</b>	<b>1.170</b>
PLS17-553	181.00	181.50	0.50	0.085
PLS17-553	181.50	182.00	0.50	0.005
PLS17-553	182.00	182.50	0.50	0.004
PLS17-553	182.50	183.00	0.50	0.028
PLS17-553	183.00	183.50	0.50	0.037
PLS17-553	183.50	184.00	0.50	0.012
PLS17-553	184.00	184.50	0.50	0.032
<b>PLS17-553</b>	<b>184.50</b>	<b>185.00</b>	<b>0.50</b>	<b>1.090</b>
PLS17-553	185.00	185.50	0.50	0.145
<b>PLS17-553</b>	<b>185.50</b>	<b>186.00</b>	<b>0.50</b>	<b>2.450</b>
<b>PLS17-553</b>	<b>186.00</b>	<b>186.50</b>	<b>0.50</b>	<b>8.270</b>
<b>PLS17-553</b>	<b>186.50</b>	<b>187.00</b>	<b>0.50</b>	<b>9.000</b>
<b>PLS17-553</b>	<b>187.00</b>	<b>187.50</b>	<b>0.50</b>	<b>7.300</b>

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
<b>PLS17-553</b>	<b>187.50</b>	<b>188.00</b>	<b>0.50</b>	<b>3.140</b>
PLS17-553	188.00	188.50	0.50	0.491
PLS17-553	188.50	189.00	0.50	0.994
PLS17-553	189.00	189.50	0.50	0.862
PLS17-553	189.50	190.00	0.50	0.875
PLS17-553	190.00	190.50	0.50	0.476
<b>PLS17-553</b>	<b>190.50</b>	<b>191.00</b>	<b>0.50</b>	<b>3.050</b>
<b>PLS17-553</b>	<b>191.00</b>	<b>191.50</b>	<b>0.50</b>	<b>11.600</b>
<b>PLS17-553</b>	<b>191.50</b>	<b>192.00</b>	<b>0.50</b>	<b>9.060</b>
<b>PLS17-553</b>	<b>192.00</b>	<b>192.50</b>	<b>0.50</b>	<b>10.200</b>
<b>PLS17-553</b>	<b>192.50</b>	<b>193.00</b>	<b>0.50</b>	<b>1.160</b>
<b>PLS17-553</b>	<b>193.00</b>	<b>193.50</b>	<b>0.50</b>	<b>3.880</b>
PLS17-553	193.50	194.00	0.50	0.534
PLS17-553	194.00	194.50	0.50	0.732
PLS17-553	194.50	195.00	0.50	0.150
PLS17-553	195.00	195.50	0.50	0.122
PLS17-553	195.50	196.00	0.50	0.080
PLS17-553	196.00	196.50	0.50	0.286
PLS17-553	196.50	197.00	0.50	0.019
PLS17-553	197.00	197.50	0.50	0.007
PLS17-553	197.50	198.00	0.50	0.005
PLS17-553	198.00	198.50	0.50	0.009
PLS17-553	198.50	199.00	0.50	0.032
PLS17-553	199.00	199.50	0.50	0.136
PLS17-553	199.50	200.00	0.50	0.063
PLS17-553	200.00	200.50	0.50	0.055
<b>PLS17-553</b>	<b>200.50</b>	<b>201.00</b>	<b>0.50</b>	<b>1.190</b>
PLS17-553	201.00	201.50	0.50	0.271
PLS17-553	201.50	202.00	0.50	0.003
PLS17-553	202.00	202.50	0.50	0.050
PLS17-553	202.50	203.00	0.50	0.030
PLS17-553	203.00	203.50	0.50	0.015
PLS17-553	203.50	204.00	0.50	0.245
PLS17-553	204.00	204.50	0.50	0.210
PLS17-553	204.50	205.00	0.50	0.084
PLS17-553	205.00	205.50	0.50	0.089
PLS17-553	205.50	206.00	0.50	0.053
PLS17-553	206.00	206.50	0.50	0.270
<b>PLS17-553</b>	<b>206.50</b>	<b>207.00</b>	<b>0.50</b>	<b>2.380</b>
<b>PLS17-553</b>	<b>207.00</b>	<b>207.50</b>	<b>0.50</b>	<b>8.990</b>
PLS17-553	207.50	208.00	0.50	0.448
PLS17-553	208.00	208.50	0.50	0.393
PLS17-553	208.50	209.00	0.50	0.263
PLS17-553	209.00	209.50	0.50	0.102
<b>PLS17-553</b>	<b>209.50</b>	<b>210.00</b>	<b>0.50</b>	<b>3.860</b>



Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
<b>PLS17-553</b>	<b>210.00</b>	<b>210.50</b>	<b>0.50</b>	<b>1.280</b>
<b>PLS17-553</b>	<b>210.50</b>	<b>211.00</b>	<b>0.50</b>	<b>2.560</b>
PLS17-553	211.00	211.50	0.50	0.035
PLS17-553	211.50	212.00	0.50	0.086
PLS17-553	212.00	212.50	0.50	0.307
PLS17-553	212.50	213.00	0.50	0.049
PLS17-553	213.00	213.50	0.50	0.182
PLS17-553	213.50	214.00	0.50	0.039
PLS17-553	214.00	214.50	0.50	0.005
PLS17-553	214.50	215.00	0.50	0.006
PLS17-553	215.00	215.50	0.50	0.003
PLS17-553	215.50	216.00	0.50	0.015
PLS17-553	216.00	216.50	0.50	0.022
PLS17-553	216.50	217.00	0.50	0.024
PLS17-553	217.00	217.50	0.50	0.008
PLS17-553	217.50	218.00	0.50	0.009
PLS17-553	218.00	218.50	0.50	0.002
PLS17-553	218.50	219.00	0.50	0.007
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-557	105.00	105.50	0.50	0.010
PLS17-557	105.50	106.00	0.50	0.052
PLS17-557	106.00	106.50	0.50	0.007
PLS17-557	106.50	107.00	0.50	0.010
PLS17-557	107.00	107.50	0.50	0.068
PLS17-557	107.50	108.00	0.50	0.022
PLS17-557	108.00	108.50	0.50	0.004
PLS17-557	108.50	109.00	0.50	0.009
PLS17-557	109.00	109.50	0.50	0.004
PLS17-557	109.50	110.00	0.50	0.005
PLS17-557	132.50	133.00	0.50	0.018
PLS17-557	133.00	133.50	0.50	0.019
PLS17-557	133.50	134.00	0.50	0.038
PLS17-557	134.00	134.50	0.50	0.025
PLS17-557	134.50	135.00	0.50	0.024
PLS17-557	135.00	135.50	0.50	0.015
PLS17-557	135.50	136.00	0.50	0.006
PLS17-557	136.00	136.50	0.50	0.005
PLS17-557	136.50	137.00	0.50	0.004
PLS17-557	155.50	156.00	0.50	0.009
PLS17-557	156.00	156.50	0.50	0.010
PLS17-557	156.50	157.00	0.50	0.013
PLS17-557	157.00	157.50	0.50	0.025
PLS17-557	157.50	158.00	0.50	0.034
PLS17-557	158.00	158.50	0.50	0.130
PLS17-557	158.50	159.00	0.50	0.022

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-557	159.00	159.50	0.50	0.014
PLS17-557	159.50	160.00	0.50	0.018
PLS17-557	160.00	160.50	0.50	0.005
PLS17-557	160.50	161.00	0.50	0.004
PLS17-557	164.00	164.50	0.50	0.005
PLS17-557	164.50	165.00	0.50	0.003
PLS17-557	165.00	165.50	0.50	0.003
PLS17-557	165.50	166.00	0.50	0.005
PLS17-557	166.00	166.50	0.50	0.022
PLS17-557	166.50	167.00	0.50	0.021
PLS17-557	167.00	167.50	0.50	0.027
PLS17-557	167.50	168.00	0.50	0.025
PLS17-557	168.00	168.50	0.50	0.106
PLS17-557	168.50	169.00	0.50	0.270
PLS17-557	169.00	169.50	0.50	0.052
PLS17-557	169.50	170.00	0.50	0.012
PLS17-557	170.00	170.50	0.50	0.013
PLS17-557	170.50	171.00	0.50	0.069
PLS17-557	171.00	171.50	0.50	0.058
PLS17-557	171.50	172.00	0.50	0.009
PLS17-557	172.00	172.50	0.50	0.011
PLS17-557	172.50	173.00	0.50	0.001
PLS17-557	173.00	173.50	0.50	0.002
PLS17-557	173.50	174.00	0.50	0.001
PLS17-557	187.00	187.50	0.50	0.002
PLS17-557	187.50	188.00	0.50	0.004
PLS17-557	188.00	188.50	0.50	0.005
PLS17-557	188.50	189.00	0.50	0.008
PLS17-557	189.00	189.50	0.50	0.124
PLS17-557	189.50	190.00	0.50	0.248
PLS17-557	190.00	190.50	0.50	0.051
PLS17-557	190.50	191.00	0.50	0.073
PLS17-557	191.00	191.50	0.50	0.055
PLS17-557	191.50	192.00	0.50	0.092
PLS17-557	192.00	192.50	0.50	0.568
<b>PLS17-557</b>	<b>192.50</b>	<b>193.00</b>	<b>0.50</b>	<b>4.540</b>
<b>PLS17-557</b>	<b>193.00</b>	<b>193.50</b>	<b>0.50</b>	<b>6.170</b>
<b>PLS17-557</b>	<b>193.50</b>	<b>194.00</b>	<b>0.50</b>	<b>5.660</b>
<b>PLS17-557</b>	<b>194.00</b>	<b>194.50</b>	<b>0.50</b>	<b>5.530</b>
<b>PLS17-557</b>	<b>194.50</b>	<b>195.00</b>	<b>0.50</b>	<b>1.330</b>
PLS17-557	195.00	195.50	0.50	0.506
<b>PLS17-557</b>	<b>195.50</b>	<b>196.00</b>	<b>0.50</b>	<b>2.200</b>
PLS17-557	196.00	196.50	0.50	0.810
PLS17-557	196.50	197.00	0.50	0.660
<b>PLS17-557</b>	<b>197.00</b>	<b>197.50</b>	<b>0.50</b>	<b>3.230</b>

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
<b>PLS17-557</b>	<b>197.50</b>	<b>198.00</b>	<b>0.50</b>	<b>1.710</b>
PLS17-557	198.00	198.50	0.50	0.580
PLS17-557	198.50	199.00	0.50	0.258
PLS17-557	199.00	199.50	0.50	0.347
<b>PLS17-557</b>	<b>199.50</b>	<b>200.00</b>	<b>0.50</b>	<b>4.220</b>
<b>PLS17-557</b>	<b>200.00</b>	<b>200.50</b>	<b>0.50</b>	<b>9.130</b>
<b>PLS17-557</b>	<b>200.50</b>	<b>201.00</b>	<b>0.50</b>	<b>6.190</b>
<b>PLS17-557</b>	<b>201.00</b>	<b>201.50</b>	<b>0.50</b>	<b>1.660</b>
PLS17-557	201.50	202.00	0.50	0.615
PLS17-557	202.00	202.50	0.50	0.294
PLS17-557	202.50	203.00	0.50	0.062
PLS17-557	203.00	203.50	0.50	0.037
PLS17-557	203.50	204.00	0.50	0.262
PLS17-557	204.00	204.50	0.50	0.162
PLS17-557	204.50	205.00	0.50	0.077
PLS17-557	205.00	205.50	0.50	0.127
PLS17-557	205.50	206.00	0.50	0.008
PLS17-557	206.00	206.50	0.50	0.138
PLS17-557	206.50	207.00	0.50	0.229
PLS17-557	207.00	207.50	0.50	0.183
PLS17-557	207.50	208.00	0.50	0.036
PLS17-557	208.00	208.50	0.50	0.024
PLS17-557	208.50	209.00	0.50	0.358
PLS17-557	209.00	209.50	0.50	0.090
<b>PLS17-557</b>	<b>209.50</b>	<b>210.00</b>	<b>0.50</b>	<b>1.020</b>
<b>PLS17-557</b>	<b>210.00</b>	<b>210.50</b>	<b>0.50</b>	<b>1.640</b>
<b>PLS17-557</b>	<b>210.50</b>	<b>211.00</b>	<b>0.50</b>	<b>2.250</b>
PLS17-557	211.00	211.50	0.50	0.027
PLS17-557	211.50	212.00	0.50	0.020
<b>PLS17-557</b>	<b>212.00</b>	<b>212.50</b>	<b>0.50</b>	<b>1.170</b>
<b>PLS17-557</b>	<b>212.50</b>	<b>213.00</b>	<b>0.50</b>	<b>2.680</b>
PLS17-557	213.00	213.50	0.50	0.012
PLS17-557	213.50	214.00	0.50	0.004
PLS17-557	214.00	214.50	0.50	0.008
PLS17-557	214.50	215.00	0.50	0.242
PLS17-557	215.00	215.50	0.50	0.062
PLS17-557	215.50	216.00	0.50	0.529
PLS17-557	216.00	216.50	0.50	0.104
PLS17-557	216.50	217.00	0.50	<0.001
PLS17-557	217.00	217.50	0.50	<0.001
PLS17-557	217.50	218.00	0.50	<0.001
PLS17-557	218.00	218.50	0.50	0.001
PLS17-557	218.50	219.00	0.50	0.002
<b>PLS17-557</b>	<b>219.00</b>	<b>219.50</b>	<b>0.50</b>	<b>1.520</b>
PLS17-557	219.50	220.00	0.50	0.006

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-557	220.00	220.50	0.50	0.062
PLS17-557	220.50	221.00	0.50	0.018
PLS17-557	221.00	221.50	0.50	0.003
PLS17-557	221.50	222.00	0.50	<0.001
PLS17-557	222.00	222.50	0.50	<0.001
<b>PLS17-557</b>	<b>222.50</b>	<b>223.00</b>	<b>0.50</b>	<b>2.430</b>
PLS17-557	223.00	223.50	0.50	0.238
PLS17-557	223.50	224.00	0.50	0.597
<b>PLS17-557</b>	<b>224.00</b>	<b>224.50</b>	<b>0.50</b>	<b>4.120</b>
PLS17-557	224.50	225.00	0.50	0.020
PLS17-557	225.00	225.50	0.50	0.312
<b>PLS17-557</b>	<b>225.50</b>	<b>226.00</b>	<b>0.50</b>	<b>10.200</b>
<b>PLS17-557</b>	<b>226.00</b>	<b>226.50</b>	<b>0.50</b>	<b>4.820</b>
<b>PLS17-557</b>	<b>226.50</b>	<b>227.00</b>	<b>0.50</b>	<b>2.560</b>
<b>PLS17-557</b>	<b>227.00</b>	<b>227.50</b>	<b>0.50</b>	<b>3.010</b>
PLS17-557	227.50	228.00	0.50	0.939
PLS17-557	228.00	228.50	0.50	<0.001
PLS17-557	228.50	229.00	0.50	<0.001
PLS17-557	229.00	229.50	0.50	<0.001
PLS17-557	229.50	230.00	0.50	<0.001
PLS17-557	230.00	230.50	0.50	<0.001
PLS17-557	230.50	231.00	0.50	0.233
PLS17-557	231.00	231.50	0.50	0.360
PLS17-557	231.50	232.00	0.50	0.249
PLS17-557	232.00	232.50	0.50	0.013
PLS17-557	232.50	233.00	0.50	0.002
PLS17-557	233.00	233.50	0.50	0.002
PLS17-557	233.50	234.00	0.50	0.009
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-560	135.00	135.50	0.50	0.005
PLS17-560	135.50	136.00	0.50	0.004
PLS17-560	136.00	136.50	0.50	0.005
PLS17-560	136.50	137.00	0.50	0.004
PLS17-560	137.00	137.50	0.50	0.101
PLS17-560	137.50	138.00	0.50	0.006
PLS17-560	138.00	138.50	0.50	0.017
PLS17-560	138.50	139.00	0.50	0.142
PLS17-560	139.00	139.50	0.50	0.114
PLS17-560	139.50	140.00	0.50	0.092
PLS17-560	140.00	140.50	0.50	0.034
PLS17-560	140.50	141.00	0.50	0.002
PLS17-560	141.00	141.50	0.50	0.005
PLS17-560	141.50	142.00	0.50	0.046
PLS17-560	142.00	142.50	0.50	0.014
PLS17-560	142.50	143.00	0.50	0.009

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-560	143.00	143.50	0.50	0.005
PLS17-560	143.50	144.00	0.50	0.002
PLS17-560	153.00	153.50	0.50	0.002
PLS17-560	153.50	154.00	0.50	0.002
PLS17-560	154.00	154.50	0.50	0.002
PLS17-560	154.50	155.00	0.50	0.004
PLS17-560	155.00	155.50	0.50	0.012
PLS17-560	155.50	156.00	0.50	0.022
PLS17-560	156.00	156.50	0.50	0.002
PLS17-560	156.50	157.00	0.50	0.002
PLS17-560	157.00	157.50	0.50	0.002
PLS17-560	157.50	158.00	0.50	0.002
PLS17-560	174.00	174.50	0.50	0.004
PLS17-560	174.50	175.00	0.50	0.027
PLS17-560	175.00	175.50	0.50	0.078
PLS17-560	175.50	176.00	0.50	0.011
PLS17-560	176.00	176.50	0.50	0.037
PLS17-560	176.50	177.00	0.50	0.029
PLS17-560	177.00	177.50	0.50	0.015
PLS17-560	177.50	178.00	0.50	0.013
PLS17-560	178.00	178.50	0.50	0.020
PLS17-560	178.50	179.00	0.50	0.002
PLS17-560	179.00	179.50	0.50	0.030
PLS17-560	179.50	180.00	0.50	0.007
PLS17-560	180.00	180.50	0.50	0.003
PLS17-560	180.5	181	0.50	0.011
PLS17-560	181.00	181.50	0.50	0.034
PLS17-560	181.50	182.00	0.50	0.981
<b>PLS17-560</b>	<b>182.00</b>	<b>182.50</b>	<b>0.50</b>	<b>1.570</b>
PLS17-560	182.50	183.00	0.50	0.473
PLS17-560	183.00	183.50	0.50	0.051
PLS17-560	183.50	184.00	0.50	0.144
PLS17-560	184.00	184.50	0.50	0.804
PLS17-560	184.50	185.00	0.50	0.485
PLS17-560	185.00	185.50	0.50	0.004
PLS17-560	185.50	186.00	0.50	0.016
PLS17-560	186.00	186.50	0.50	0.007
PLS17-560	186.50	187.00	0.50	0.012
PLS17-560	187.00	187.50	0.50	0.023
PLS17-560	187.50	188.00	0.50	0.004
PLS17-560	188.00	188.50	0.50	0.006
PLS17-560	188.50	189.00	0.50	0.240
PLS17-560	189.00	189.50	0.50	0.009
PLS17-560	189.50	190.00	0.50	0.002
PLS17-560	190.00	190.50	0.50	0.010

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-560	190.50	191.00	0.50	0.090
PLS17-560	191.00	191.50	0.50	0.081
PLS17-560	191.50	192.00	0.50	0.077
PLS17-560	192.00	192.50	0.50	0.077
PLS17-560	192.50	193.00	0.50	0.025
PLS17-560	193.00	193.50	0.50	0.012
PLS17-560	193.50	194.00	0.50	0.028
PLS17-560	194.00	194.50	0.50	0.005
PLS17-560	194.50	195.00	0.50	0.005
PLS17-560	195.00	195.50	0.50	0.020
PLS17-560	195.50	196.00	0.50	0.004
PLS17-560	196.00	196.50	0.50	0.041
PLS17-560	196.50	197.00	0.50	0.154
PLS17-560	197.00	197.50	0.50	0.436
PLS17-560	197.50	198.00	0.50	0.135
PLS17-560	198.00	198.50	0.50	0.052
PLS17-560	198.50	199.00	0.50	0.388
PLS17-560	199.00	199.50	0.50	0.576
PLS17-560	199.50	200.00	0.50	0.225
PLS17-560	200.00	200.50	0.50	0.034
PLS17-560	200.50	201.00	0.50	0.754
PLS17-560	201.00	201.50	0.50	0.405
PLS17-560	201.50	202.00	0.50	0.618
PLS17-560	202.00	202.50	0.50	0.546
<b>PLS17-560</b>	<b>202.50</b>	<b>203.00</b>	<b>0.50</b>	<b>2.600</b>
PLS17-560	203.00	203.50	0.50	0.886
PLS17-560	203.50	204.00	0.50	0.314
<b>PLS17-560</b>	<b>204.00</b>	<b>204.50</b>	<b>0.50</b>	<b>4.820</b>
<b>PLS17-560</b>	<b>204.50</b>	<b>205.00</b>	<b>0.50</b>	<b>1.620</b>
PLS17-560	205.00	205.50	0.50	0.327
PLS17-560	205.50	206.00	0.50	0.012
PLS17-560	206.00	206.50	0.50	0.007
PLS17-560	206.50	207.00	0.50	0.334
PLS17-560	207.00	207.50	0.50	0.544
PLS17-560	207.50	208.00	0.50	0.494
PLS17-560	208.00	208.50	0.50	0.482
PLS17-560	208.50	209.00	0.50	0.543
PLS17-560	209.00	209.50	0.50	0.591
PLS17-560	209.50	210.00	0.50	0.350
PLS17-560	210.00	210.50	0.50	0.325
PLS17-560	210.50	211.00	0.50	0.006
PLS17-560	211.00	211.50	0.50	<0.001
PLS17-560	211.50	212.00	0.50	0.004
PLS17-560	212.00	212.50	0.50	0.001
PLS17-560	212.50	213.00	0.50	0.001

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-560	213.00	213.50	0.50	<0.001
PLS17-560	213.50	214.00	0.50	0.012
PLS17-560	214.00	214.50	0.50	0.334
PLS17-560	214.50	215.00	0.50	0.090
PLS17-560	215.00	215.50	0.50	0.473
PLS17-560	215.50	216.00	0.50	0.879
PLS17-560	216.00	216.50	0.50	0.095
PLS17-560	216.50	217.00	0.50	0.019
PLS17-560	217.00	217.50	0.50	0.047
PLS17-560	217.50	218.00	0.50	0.391
PLS17-560	218.00	218.50	0.50	0.238
PLS17-560	218.50	219.00	0.50	0.150
PLS17-560	219.00	219.50	0.50	0.195
PLS17-560	219.50	220.00	0.50	0.200
PLS17-560	220.00	220.50	0.50	0.010
PLS17-560	220.50	221.00	0.50	0.481
PLS17-560	221.00	221.50	0.50	0.762
PLS17-560	221.50	222.00	0.50	0.813
PLS17-560	222.00	222.50	0.50	0.348
PLS17-560	222.50	223.00	0.50	0.425
PLS17-560	223.00	223.50	0.50	0.357
PLS17-560	223.50	224.00	0.50	0.239
PLS17-560	224.00	224.50	0.50	0.044
PLS17-560	224.50	225.00	0.50	0.008
PLS17-560	225.00	225.50	0.50	0.006
PLS17-560	225.50	226.00	0.50	0.001
PLS17-560	226.00	226.50	0.50	<0.001
PLS17-560	226.50	227.00	0.50	0.246
<b>PLS17-560</b>	<b>227.00</b>	<b>227.50</b>	<b>0.50</b>	<b>1.360</b>
PLS17-560	227.50	228.00	0.50	0.430
PLS17-560	228.00	228.50	0.50	0.023
PLS17-560	228.50	229.00	0.50	0.047
PLS17-560	229.00	229.50	0.50	0.192
PLS17-560	229.50	230.00	0.50	0.002
PLS17-560	230.00	230.50	0.50	0.143
PLS17-560	230.50	231.00	0.50	0.274
PLS17-560	231.00	231.50	0.50	0.319
PLS17-560	231.50	232.00	0.50	0.215
PLS17-560	232.00	232.50	0.50	0.371
PLS17-560	232.50	233.00	0.50	0.218
PLS17-560	233.00	233.50	0.50	0.719
<b>PLS17-560</b>	<b>233.50</b>	<b>234.00</b>	<b>0.50</b>	<b>1.350</b>
PLS17-560	234.00	234.50	0.50	0.202
PLS17-560	234.50	235.00	0.50	0.005
PLS17-560	235.00	235.50	0.50	0.304

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-560	235.50	236.00	0.50	0.828
PLS17-560	236.00	236.50	0.50	0.003
PLS17-560	236.50	237.00	0.50	0.004
PLS17-560	237.00	237.50	0.50	0.276
<b>PLS17-560</b>	<b>237.50</b>	<b>238.00</b>	<b>0.50</b>	<b>1.810</b>
PLS17-560	238.00	238.50	0.50	0.513
PLS17-560	238.50	239.00	0.50	0.033
<b>PLS17-560</b>	<b>239.00</b>	<b>239.50</b>	<b>0.50</b>	<b>1.210</b>
PLS17-560	239.50	240.00	0.50	0.082
PLS17-560	240.00	240.50	0.50	0.012
PLS17-560	240.50	241.00	0.50	0.222
PLS17-560	241.00	241.50	0.50	0.240
PLS17-560	241.50	242.00	0.50	0.181
PLS17-560	242.00	242.50	0.50	0.058
PLS17-560	242.50	243.00	0.50	0.002
PLS17-560	243.00	243.50	0.50	0.002
PLS17-560	243.50	244.00	0.50	0.002
PLS17-560	244.00	244.50	0.50	0.004
PLS17-560	244.50	245.00	0.50	0.006
PLS17-560	245.00	245.50	0.50	0.049
PLS17-560	245.50	246.00	0.50	0.015
PLS17-560	246.00	246.50	0.50	0.002
PLS17-560	246.50	247.00	0.50	0.004
PLS17-560	247.00	247.50	0.50	<0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-561	109.00	109.50	0.50	0.019
PLS17-561	109.50	110.00	0.50	0.015
PLS17-561	110.00	110.50	0.50	0.021
PLS17-561	110.50	111.00	0.50	0.009
PLS17-561	111.00	111.50	0.50	0.028
PLS17-561	111.50	112.00	0.50	0.025
PLS17-561	112.00	112.50	0.50	0.030
PLS17-561	112.50	113.00	0.50	0.025
PLS17-561	113.00	113.50	0.50	0.014
PLS17-561	113.50	114.00	0.50	0.005
PLS17-561	114.00	114.50	0.50	0.004
PLS17-561	114.50	115.00	0.50	0.008
PLS17-561	115.00	115.50	0.50	0.007
PLS17-561	115.50	116.00	0.50	0.007
PLS17-561	116.00	116.50	0.50	0.010
PLS17-561	116.50	117.00	0.50	0.034
PLS17-561	117.00	117.50	0.50	0.011
PLS17-561	117.50	118.00	0.50	0.014
PLS17-561	118.00	118.50	0.50	0.022
PLS17-561	118.50	119.00	0.50	0.026



Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-561	119.00	119.50	0.50	0.086
PLS17-561	119.50	120.00	0.50	0.222
PLS17-561	120.00	120.50	0.50	0.199
PLS17-561	120.50	121.00	0.50	0.026
PLS17-561	121.00	121.50	0.50	0.968
PLS17-561	121.50	122.00	0.50	0.526
<b>PLS17-561</b>	<b>122.00</b>	<b>122.50</b>	<b>0.50</b>	<b>2.890</b>
<b>PLS17-561</b>	<b>122.50</b>	<b>123.00</b>	<b>0.50</b>	<b>3.140</b>
<b>PLS17-561</b>	<b>123.00</b>	<b>123.50</b>	<b>0.50</b>	<b>9.220</b>
<b>PLS17-561</b>	<b>123.50</b>	<b>124.00</b>	<b>0.50</b>	<b>6.150</b>
<b>PLS17-561</b>	<b>124.00</b>	<b>124.50</b>	<b>0.50</b>	<b>2.930</b>
<b>PLS17-561</b>	<b>124.50</b>	<b>125.00</b>	<b>0.50</b>	<b>2.770</b>
<b>PLS17-561</b>	<b>125.00</b>	<b>125.50</b>	<b>0.50</b>	<b>2.300</b>
<b>PLS17-561</b>	<b>125.50</b>	<b>126.00</b>	<b>0.50</b>	<b>4.620</b>
<b>PLS17-561</b>	<b>126.00</b>	<b>126.50</b>	<b>0.50</b>	<b>3.280</b>
<b>PLS17-561</b>	<b>126.50</b>	<b>127.00</b>	<b>0.50</b>	<b>2.940</b>
PLS17-561	127.00	127.50	0.50	0.780
<b>PLS17-561</b>	<b>127.50</b>	<b>128.00</b>	<b>0.50</b>	<b>1.790</b>
<b>PLS17-561</b>	<b>128.00</b>	<b>128.50</b>	<b>0.50</b>	<b>4.780</b>
PLS17-561	128.50	129.00	0.50	0.971
PLS17-561	129.00	129.50	0.50	0.313
PLS17-561	129.50	130.00	0.50	0.174
PLS17-561	130.00	130.50	0.50	0.331
PLS17-561	130.50	131.00	0.50	0.109
PLS17-561	131.00	131.50	0.50	0.035
PLS17-561	131.50	132.00	0.50	0.042
PLS17-561	132.00	132.50	0.50	0.086
PLS17-561	132.50	133.00	0.50	0.358
PLS17-561	133.00	133.50	0.50	0.228
PLS17-561	133.50	134.00	0.50	0.054
PLS17-561	134.00	134.50	0.50	0.026
PLS17-561	134.50	135.00	0.50	0.026
PLS17-561	135.00	135.50	0.50	0.019
PLS17-561	135.50	136.00	0.50	0.016
PLS17-561	140.00	140.50	0.50	0.007
PLS17-561	140.50	141.00	0.50	0.011
PLS17-561	141.00	141.50	0.50	0.012
PLS17-561	141.50	142.00	0.50	0.008
PLS17-561	142.00	142.50	0.50	0.010
PLS17-561	142.50	143.00	0.50	0.004
PLS17-561	143.00	143.50	0.50	0.072
PLS17-561	143.50	144.00	0.50	0.046
PLS17-561	144.00	144.50	0.50	0.244
PLS17-561	144.50	145.00	0.50	0.033
PLS17-561	145.00	145.50	0.50	0.225

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-561	145.50	146.00	0.50	0.075
PLS17-561	146.00	146.50	0.50	0.041
PLS17-561	146.50	147.00	0.50	0.132
PLS17-561	147.00	147.50	0.50	0.167
PLS17-561	147.50	148.00	0.50	0.046
PLS17-561	148.00	148.50	0.50	0.012
PLS17-561	148.50	149.00	0.50	0.008
PLS17-561	149.00	149.50	0.50	0.008
PLS17-561	149.50	150.00	0.50	0.008
PLS17-561	150.00	150.50	0.50	0.005
PLS17-561	150.50	151.00	0.50	0.008
PLS17-561	151.00	151.50	0.50	0.034
PLS17-561	151.50	152.00	0.50	0.041
PLS17-561	152.00	152.50	0.50	0.016
PLS17-561	152.50	153.00	0.50	0.043
PLS17-561	153.00	153.50	0.50	0.005
PLS17-561	153.50	154.00	0.50	0.002
PLS17-561	154.00	154.50	0.50	0.005
PLS17-561	163.50	164.00	0.50	0.028
PLS17-561	164.00	164.50	0.50	0.004
PLS17-561	164.50	165.00	0.50	0.019
PLS17-561	165.00	165.50	0.50	0.020
PLS17-561	165.50	166.00	0.50	0.055
PLS17-561	166.00	166.50	0.50	0.044
PLS17-561	166.50	167.00	0.50	0.033
PLS17-561	167.00	167.50	0.50	0.093
PLS17-561	167.50	168.00	0.50	0.393
PLS17-561	168.00	168.50	0.50	0.718
PLS17-561	168.50	169.00	0.50	0.107
PLS17-561	169.00	169.50	0.50	0.020
PLS17-561	169.50	170.00	0.50	0.353
PLS17-561	170.00	170.50	0.50	0.129
PLS17-561	170.50	171.00	0.50	0.308
PLS17-561	171.00	171.50	0.50	0.318
PLS17-561	171.50	172.00	0.50	0.164
PLS17-561	172.00	172.50	0.50	0.061
PLS17-561	172.50	173.00	0.50	0.010
PLS17-561	173.00	173.50	0.50	0.015
PLS17-561	173.50	174.00	0.50	0.058
PLS17-561	174.00	174.50	0.50	0.054
PLS17-561	174.50	175.00	0.50	0.050
PLS17-561	175.00	175.50	0.50	0.033
PLS17-561	175.50	176.00	0.50	0.028
PLS17-561	176.00	176.50	0.50	0.001
PLS17-561	176.50	177.00	0.50	0.004

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-561	177.00	177.50	0.50	0.001
PLS17-561	177.50	178.00	0.50	0.005
PLS17-561	178.00	178.50	0.50	0.007
PLS17-561	178.50	179.00	0.50	0.007
PLS17-561	179.00	179.50	0.50	0.058
PLS17-561	179.50	180.00	0.50	0.004
PLS17-561	180.00	180.50	0.50	0.003
PLS17-561	180.50	181.00	0.50	0.004
PLS17-561	181.00	181.50	0.50	0.004
PLS17-561	181.50	182.00	0.50	0.004
PLS17-561	182.00	182.50	0.50	0.010
PLS17-561	182.50	183.00	0.50	0.004
PLS17-561	183.00	183.50	0.50	0.019
PLS17-561	183.50	184.00	0.50	0.010
PLS17-561	184.00	184.50	0.50	0.007
PLS17-561	184.50	185.00	0.50	0.009
PLS17-561	185.00	185.50	0.50	0.024
PLS17-561	185.50	186.00	0.50	0.500
PLS17-561	186.00	186.50	0.50	0.105
PLS17-561	186.50	187.00	0.50	0.009
PLS17-561	187.00	187.50	0.50	0.018
PLS17-561	187.50	188.00	0.50	0.003
PLS17-561	188.00	188.50	0.50	0.003
PLS17-561	188.50	189.00	0.50	0.001
PLS17-561	189.00	189.50	0.50	0.004
PLS17-561	236.50	237.00	0.50	0.001
PLS17-561	237.00	237.50	0.50	0.006
PLS17-561	237.50	238.00	0.50	0.006
PLS17-561	238.00	238.50	0.50	0.003
PLS17-561	238.50	239.00	0.50	0.054
PLS17-561	239.00	239.50	0.50	0.024
PLS17-561	239.50	240.00	0.50	0.012
PLS17-561	240.00	240.50	0.50	0.030
PLS17-561	240.50	241.00	0.50	0.041
PLS17-561	241.00	241.50	0.50	0.016
PLS17-561	241.50	242.00	0.50	0.038
PLS17-561	242.00	242.50	0.50	0.068
PLS17-561	242.50	243.00	0.50	0.038
PLS17-561	243.00	243.50	0.50	0.013
PLS17-561	243.50	244.00	0.50	0.044
PLS17-561	244.00	244.50	0.50	0.009
PLS17-561	244.50	245.00	0.50	0.014
PLS17-561	245.00	245.50	0.50	0.014
PLS17-561	245.50	246.00	0.50	0.016
PLS17-561	246.00	246.50	0.50	0.012

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-561	246.50	247.00	0.50	0.030
PLS17-561	247.00	247.50	0.50	0.012
PLS17-561	247.50	248.00	0.50	0.002
PLS17-561	248.00	248.50	0.50	0.004
PLS17-561	248.50	249.00	0.50	0.001
PLS17-561	249.00	249.50	0.50	0.001
PLS17-561	249.50	250.00	0.50	0.006
PLS17-561	250.00	250.50	0.50	0.003
PLS17-561	269.00	269.50	0.50	0.002
PLS17-561	269.50	270.00	0.50	0.014
PLS17-561	270.00	270.50	0.50	0.006
PLS17-561	270.50	271.00	0.50	0.010
PLS17-561	271.00	271.50	0.50	0.115
PLS17-561	271.50	272.00	0.50	0.009
PLS17-561	272.00	272.50	0.50	0.005
PLS17-561	272.50	273.00	0.50	0.076
PLS17-561	273.00	273.50	0.50	0.058
PLS17-561	273.50	274.00	0.50	0.003
PLS17-561	274.00	274.50	0.50	0.001
PLS17-561	274.50	275.00	0.50	0.001
PLS17-561	275.00	275.50	0.50	0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-562	103.50	104.00	0.50	0.026
PLS17-562	104.00	105.00	1.00	0.083
PLS17-562	105.00	106.00	1.00	0.114
PLS17-562	106.00	107.00	1.00	0.313
PLS17-562	107.00	107.50	0.50	0.008
PLS17-562	107.50	108.00	0.50	0.073
PLS17-562	108.00	108.50	0.50	0.465
PLS17-562	108.50	109.00	0.50	0.625
PLS17-562	109.00	109.50	0.50	0.110
PLS17-562	109.50	110.00	0.50	0.393
PLS17-562	110.00	110.50	0.50	0.316
PLS17-562	110.50	111.00	0.50	0.725
PLS17-562	111.00	111.50	0.50	0.890
PLS17-562	111.50	112.00	0.50	0.181
PLS17-562	112.00	112.50	0.50	0.285
PLS17-562	112.50	113.00	0.50	0.760
<b>PLS17-562</b>	<b>113.00</b>	<b>113.50</b>	<b>0.50</b>	<b>1.240</b>
PLS17-562	113.50	114.00	0.50	0.962
PLS17-562	114.00	114.50	0.50	0.291
<b>PLS17-562</b>	<b>114.50</b>	<b>115.00</b>	<b>0.50</b>	<b>1.600</b>
PLS17-562	115.00	115.50	0.50	0.523
PLS17-562	115.50	116.00	0.50	0.434
<b>PLS17-562</b>	<b>116.00</b>	<b>116.50</b>	<b>0.50</b>	<b>1.240</b>

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-562	116.50	117.00	0.50	0.344
PLS17-562	117.00	117.50	0.50	0.336
PLS17-562	117.50	118.00	0.50	0.489
<b>PLS17-562</b>	<b>118.00</b>	<b>118.50</b>	<b>0.50</b>	<b>8.290</b>
PLS17-562	118.50	119.00	0.50	0.925
<b>PLS17-562</b>	<b>119.00</b>	<b>119.50</b>	<b>0.50</b>	<b>1.320</b>
<b>PLS17-562</b>	<b>119.50</b>	<b>120.00</b>	<b>0.50</b>	<b>1.470</b>
PLS17-562	120.00	120.50	0.50	0.662
PLS17-562	120.50	121.00	0.50	0.450
PLS17-562	121.00	121.50	0.50	0.498
<b>PLS17-562</b>	<b>121.50</b>	<b>122.00</b>	<b>0.50</b>	<b>2.130</b>
PLS17-562	122.00	122.50	0.50	0.270
PLS17-562	122.50	123.00	0.50	0.524
PLS17-562	123.00	123.50	0.50	0.176
PLS17-562	123.50	124.00	0.50	0.222
PLS17-562	124.00	124.50	0.50	0.151
PLS17-562	124.50	125.00	0.50	0.151
PLS17-562	125.00	125.50	0.50	0.128
PLS17-562	125.50	126.00	0.50	0.307
PLS17-562	126.00	126.50	0.50	0.054
PLS17-562	126.50	127.00	0.50	0.084
PLS17-562	127.00	127.50	0.50	0.102
PLS17-562	127.50	128.00	0.50	0.216
PLS17-562	128.00	128.50	0.50	0.624
PLS17-562	128.50	129.00	0.50	0.517
PLS17-562	129.00	129.50	0.50	0.244
PLS17-562	129.50	130.00	0.50	0.148
PLS17-562	130.00	130.50	0.50	0.103
PLS17-562	130.50	131.00	0.50	0.110
PLS17-562	131.00	131.50	0.50	0.062
PLS17-562	131.50	132.00	0.50	0.032
PLS17-562	132.00	132.50	0.50	0.034
PLS17-562	132.50	133.00	0.50	0.041
PLS17-562	133.00	133.50	0.50	0.035
PLS17-562	133.50	134.00	0.50	0.043
PLS17-562	152.00	152.50	0.50	0.013
PLS17-562	152.50	153.00	0.50	0.018
PLS17-562	153.00	153.50	0.50	0.018
PLS17-562	153.50	154.00	0.50	0.018
PLS17-562	154.00	154.50	0.50	0.027
PLS17-562	154.50	155.00	0.50	0.071
PLS17-562	155.00	157.00	2.00	0.043
PLS17-562	157.00	158.00	1.00	0.020
PLS17-562	158.00	158.50	0.50	0.006
PLS17-562	158.50	159.00	0.50	0.010

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-562	159.00	159.50	0.50	0.006
PLS17-562	159.50	160.00	0.50	0.004
PLS17-562	160.00	160.50	0.50	0.010
PLS17-562	160.50	161.00	0.50	0.008
PLS17-562	161.00	161.50	0.50	0.016
PLS17-562	161.50	162.00	0.50	0.022
PLS17-562	162.00	162.50	0.50	0.060
PLS17-562	162.50	163.00	0.50	0.014
PLS17-562	163.00	163.50	0.50	0.011
PLS17-562	163.50	164.00	0.50	0.006
PLS17-562	164.00	164.50	0.50	0.008
PLS17-562	164.50	165.00	0.50	0.007
PLS17-562	165.00	165.50	0.50	0.041
<b>PLS17-562</b>	<b>165.50</b>	<b>166.00</b>	<b>0.50</b>	<b>2.200</b>
<b>PLS17-562</b>	<b>166.00</b>	<b>166.50</b>	<b>0.50</b>	<b>4.320</b>
PLS17-562	166.50	167.00	0.50	0.760
<b>PLS17-562</b>	<b>167.00</b>	<b>167.50</b>	<b>0.50</b>	<b>2.920</b>
PLS17-562	167.50	168.00	0.50	0.974
<b>PLS17-562</b>	<b>168.00</b>	<b>168.50</b>	<b>0.50</b>	<b>1.580</b>
PLS17-562	168.50	169.00	0.50	0.546
PLS17-562	169.00	169.50	0.50	0.020
PLS17-562	169.50	170.00	0.50	0.013
PLS17-562	170.00	170.50	0.50	0.010
PLS17-562	170.50	171.00	0.50	0.035
PLS17-562	171.00	171.50	0.50	0.006
PLS17-562	171.50	172.00	0.50	0.004
PLS17-562	172.00	172.50	0.50	0.016
PLS17-562	172.50	173.00	0.50	0.002
PLS17-562	179.50	180.00	0.50	0.002
PLS17-562	180.00	180.50	0.50	0.004
PLS17-562	180.50	181.00	0.50	0.002
PLS17-562	181.00	181.50	0.50	0.003
PLS17-562	181.50	182.00	0.50	0.008
PLS17-562	182.00	182.50	0.50	0.038
PLS17-562	182.50	183.00	0.50	0.014
PLS17-562	183.00	183.50	0.50	0.001
PLS17-562	183.50	184.00	0.50	0.001
PLS17-562	184.00	184.50	0.50	0.001
PLS17-562	184.50	185.00	0.50	0.001
PLS17-562	185.00	185.50	0.50	0.001
PLS17-562	185.50	186.00	0.50	0.001
PLS17-562	186.00	186.50	0.50	0.012
PLS17-562	186.50	187.00	0.50	0.006
PLS17-562	187.00	187.50	0.50	0.001
PLS17-562	187.50	188.00	0.50	0.001

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-562	188.00	188.50	0.50	0.048
PLS17-562	188.50	189.00	0.50	0.004
PLS17-562	189.00	189.50	0.50	0.002
PLS17-562	189.50	190.00	0.50	0.007
PLS17-562	190.00	190.50	0.50	0.002
PLS17-562	190.50	191.00	0.50	0.003
PLS17-562	191.00	191.50	0.50	0.002
PLS17-562	191.50	192.00	0.50	0.012
PLS17-562	192.00	192.50	0.50	0.012
PLS17-562	192.50	193.00	0.50	0.017
PLS17-562	193.00	193.50	0.50	0.034
PLS17-562	193.50	194.00	0.50	0.181
PLS17-562	194.00	194.50	0.50	0.139
PLS17-562	194.50	195.00	0.50	0.168
PLS17-562	195.00	195.50	0.50	0.189
PLS17-562	195.50	196.00	0.50	0.046
PLS17-562	196.00	196.50	0.50	0.026
PLS17-562	196.50	197.00	0.50	0.021
PLS17-562	197.00	197.50	0.50	0.067
PLS17-562	197.50	198.00	0.50	0.008
PLS17-562	198.00	198.50	0.50	0.006
PLS17-562	198.50	199.00	0.50	0.002
PLS17-562	199.00	199.50	0.50	0.001
PLS17-562	199.50	200.00	0.50	0.001
PLS17-562	200.00	200.50	0.50	0.001
PLS17-562	200.50	201.00	0.50	0.001
PLS17-562	201.00	201.50	0.50	0.001
PLS17-562	201.50	202.00	0.50	0.001
PLS17-562	202.00	202.50	0.50	0.002
PLS17-562	202.50	203.00	0.50	0.125
PLS17-562	203.00	203.50	0.50	0.033
PLS17-562	203.50	204.00	0.50	0.002
PLS17-562	204.00	204.50	0.50	0.005
PLS17-562	204.50	205.00	0.50	0.058
PLS17-562	205.00	205.50	0.50	0.082
PLS17-562	205.50	206.00	0.50	0.010
PLS17-562	206.00	206.50	0.50	0.030
PLS17-562	206.50	207.00	0.50	0.006
PLS17-562	207.00	207.50	0.50	0.013
PLS17-562	207.50	208.00	0.50	0.006
PLS17-562	208.00	208.50	0.50	0.044
<b>PLS17-562</b>	<b>208.50</b>	<b>209.00</b>	<b>0.50</b>	<b>2.400</b>
<b>PLS17-562</b>	<b>209.00</b>	<b>209.50</b>	<b>0.50</b>	<b>1.590</b>
<b>PLS17-562</b>	<b>209.50</b>	<b>210.00</b>	<b>0.50</b>	<b>1.440</b>
PLS17-562	210.00	210.50	0.50	0.467

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
<b>PLS17-562</b>	<b>210.50</b>	<b>211.00</b>	<b>0.50</b>	<b>3.850</b>
<b>PLS17-562</b>	<b>211.00</b>	<b>211.50</b>	<b>0.50</b>	<b>8.840</b>
<b>PLS17-562</b>	<b>211.50</b>	<b>212.00</b>	<b>0.50</b>	<b>2.490</b>
<b>PLS17-562</b>	<b>212.00</b>	<b>212.50</b>	<b>0.50</b>	<b>1.860</b>
<b>PLS17-562</b>	<b>212.50</b>	<b>213.00</b>	<b>0.50</b>	<b>1.320</b>
PLS17-562	213.00	213.50	0.50	0.374
PLS17-562	213.50	214.00	0.50	0.908
PLS17-562	214.00	214.50	0.50	0.361
PLS17-562	214.50	215.00	0.50	0.733
PLS17-562	215.00	215.50	0.50	0.424
PLS17-562	215.50	216.00	0.50	0.058
PLS17-562	216.00	216.50	0.50	0.782
PLS17-562	216.50	217.00	0.50	0.011
PLS17-562	217.00	217.50	0.50	0.746
<b>PLS17-562</b>	<b>217.50</b>	<b>218.00</b>	<b>0.50</b>	<b>2.890</b>
<b>PLS17-562</b>	<b>218.00</b>	<b>218.50</b>	<b>0.50</b>	<b>8.670</b>
<b>PLS17-562</b>	<b>218.50</b>	<b>219.00</b>	<b>0.50</b>	<b>5.120</b>
<b>PLS17-562</b>	<b>219.00</b>	<b>219.50</b>	<b>0.50</b>	<b>1.940</b>
PLS17-562	219.50	220.00	0.50	0.205
PLS17-562	220.00	220.50	0.50	0.387
<b>PLS17-562</b>	<b>220.50</b>	<b>221.00</b>	<b>0.50</b>	<b>1.330</b>
PLS17-562	221.00	221.50	0.50	0.089
PLS17-562	221.50	222.00	0.50	0.228
PLS17-562	222.00	222.50	0.50	0.305
PLS17-562	222.50	223.00	0.50	0.236
PLS17-562	223.00	223.50	0.50	0.028
PLS17-562	223.50	224.00	0.50	0.002
PLS17-562	224.00	224.50	0.50	0.001
PLS17-562	224.50	225.00	0.50	0.001
PLS17-562	225.00	225.50	0.50	0.001
PLS17-562	225.50	226.00	0.50	0.001
PLS17-562	226.00	226.50	0.50	0.001
PLS17-562	226.50	227.00	0.50	0.001
PLS17-562	227.00	227.50	0.50	0.034
PLS17-562	227.50	228.00	0.50	0.316
PLS17-562	228.00	228.50	0.50	0.001
PLS17-562	228.50	229.00	0.50	0.001
PLS17-562	229.00	229.50	0.50	0.001
PLS17-562	229.50	230.00	0.50	0.002
PLS17-562	230.00	230.50	0.50	0.001
PLS17-562	230.50	231.00	0.50	0.001
PLS17-562	231.00	231.50	0.50	0.004
PLS17-562	231.50	232.00	0.50	0.190
PLS17-562	232.00	232.50	0.50	0.015
PLS17-562	232.50	233.00	0.50	0.193



Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-562	233.00	233.50	0.50	0.143
<b>PLS17-562</b>	<b>233.50</b>	<b>234.00</b>	<b>0.50</b>	<b>8.200</b>
<b>PLS17-562</b>	<b>234.00</b>	<b>234.50</b>	<b>0.50</b>	<b>1.990</b>
PLS17-562	234.50	235.00	0.50	0.226
PLS17-562	235.00	235.50	0.50	0.125
PLS17-562	235.50	236.00	0.50	0.057
PLS17-562	236.00	236.50	0.50	0.007
PLS17-562	236.50	237.00	0.50	0.377
<b>PLS17-562</b>	<b>237.00</b>	<b>237.50</b>	<b>0.50</b>	<b>2.960</b>
PLS17-562	237.50	238.00	0.50	0.356
PLS17-562	238.00	238.50	0.50	0.354
PLS17-562	238.50	239.00	0.50	0.129
PLS17-562	239.00	239.50	0.50	0.023
PLS17-562	239.50	240.00	0.50	0.011
PLS17-562	240.00	240.50	0.50	0.004
PLS17-562	240.50	241.00	0.50	0.009
PLS17-562	241.00	241.50	0.50	0.013
PLS17-562	241.50	242.00	0.50	0.015
PLS17-562	242.00	242.50	0.50	0.526
PLS17-562	242.50	243.00	0.50	0.055
<b>PLS17-562</b>	<b>243.00</b>	<b>243.50</b>	<b>0.50</b>	<b>1.450</b>
PLS17-562	243.50	244.00	0.50	0.034
PLS17-562	244.00	244.50	0.50	0.089
PLS17-562	244.50	245.00	0.50	0.308
PLS17-562	245.00	245.50	0.50	0.837
PLS17-562	245.50	246.00	0.50	0.015
PLS17-562	246.00	246.50	0.50	0.025
PLS17-562	246.50	247.00	0.50	0.176
PLS17-562	247.00	247.50	0.50	0.011
PLS17-562	247.50	248.00	0.50	0.238
PLS17-562	248.00	248.50	0.50	0.006
PLS17-562	248.50	249.00	0.50	0.001
PLS17-562	249.00	249.50	0.50	0.001
PLS17-562	249.50	250.00	0.50	0.001
PLS17-562	250.00	250.50	0.50	0.003
PLS17-562	250.50	251.00	0.50	0.018
PLS17-562	251.00	251.50	0.50	0.111
PLS17-562	251.50	252.00	0.50	0.057
PLS17-562	252.00	252.50	0.50	0.008
PLS17-562	252.50	253.00	0.50	0.002
PLS17-562	253.00	253.50	0.50	0.001
PLS17-562	253.50	254.00	0.50	0.001
PLS17-562	254.00	254.50	0.50	0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-563	113.50	114.00	0.50	0.008

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-563	114.00	114.50	0.50	0.006
PLS17-563	114.50	115.00	0.50	0.004
PLS17-563	115.00	115.50	0.50	0.006
PLS17-563	115.50	116.00	0.50	0.038
PLS17-563	116.00	116.50	0.50	0.021
PLS17-563	116.50	117.00	0.50	0.022
PLS17-563	117.00	117.50	0.50	0.029
PLS17-563	117.50	118.00	0.50	0.019
PLS17-563	118.00	118.50	0.50	0.007
PLS17-563	118.50	119.00	0.50	0.006
PLS17-563	119.00	119.50	0.50	0.006
PLS17-563	119.50	120.00	0.50	0.007
PLS17-563	120.00	120.50	0.50	0.008
PLS17-563	120.50	121.00	0.50	0.008
PLS17-563	121.00	121.50	0.50	0.012
PLS17-563	121.50	122.00	0.50	0.011
PLS17-563	122.00	122.50	0.50	0.124
PLS17-563	122.50	123.00	0.50	0.125
PLS17-563	123.00	123.50	0.50	0.114
PLS17-563	123.50	124.00	0.50	0.121
PLS17-563	124.00	124.50	0.50	0.320
PLS17-563	124.50	125.00	0.50	0.046
PLS17-563	125.00	125.50	0.50	0.113
PLS17-563	125.50	126.00	0.50	0.124
PLS17-563	126.00	126.50	0.50	0.092
PLS17-563	126.50	127.00	0.50	0.060
PLS17-563	127.00	127.50	0.50	0.069
PLS17-563	127.50	128.00	0.50	0.043
PLS17-563	128.00	128.50	0.50	0.014
PLS17-563	128.50	129.00	0.50	0.047
PLS17-563	129.00	129.50	0.50	0.032
PLS17-563	129.50	130.00	0.50	0.065
PLS17-563	130.00	130.50	0.50	0.059
PLS17-563	130.50	131.00	0.50	0.161
PLS17-563	131.00	131.50	0.50	0.112
PLS17-563	131.50	132.00	0.50	0.041
PLS17-563	132.00	132.50	0.50	0.034
PLS17-563	132.50	133.00	0.50	0.031
PLS17-563	133.00	133.50	0.50	0.024
PLS17-563	133.50	134.00	0.50	0.008
PLS17-563	134.00	134.50	0.50	0.006
PLS17-563	134.50	135.00	0.50	0.016
PLS17-563	135.00	135.50	0.50	0.019
PLS17-563	135.50	136.00	0.50	0.014
PLS17-563	136.00	136.50	0.50	0.009

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-563	136.50	137.00	0.50	0.021
PLS17-563	137.00	137.50	0.50	0.021
PLS17-563	137.50	138.00	0.50	0.021
PLS17-563	138.00	138.50	0.50	0.051
PLS17-563	138.50	139.00	0.50	0.006
PLS17-563	139.00	139.50	0.50	0.010
PLS17-563	139.50	140.00	0.50	0.008
PLS17-563	140.00	140.50	0.50	0.008
PLS17-563	140.50	141.00	0.50	0.015
PLS17-563	141.00	141.50	0.50	0.018
PLS17-563	141.50	142.00	0.50	0.025
PLS17-563	142.00	142.50	0.50	0.165
PLS17-563	142.50	143.00	0.50	0.045
PLS17-563	143.00	143.50	0.50	0.010
PLS17-563	143.50	144.00	0.50	0.010
PLS17-563	144.00	144.50	0.50	0.012
PLS17-563	144.50	145.00	0.50	0.030
PLS17-563	145.00	145.50	0.50	0.006
PLS17-563	145.50	146.00	0.50	0.009
PLS17-563	146.00	146.50	0.50	0.062
PLS17-563	146.50	147.00	0.50	0.005
PLS17-563	147.00	147.50	0.50	0.003
PLS17-563	147.50	148.00	0.50	0.008
PLS17-563	148.00	148.50	0.50	0.137
PLS17-563	148.50	149.00	0.50	0.328
PLS17-563	149.00	149.50	0.50	0.063
PLS17-563	149.50	150.00	0.50	0.168
PLS17-563	150.00	150.50	0.50	0.023
PLS17-563	150.50	151.00	0.50	0.098
PLS17-563	151.00	151.50	0.50	0.319
PLS17-563	151.50	152.00	0.50	0.082
PLS17-563	152.00	152.50	0.50	0.051
PLS17-563	152.50	153.00	0.50	0.034
<b>PLS17-563</b>	<b>153.00</b>	<b>153.50</b>	<b>0.50</b>	<b>2.820</b>
<b>PLS17-563</b>	<b>153.50</b>	<b>154.00</b>	<b>0.50</b>	<b>1.310</b>
<b>PLS17-563</b>	<b>154.00</b>	<b>154.50</b>	<b>0.50</b>	<b>2.940</b>
<b>PLS17-563</b>	<b>154.50</b>	<b>155.00</b>	<b>0.50</b>	<b>1.550</b>
<b>PLS17-563</b>	<b>155.00</b>	<b>155.50</b>	<b>0.50</b>	<b>5.130</b>
<b>PLS17-563</b>	<b>155.50</b>	<b>156.00</b>	<b>0.50</b>	<b>11.000</b>
<b>PLS17-563</b>	<b>156.00</b>	<b>156.50</b>	<b>0.50</b>	<b>1.150</b>
PLS17-563	156.50	157.00	0.50	0.493
PLS17-563	157.00	157.50	0.50	0.200
PLS17-563	157.50	158.00	0.50	0.270
PLS17-563	158.00	158.50	0.50	0.032
PLS17-563	158.50	159.00	0.50	0.090

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-563	159.00	159.50	0.50	0.041
PLS17-563	159.50	160.00	0.50	0.040
PLS17-563	160.00	160.50	0.50	0.021
PLS17-563	160.50	161.00	0.50	0.036
PLS17-563	161.00	161.50	0.50	0.011
PLS17-563	161.50	162.00	0.50	0.026
PLS17-563	162.00	162.50	0.50	0.052
PLS17-563	162.50	163.00	0.50	0.018
PLS17-563	163.00	163.50	0.50	0.082
PLS17-563	163.50	164.00	0.50	0.049
PLS17-563	164.00	164.50	0.50	0.013
PLS17-563	164.50	165.00	0.50	0.010
PLS17-563	165.00	165.50	0.50	0.007
PLS17-563	165.50	166.00	0.50	0.135
PLS17-563	166.00	166.50	0.50	0.147
PLS17-563	166.50	167.00	0.50	0.012
PLS17-563	167.00	167.50	0.50	0.026
PLS17-563	167.50	168.00	0.50	0.007
PLS17-563	168.00	168.50	0.50	0.012
PLS17-563	168.50	169.00	0.50	0.011
PLS17-563	169.00	169.50	0.50	0.049
PLS17-563	169.50	170.00	0.50	0.167
PLS17-563	170.00	170.50	0.50	0.358
PLS17-563	170.50	171.00	0.50	0.024
PLS17-563	171.00	171.50	0.50	0.017
PLS17-563	171.50	172.00	0.50	0.015
PLS17-563	172.00	172.50	0.50	0.023
PLS17-563	172.50	173.00	0.50	0.016
PLS17-563	173.00	173.50	0.50	0.025
PLS17-563	173.50	174.00	0.50	0.081
PLS17-563	174.00	174.50	0.50	0.058
PLS17-563	174.50	175.00	0.50	0.037
PLS17-563	175.00	175.50	0.50	0.028
PLS17-563	175.50	176.00	0.50	0.012
PLS17-563	176.00	176.50	0.50	0.028
PLS17-563	176.50	177.00	0.50	0.048
PLS17-563	177.00	177.50	0.50	0.014
PLS17-563	177.50	178.00	0.50	0.035
PLS17-563	178.00	178.50	0.50	0.024
PLS17-563	178.50	179.00	0.50	0.038
PLS17-563	179.00	179.50	0.50	0.023
PLS17-563	179.50	180.00	0.50	0.011
PLS17-563	180.00	180.50	0.50	0.010
PLS17-563	180.50	181.00	0.50	0.013
PLS17-563	181.00	181.50	0.50	0.048

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-563	181.50	182.00	0.50	0.027
PLS17-563	182.00	182.50	0.50	0.002
PLS17-563	182.50	183.00	0.50	0.047
PLS17-563	183.00	183.50	0.50	0.002
PLS17-563	183.50	184.00	0.50	0.001
PLS17-563	184.00	184.50	0.50	0.002
PLS17-563	184.50	185.00	0.50	0.009
PLS17-563	185.00	185.50	0.50	0.078
PLS17-563	185.50	186.00	0.50	0.014
PLS17-563	186.00	186.50	0.50	0.005
PLS17-563	186.50	187.00	0.50	0.003
PLS17-563	187.00	187.50	0.50	0.022
PLS17-563	187.50	188.00	0.50	0.004
PLS17-563	188.00	188.50	0.50	0.002
PLS17-563	188.50	189.00	0.50	0.010
PLS17-563	189.00	189.50	0.50	0.067
PLS17-563	189.50	190.00	0.50	0.005
PLS17-563	190.00	190.50	0.50	0.068
PLS17-563	190.50	191.00	0.50	0.052
PLS17-563	191.00	191.50	0.50	0.030
PLS17-563	191.50	192.00	0.50	0.006
PLS17-563	192.00	192.50	0.50	0.005
PLS17-563	192.50	193.00	0.50	0.003
PLS17-563	193.00	193.50	0.50	0.001
PLS17-563	193.50	194.00	0.50	0.001
PLS17-563	194.00	194.50	0.50	0.002
PLS17-563	194.50	195.00	0.50	0.017
PLS17-563	195.00	195.50	0.50	0.017
PLS17-563	195.50	196.00	0.50	0.002
PLS17-563	196.00	196.50	0.50	0.012
PLS17-563	196.50	197.00	0.50	0.016
PLS17-563	197.00	197.50	0.50	0.001
PLS17-563	197.50	198.00	0.50	0.001
PLS17-563	198.00	198.50	0.50	0.001
PLS17-563	198.50	199.00	0.50	0.001
PLS17-563	199.00	199.50	0.50	0.001
PLS17-563	199.50	200.00	0.50	0.001
PLS17-563	200.00	200.50	0.50	0.024
PLS17-563	200.50	201.00	0.50	0.050
PLS17-563	201.00	201.50	0.50	0.018
PLS17-563	201.50	202.00	0.50	0.055
PLS17-563	202.00	202.50	0.50	0.170
PLS17-563	202.50	203.00	0.50	0.893
<b>PLS17-563</b>	<b>203.00</b>	<b>203.50</b>	<b>0.50</b>	<b>1.060</b>
<b>PLS17-563</b>	<b>203.50</b>	<b>204.00</b>	<b>0.50</b>	<b>4.410</b>

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-563	204.00	204.50	0.50	0.809
<b>PLS17-563</b>	<b>204.50</b>	<b>205.00</b>	<b>0.50</b>	<b>1.670</b>
PLS17-563	205.00	205.50	0.50	0.288
PLS17-563	205.50	206.00	0.50	0.088
PLS17-563	206.00	206.50	0.50	0.062
PLS17-563	206.50	207.00	0.50	0.029
PLS17-563	207.00	207.50	0.50	0.003
PLS17-563	207.50	208.00	0.50	0.001
PLS17-563	208.00	208.50	0.50	0.002
PLS17-563	208.50	209.00	0.50	0.002
PLS17-563	209.00	209.50	0.50	0.002
PLS17-563	209.50	210.00	0.50	0.015
PLS17-563	210.00	210.50	0.50	0.009
PLS17-563	210.50	211.00	0.50	0.118
PLS17-563	211.00	211.50	0.50	0.276
PLS17-563	211.50	212.00	0.50	0.018
PLS17-563	212.00	212.50	0.50	0.023
PLS17-563	212.50	213.00	0.50	0.001
PLS17-563	213.00	213.50	0.50	0.001
PLS17-563	213.50	214.00	0.50	0.001
PLS17-563	214.00	214.50	0.50	0.001
PLS17-563	214.50	215.00	0.50	0.006
PLS17-563	215.00	215.50	0.50	0.001
PLS17-563	215.50	216.00	0.50	0.002
PLS17-563	216.00	216.50	0.50	0.002
PLS17-563	216.50	217.00	0.50	0.001
PLS17-563	217.00	217.50	0.50	0.001
PLS17-563	217.50	218.00	0.50	0.001
PLS17-563	218.00	218.50	0.50	0.001
PLS17-563	218.50	219.00	0.50	0.001
PLS17-563	219.00	219.50	0.50	0.001
PLS17-563	219.50	220.00	0.50	0.001
PLS17-563	220.00	220.50	0.50	0.001
PLS17-563	220.50	221.00	0.50	0.003
PLS17-563	221.00	221.50	0.50	0.001
PLS17-563	221.50	222.00	0.50	0.004
PLS17-563	222.00	222.50	0.50	0.011
PLS17-563	222.50	223.00	0.50	0.013
PLS17-563	223.00	223.50	0.50	0.002
PLS17-563	223.50	224.00	0.50	0.004
PLS17-563	224.00	224.50	0.50	0.003
PLS17-563	224.50	225.00	0.50	0.010
PLS17-563	225.00	225.50	0.50	0.005
PLS17-563	225.50	226.00	0.50	0.001
PLS17-563	226.00	226.50	0.50	0.004

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-563	226.50	227.00	0.50	0.007
PLS17-563	227.00	227.50	0.50	0.010
PLS17-563	227.50	228.00	0.50	0.022
PLS17-563	228.00	228.50	0.50	0.221
PLS17-563	228.50	229.00	0.50	0.002
PLS17-563	229.00	229.50	0.50	0.005
PLS17-563	229.50	230.00	0.50	0.001
PLS17-563	230.00	230.50	0.50	0.006
PLS17-563	230.50	231.00	0.50	0.018
PLS17-563	231.00	231.50	0.50	0.014
PLS17-563	231.50	232.00	0.50	0.002
PLS17-563	232.00	232.50	0.50	0.004
PLS17-563	232.50	233.00	0.50	0.001
PLS17-563	233.00	233.50	0.50	0.002
PLS17-563	233.50	234.00	0.50	0.001
PLS17-563	234.00	234.50	0.50	0.005
PLS17-563	234.50	235.00	0.50	0.089
PLS17-563	235.00	235.50	0.50	0.054
PLS17-563	235.50	236.00	0.50	0.019
PLS17-563	236.00	236.50	0.50	0.134
PLS17-563	236.50	237.00	0.50	0.150
PLS17-563	237.00	237.50	0.50	0.115
PLS17-563	237.50	238.00	0.50	0.024
PLS17-563	238.00	238.50	0.50	0.080
PLS17-563	238.50	239.00	0.50	0.354
<b>PLS17-563</b>	<b>239.00</b>	<b>239.50</b>	<b>0.50</b>	<b>5.450</b>
PLS17-563	239.50	240.00	0.50	0.474
<b>PLS17-563</b>	<b>240.00</b>	<b>240.50</b>	<b>0.50</b>	<b>4.700</b>
PLS17-563	240.50	241.00	0.50	0.279
PLS17-563	241.00	241.50	0.50	0.097
PLS17-563	241.50	242.00	0.50	0.137
PLS17-563	242.00	242.50	0.50	0.336
PLS17-563	242.50	243.00	0.50	0.005
PLS17-563	243.00	243.50	0.50	0.004
PLS17-563	243.50	244.00	0.50	0.006
PLS17-563	244.00	244.50	0.50	0.005
PLS17-563	244.50	245.00	0.50	0.010
<b>PLS17-563</b>	<b>245.00</b>	<b>245.50</b>	<b>0.50</b>	<b>4.670</b>
PLS17-563	245.50	246.00	0.50	0.028
PLS17-563	246.00	246.50	0.50	0.181
PLS17-563	246.50	247.00	0.50	0.141
<b>PLS17-563</b>	<b>247.00</b>	<b>247.50</b>	<b>0.50</b>	<b>1.050</b>
<b>PLS17-563</b>	<b>247.50</b>	<b>248.00</b>	<b>0.50</b>	<b>2.270</b>
PLS17-563	248.00	248.50	0.50	0.407
PLS17-563	248.50	249.00	0.50	0.994

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-563	249.00	249.50	0.50	0.589
PLS17-563	249.50	250.00	0.50	0.225
PLS17-563	250.00	250.50	0.50	0.039
PLS17-563	250.50	251.00	0.50	0.162
PLS17-563	251.00	251.50	0.50	0.002
PLS17-563	251.50	252.00	0.50	0.261
PLS17-563	252.00	252.50	0.50	0.037
PLS17-563	252.50	253.00	0.50	0.001
PLS17-563	253.00	253.50	0.50	0.002
PLS17-563	253.50	254.00	0.50	0.169
PLS17-563	254.00	254.50	0.50	0.347
<b>PLS17-563</b>	<b>254.50</b>	<b>255.00</b>	<b>0.50</b>	<b>1.690</b>
PLS17-563	255.00	255.50	0.50	0.059
PLS17-563	255.50	256.00	0.50	0.017
<b>PLS17-563</b>	<b>256.00</b>	<b>256.50</b>	<b>0.50</b>	<b>2.190</b>
PLS17-563	256.50	257.00	0.50	0.023
PLS17-563	257.00	257.50	0.50	0.001
PLS17-563	257.50	258.00	0.50	0.003
PLS17-563	258.00	258.50	0.50	0.001
PLS17-563	258.50	259.00	0.50	0.425
PLS17-563	259.00	259.50	0.50	0.058
PLS17-563	259.50	260.00	0.50	0.006
PLS17-563	260.00	260.50	0.50	0.010
PLS17-563	260.50	261.00	0.50	0.580
<b>PLS17-563</b>	<b>261.00</b>	<b>261.50</b>	<b>0.50</b>	<b>1.630</b>
PLS17-563	261.50	262.00	0.50	0.002
PLS17-563	262.00	262.50	0.50	0.004
PLS17-563	262.50	263.00	0.50	0.001
PLS17-563	263.00	263.50	0.50	0.106
<b>PLS17-563</b>	<b>263.50</b>	<b>264.00</b>	<b>0.50</b>	<b>1.020</b>
PLS17-563	264.00	264.50	0.50	0.048
PLS17-563	264.50	265.00	0.50	0.014
PLS17-563	265.00	265.50	0.50	0.011
PLS17-563	265.50	266.00	0.50	0.001
PLS17-563	266.00	266.50	0.50	0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-564	101.00	101.50	0.50	0.077
PLS17-564	101.50	102.00	0.50	0.086
PLS17-564	102.00	102.50	0.50	0.084
PLS17-564	102.50	103.00	0.50	0.204
PLS17-564	103.00	103.50	0.50	0.179
PLS17-564	103.50	104.00	0.50	0.070
PLS17-564	104.00	104.50	0.50	0.086
PLS17-564	104.50	105.00	0.50	0.107
PLS17-564	105.00	105.50	0.50	0.110



Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-564	105.50	106.00	0.50	0.007
PLS17-564	106.00	106.50	0.50	0.064
PLS17-564	106.50	107.00	0.50	0.045
PLS17-564	107.00	108.00	1.00	0.048
PLS17-564	108.00	109.00	1.00	0.058
PLS17-564	109.00	110.00	1.00	0.060
PLS17-564	110.00	110.50	0.50	0.254
PLS17-564	110.50	111.00	0.50	0.807
PLS17-564	111.00	111.50	0.50	0.946
PLS17-564	111.50	112.00	0.50	0.176
PLS17-564	112.00	112.50	0.50	0.095
PLS17-564	112.50	113.00	0.50	0.050
PLS17-564	113.00	113.50	0.50	0.020
PLS17-564	113.50	114.00	0.50	0.060
PLS17-564	114.00	114.50	0.50	0.787
PLS17-564	114.50	115.00	0.50	0.719
<b>PLS17-564</b>	<b>115.00</b>	<b>115.50</b>	<b>0.50</b>	<b>1.270</b>
<b>PLS17-564</b>	<b>115.50</b>	<b>116.00</b>	<b>0.50</b>	<b>1.050</b>
<b>PLS17-564</b>	<b>116.00</b>	<b>116.50</b>	<b>0.50</b>	<b>1.100</b>
PLS17-564	116.50	117.00	0.50	0.678
<b>PLS17-564</b>	<b>117.00</b>	<b>117.50</b>	<b>0.50</b>	<b>1.900</b>
<b>PLS17-564</b>	<b>117.50</b>	<b>118.00</b>	<b>0.50</b>	<b>2.500</b>
PLS17-564	118.00	118.50	0.50	0.953
PLS17-564	118.50	119.00	0.50	0.426
PLS17-564	119.00	119.50	0.50	0.723
<b>PLS17-564</b>	<b>119.50</b>	<b>120.00</b>	<b>0.50</b>	<b>1.480</b>
PLS17-564	120.00	120.50	0.50	0.251
PLS17-564	120.50	121.00	0.50	0.272
PLS17-564	121.00	121.50	0.50	0.237
PLS17-564	121.50	122.00	0.50	0.282
PLS17-564	122.00	122.50	0.50	0.328
PLS17-564	122.50	123.00	0.50	0.254
PLS17-564	123.00	123.50	0.50	0.396
<b>PLS17-564</b>	<b>123.50</b>	<b>124.00</b>	<b>0.50</b>	<b>1.620</b>
<b>PLS17-564</b>	<b>124.00</b>	<b>124.50</b>	<b>0.50</b>	<b>4.310</b>
PLS17-564	124.50	125.00	0.50	0.425
PLS17-564	125.00	125.50	0.50	0.521
PLS17-564	125.50	126.00	0.50	0.144
PLS17-564	126.00	126.50	0.50	0.382
PLS17-564	126.50	127.00	0.50	0.024
PLS17-564	127.00	127.50	0.50	0.234
PLS17-564	127.50	128.00	0.50	0.270
PLS17-564	128.00	128.50	0.50	0.050
PLS17-564	128.50	129.00	0.50	0.087
PLS17-564	129.00	129.50	0.50	0.061

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-564	129.50	130.00	0.50	0.324
<b>PLS17-564</b>	<b>130.00</b>	<b>130.50</b>	<b>0.50</b>	<b>1.330</b>
PLS17-564	130.50	131.00	0.50	0.269
PLS17-564	131.00	131.50	0.50	0.216
PLS17-564	131.50	132.00	0.50	0.015
PLS17-564	132.00	132.50	0.50	0.036
PLS17-564	132.50	133.00	0.50	0.039
PLS17-564	133.00	133.50	0.50	0.028
PLS17-564	133.50	134.00	0.50	0.051
PLS17-564	134.00	134.50	0.50	0.690
PLS17-564	134.50	135.00	0.50	0.698
PLS17-564	135.00	135.50	0.50	0.314
PLS17-564	135.50	136.00	0.50	0.876
PLS17-564	136.00	136.50	0.50	0.851
PLS17-564	136.50	137.00	0.50	0.476
PLS17-564	137.00	137.50	0.50	0.469
PLS17-564	137.50	138.00	0.50	0.553
PLS17-564	138.00	138.50	0.50	0.407
PLS17-564	138.50	139.00	0.50	0.092
PLS17-564	139.00	139.50	0.50	0.131
PLS17-564	139.50	140.00	0.50	0.722
PLS17-564	140.00	141.00	1.00	0.358
PLS17-564	141.00	142.00	1.00	0.204
PLS17-564	142.00	143.00	1.00	0.598
<b>PLS17-564</b>	<b>143.00</b>	<b>143.50</b>	<b>0.50</b>	<b>1.770</b>
<b>PLS17-564</b>	<b>143.50</b>	<b>144.00</b>	<b>0.50</b>	<b>1.190</b>
PLS17-564	144.00	144.50	0.50	0.522
<b>PLS17-564</b>	<b>144.50</b>	<b>145.00</b>	<b>0.50</b>	<b>2.650</b>
PLS17-564	145.00	145.50	0.50	0.806
PLS17-564	145.50	146.00	0.50	0.023
PLS17-564	146.00	146.50	0.50	0.070
PLS17-564	146.50	147.00	0.50	0.049
PLS17-564	147.00	147.50	0.50	0.050
PLS17-564	147.50	148.00	0.50	0.087
PLS17-564	148.00	148.50	0.50	0.034
PLS17-564	148.50	149.00	0.50	0.076
PLS17-564	149.00	149.50	0.50	0.081
PLS17-564	149.50	150.00	0.50	0.024
PLS17-564	150.00	150.50	0.50	0.016
PLS17-564	150.50	151.00	0.50	0.011
PLS17-564	151.00	151.50	0.50	0.045
PLS17-564	151.50	152.00	0.50	0.138
PLS17-564	152.00	152.50	0.50	0.039
PLS17-564	152.50	153.00	0.50	0.030
PLS17-564	153.00	153.50	0.50	0.037

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-564	153.50	154.00	0.50	0.033
PLS17-564	154.00	154.50	0.50	0.095
PLS17-564	154.50	155.00	0.50	0.074
PLS17-564	155.00	155.50	0.50	0.017
PLS17-564	155.50	156.00	0.50	0.137
PLS17-564	156.00	156.50	0.50	0.175
PLS17-564	156.50	157.00	0.50	0.278
PLS17-564	157.00	157.50	0.50	0.092
PLS17-564	157.50	158.00	0.50	0.155
PLS17-564	158.00	158.50	0.50	0.085
PLS17-564	158.50	159.00	0.50	0.006
PLS17-564	159.00	159.50	0.50	0.014
PLS17-564	159.50	160.00	0.50	0.109
PLS17-564	160.00	160.50	0.50	0.086
PLS17-564	160.50	161.00	0.50	0.057
PLS17-564	161.00	161.50	0.50	0.006
PLS17-564	161.50	162.00	0.50	0.026
PLS17-564	162.00	162.50	0.50	0.006
PLS17-564	162.50	163.00	0.50	0.006
PLS17-564	163.00	163.50	0.50	0.025
PLS17-564	163.50	164.00	0.50	0.120
PLS17-564	164.00	164.50	0.50	0.264
PLS17-564	164.50	165.00	0.50	0.075
PLS17-564	165.00	165.50	0.50	0.395
PLS17-564	165.50	166.00	0.50	0.010
PLS17-564	166.00	166.50	0.50	0.006
PLS17-564	166.50	167.00	0.50	0.006
PLS17-564	167.00	167.50	0.50	0.014
PLS17-564	167.50	168.00	0.50	0.171
PLS17-564	168.00	168.50	0.50	0.094
PLS17-564	168.50	169.00	0.50	0.021
PLS17-564	169.00	169.50	0.50	0.024
PLS17-564	169.50	170.00	0.50	0.003
PLS17-564	170.00	170.50	0.50	0.018
<b>PLS17-564</b>	<b>170.50</b>	<b>171.00</b>	<b>0.50</b>	<b>8.100</b>
<b>PLS17-564</b>	<b>171.00</b>	<b>171.50</b>	<b>0.50</b>	<b>24.900</b>
PLS17-564	171.50	172.00	0.50	0.084
PLS17-564	172.00	172.50	0.50	0.020
PLS17-564	172.50	173.00	0.50	0.157
<b>PLS17-564</b>	<b>173.00</b>	<b>173.50</b>	<b>0.50</b>	<b>2.440</b>
<b>PLS17-564</b>	<b>173.50</b>	<b>174.00</b>	<b>0.50</b>	<b>5.780</b>
<b>PLS17-564</b>	<b>174.00</b>	<b>174.50</b>	<b>0.50</b>	<b>16.300</b>
<b>PLS17-564</b>	<b>174.50</b>	<b>175.00</b>	<b>0.50</b>	<b>2.980</b>
<b>PLS17-564</b>	<b>175.00</b>	<b>175.50</b>	<b>0.50</b>	<b>21.200</b>
<b>PLS17-564</b>	<b>175.50</b>	<b>176.00</b>	<b>0.50</b>	<b>6.750</b>

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
<b>PLS17-564</b>	<b>176.00</b>	<b>176.50</b>	<b>0.50</b>	<b>3.340</b>
<b>PLS17-564</b>	<b>176.50</b>	<b>177.00</b>	<b>0.50</b>	<b>3.350</b>
<b>PLS17-564</b>	<b>177.00</b>	<b>177.50</b>	<b>0.50</b>	<b>1.160</b>
PLS17-564	177.50	178.00	0.50	0.538
PLS17-564	178.00	178.50	0.50	0.003
PLS17-564	178.50	179.00	0.50	0.001
PLS17-564	179.00	179.50	0.50	0.003
PLS17-564	179.50	180.00	0.50	0.002
PLS17-564	190.50	191.00	0.50	0.020
PLS17-564	196.50	197.00	0.50	0.002
PLS17-564	197.00	197.50	0.50	0.002
PLS17-564	197.50	198.00	0.50	0.002
PLS17-564	198.00	198.50	0.50	0.001
PLS17-564	198.50	199.00	0.50	0.004
PLS17-564	199.00	199.50	0.50	0.273
PLS17-564	199.50	200.00	0.50	0.004
PLS17-564	200.00	200.50	0.50	0.002
PLS17-564	200.50	201.00	0.50	0.002
PLS17-564	201.00	201.50	0.50	0.047
<b>PLS17-564</b>	<b>201.50</b>	<b>202.00</b>	<b>0.50</b>	<b>1.120</b>
<b>PLS17-564</b>	<b>202.00</b>	<b>202.50</b>	<b>0.50</b>	<b>18.000</b>
<b>PLS17-564</b>	<b>202.50</b>	<b>203.00</b>	<b>0.50</b>	<b>6.240</b>
<b>PLS17-564</b>	<b>203.00</b>	<b>203.50</b>	<b>0.50</b>	<b>3.360</b>
<b>PLS17-564</b>	<b>203.50</b>	<b>204.00</b>	<b>0.50</b>	<b>9.620</b>
<b>PLS17-564</b>	<b>204.00</b>	<b>204.50</b>	<b>0.50</b>	<b>7.400</b>
<b>PLS17-564</b>	<b>204.50</b>	<b>205.00</b>	<b>0.50</b>	<b>1.120</b>
<b>PLS17-564</b>	<b>205.00</b>	<b>205.50</b>	<b>0.50</b>	<b>13.700</b>
<b>PLS17-564</b>	<b>205.50</b>	<b>206.00</b>	<b>0.50</b>	<b>6.620</b>
<b>PLS17-564</b>	<b>206.00</b>	<b>206.50</b>	<b>0.50</b>	<b>1.670</b>
PLS17-564	206.50	207.00	0.50	0.060
<b>PLS17-564</b>	<b>207.00</b>	<b>207.50</b>	<b>0.50</b>	<b>5.810</b>
<b>PLS17-564</b>	<b>207.50</b>	<b>208.00</b>	<b>0.50</b>	<b>3.700</b>
<b>PLS17-564</b>	<b>208.00</b>	<b>208.50</b>	<b>0.50</b>	<b>4.320</b>
<b>PLS17-564</b>	<b>208.50</b>	<b>209.00</b>	<b>0.50</b>	<b>7.430</b>
PLS17-564	209.00	209.50	0.50	0.942
PLS17-564	209.50	210.00	0.50	0.028
PLS17-564	210.00	210.50	0.50	0.010
PLS17-564	210.50	211.00	0.50	0.003
PLS17-564	211.00	211.50	0.50	0.002
PLS17-564	211.50	212.00	0.50	0.001
PLS17-564	212.00	212.50	0.50	0.002
PLS17-564	212.50	213.00	0.50	0.001
PLS17-564	213.00	213.50	0.50	0.002
PLS17-564	213.50	214.00	0.50	0.001
PLS17-564	214.00	214.50	0.50	0.002

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-564	214.50	215.00	0.50	0.227
PLS17-564	215.00	215.50	0.50	0.018
PLS17-564	215.50	216.00	0.50	0.017
PLS17-564	216.00	216.50	0.50	0.015
PLS17-564	216.50	217.00	0.50	0.010
PLS17-564	217.00	217.50	0.50	0.737
PLS17-564	217.50	218.00	0.50	0.010
PLS17-564	218.00	218.50	0.50	0.016
PLS17-564	218.50	219.00	0.50	0.004
PLS17-564	219.00	219.50	0.50	0.021
PLS17-564	219.50	220.00	0.50	0.112
PLS17-564	220.00	220.50	0.50	0.077
PLS17-564	220.50	221.00	0.50	0.292
PLS17-564	221.00	221.50	0.50	0.079
PLS17-564	221.50	222.00	0.50	0.057
PLS17-564	222.00	222.50	0.50	0.054
PLS17-564	222.50	223.00	0.50	0.009
PLS17-564	223.00	223.50	0.50	0.154
PLS17-564	223.50	224.00	0.50	0.080
PLS17-564	224.00	224.50	0.50	0.321
PLS17-564	224.50	225.00	0.50	0.502
PLS17-564	225.00	225.50	0.50	0.038
PLS17-564	225.50	226.00	0.50	0.012
PLS17-564	226.00	226.50	0.50	0.060
PLS17-564	226.50	227.00	0.50	0.151
PLS17-564	227.00	227.50	0.50	0.148
PLS17-564	227.50	228.00	0.50	0.025
PLS17-564	228.00	228.50	0.50	0.050
PLS17-564	228.50	229.00	0.50	0.343
PLS17-564	229.00	229.50	0.50	0.241
PLS17-564	229.50	230.00	0.50	0.333
<b>PLS17-564</b>	<b>230.00</b>	<b>230.50</b>	<b>0.50</b>	<b>3.570</b>
<b>PLS17-564</b>	<b>230.50</b>	<b>231.00</b>	<b>0.50</b>	<b>4.560</b>
<b>PLS17-564</b>	<b>231.00</b>	<b>231.50</b>	<b>0.50</b>	<b>1.790</b>
<b>PLS17-564</b>	<b>231.50</b>	<b>232.00</b>	<b>0.50</b>	<b>2.080</b>
<b>PLS17-564</b>	<b>232.00</b>	<b>232.50</b>	<b>0.50</b>	<b>1.070</b>
PLS17-564	232.50	233.00	0.50	0.006
PLS17-564	233.00	233.50	0.50	0.009
PLS17-564	233.50	234.00	0.50	0.002
PLS17-564	234.00	234.50	0.50	0.197
PLS17-564	234.50	235.00	0.50	0.483
PLS17-564	235.00	235.50	0.50	0.011
PLS17-564	235.50	236.00	0.50	0.002
PLS17-564	236.00	236.50	0.50	0.015
PLS17-564	236.50	237.00	0.50	0.091

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-564	237.00	237.50	0.50	0.012
PLS17-564	237.50	238.00	0.50	0.025
PLS17-564	238.00	238.50	0.50	0.030
PLS17-564	238.50	239.00	0.50	0.006
PLS17-564	239.00	239.50	0.50	0.009
PLS17-564	239.50	240.00	0.50	0.902
PLS17-564	240.00	240.50	0.50	0.246
<b>PLS17-564</b>	<b>240.50</b>	<b>241.00</b>	<b>0.50</b>	<b>1.200</b>
PLS17-564	241.00	241.50	0.50	0.186
PLS17-564	241.50	242.00	0.50	0.008
PLS17-564	242.00	242.50	0.50	0.282
PLS17-564	242.50	243.00	0.50	0.021
PLS17-564	243.00	243.50	0.50	0.008
PLS17-564	243.50	244.00	0.50	0.213
PLS17-564	244.00	244.50	0.50	0.063
PLS17-564	244.50	245.00	0.50	0.033
PLS17-564	245.00	245.50	0.50	0.050
PLS17-564	245.50	246.00	0.50	0.040
PLS17-564	246.00	246.50	0.50	0.004
PLS17-564	246.50	247.00	0.50	0.112
PLS17-564	247.00	247.50	0.50	0.048
<b>PLS17-564</b>	<b>247.50</b>	<b>248.00</b>	<b>0.50</b>	<b>1.830</b>
PLS17-564	248.00	248.50	0.50	0.338
PLS17-564	248.50	249.00	0.50	0.525
<b>PLS17-564</b>	<b>249.00</b>	<b>249.50</b>	<b>0.50</b>	<b>2.090</b>
PLS17-564	249.50	250.00	0.50	0.007
PLS17-564	250.00	250.50	0.50	0.202
PLS17-564	250.50	251.00	0.50	0.008
PLS17-564	251.00	251.50	0.50	0.004
PLS17-564	251.50	252.00	0.50	0.009
<b>PLS17-564</b>	<b>252.00</b>	<b>252.50</b>	<b>0.50</b>	<b>2.310</b>
PLS17-564	252.50	253.00	0.50	0.282
PLS17-564	253.00	253.50	0.50	0.165
PLS17-564	253.50	254.00	0.50	0.276
PLS17-564	254.00	254.50	0.50	0.288
<b>PLS17-564</b>	<b>254.50</b>	<b>255.00</b>	<b>0.50</b>	<b>1.660</b>
<b>PLS17-564</b>	<b>255.00</b>	<b>255.50</b>	<b>0.50</b>	<b>1.420</b>
<b>PLS17-564</b>	<b>255.50</b>	<b>256.00</b>	<b>0.50</b>	<b>1.510</b>
PLS17-564	256.00	256.50	0.50	0.021
PLS17-564	256.50	257.00	0.50	0.008
PLS17-564	257.00	257.50	0.50	0.001
PLS17-564	257.50	258.00	0.50	0.001
PLS17-564	258.00	258.50	0.50	0.002
PLS17-564	258.50	259.00	0.50	0.002
PLS17-564	265.50	266.00	0.50	0.021

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-564	266.00	266.50	0.50	0.004
PLS17-564	266.50	267.00	0.50	0.006
PLS17-564	267.00	267.50	0.50	0.001
PLS17-564	267.50	268.00	0.50	0.015
PLS17-564	268.00	268.50	0.50	0.030
PLS17-564	268.50	269.00	0.50	0.022
PLS17-564	269.00	269.50	0.50	0.033
PLS17-564	269.50	270.00	0.50	0.672
PLS17-564	270.00	270.50	0.50	0.558
<b>PLS17-564</b>	<b>270.50</b>	<b>271.00</b>	<b>0.50</b>	<b>1.470</b>
PLS17-564	271.00	271.50	0.50	0.204
PLS17-564	271.50	272.00	0.50	0.156
PLS17-564	272.00	272.50	0.50	0.141
PLS17-564	272.50	273.00	0.50	0.092
PLS17-564	273.00	273.50	0.50	0.110
PLS17-564	273.50	274.00	0.50	0.010
PLS17-564	274.00	274.50	0.50	0.002
PLS17-564	274.50	275.00	0.50	0.001
PLS17-564	275.00	275.50	0.50	0.002
PLS17-564	275.50	276.00	0.50	0.001