



Fission

URANIUM CORP.

Drill Core Assay Summary: R1620E - Patterson Lake South

| Hole ID | From (m) | To (m) | Interval (m) | U3O8 (wt%) |
|------------------|---------------|---------------|--------------|--------------|
| PLS14-196 | 97.00 | 97.50 | 0.50 | 0.005 |
| PLS14-196 | 97.50 | 98.00 | 0.50 | 0.005 |
| PLS14-196 | 98.00 | 98.50 | 0.50 | 0.016 |
| PLS14-196 | 98.50 | 99.00 | 0.50 | 0.020 |
| PLS14-196 | 99.00 | 99.50 | 0.50 | 0.022 |
| PLS14-196 | 99.50 | 100.00 | 0.50 | 0.041 |
| PLS14-196 | 100.00 | 100.50 | 0.50 | 0.212 |
| PLS14-196 | 100.50 | 101.00 | 0.50 | 0.268 |
| PLS14-196 | 101.00 | 101.50 | 0.50 | 0.333 |
| PLS14-196 | 101.50 | 102.00 | 0.50 | 1.040 |
| PLS14-196 | 102.00 | 102.50 | 0.50 | 0.138 |
| PLS14-196 | 102.50 | 103.00 | 0.50 | 0.073 |
| PLS14-196 | 103.00 | 103.50 | 0.50 | 0.108 |
| PLS14-196 | 103.50 | 104.00 | 0.50 | 0.080 |
| PLS14-196 | 104.00 | 104.50 | 0.50 | 0.108 |
| PLS14-196 | 104.50 | 105.00 | 0.50 | 0.144 |
| PLS14-196 | 105.00 | 105.50 | 0.50 | 0.061 |
| PLS14-196 | 105.50 | 106.00 | 0.50 | 0.037 |
| PLS14-196 | 106.00 | 106.50 | 0.50 | 0.025 |
| PLS14-196 | 106.50 | 107.00 | 0.50 | 0.053 |
| PLS14-196 | 107.00 | 107.50 | 0.50 | 0.045 |
| PLS14-196 | 107.50 | 108.00 | 0.50 | 0.072 |
| PLS14-196 | 108.00 | 108.50 | 0.50 | 0.132 |
| PLS14-196 | 108.50 | 109.00 | 0.50 | 0.378 |
| PLS14-196 | 109.00 | 109.50 | 0.50 | 0.238 |
| PLS14-196 | 109.50 | 110.00 | 0.50 | 0.356 |
| PLS14-196 | 110.00 | 110.50 | 0.50 | 0.203 |
| PLS14-196 | 110.50 | 111.00 | 0.50 | 0.058 |
| PLS14-196 | 111.00 | 111.50 | 0.50 | 0.054 |
| PLS14-196 | 111.50 | 112.00 | 0.50 | 0.054 |
| PLS14-196 | 112.00 | 112.50 | 0.50 | 0.049 |
| PLS14-196 | 112.50 | 113.00 | 0.50 | 0.095 |
| PLS14-196 | 113.00 | 113.50 | 0.50 | 0.059 |
| PLS14-196 | 113.50 | 114.00 | 0.50 | 0.035 |
| PLS14-196 | 114.00 | 114.50 | 0.50 | 0.042 |
| PLS14-196 | 114.50 | 115.00 | 0.50 | 0.013 |
| PLS14-196 | 115.00 | 115.50 | 0.50 | 0.069 |

| | | | | |
|-----------|--------|--------|------|-------|
| PLS14-196 | 115.50 | 116.00 | 0.50 | 0.602 |
| PLS14-196 | 116.00 | 116.50 | 0.50 | 0.033 |
| PLS14-196 | 116.50 | 117.00 | 0.50 | 0.169 |
| PLS14-196 | 117.00 | 117.50 | 0.50 | 0.198 |
| PLS14-196 | 117.50 | 118.00 | 0.50 | 0.242 |
| PLS14-196 | 118.00 | 118.50 | 0.50 | 0.259 |
| PLS14-196 | 118.50 | 119.00 | 0.50 | 0.067 |
| PLS14-196 | 119.00 | 119.50 | 0.50 | 0.564 |
| PLS14-196 | 119.50 | 120.00 | 0.50 | 0.385 |
| PLS14-196 | 120.00 | 120.50 | 0.50 | 0.082 |
| PLS14-196 | 120.50 | 121.00 | 0.50 | 0.037 |
| PLS14-196 | 121.00 | 121.50 | 0.50 | 0.111 |
| PLS14-196 | 121.50 | 122.00 | 0.50 | 0.103 |
| PLS14-196 | 122.00 | 122.50 | 0.50 | 0.225 |
| PLS14-196 | 122.50 | 123.00 | 0.50 | 0.335 |
| PLS14-196 | 123.00 | 123.50 | 0.50 | 0.074 |
| PLS14-196 | 123.50 | 124.00 | 0.50 | 0.166 |
| PLS14-196 | 124.00 | 124.50 | 0.50 | 0.125 |
| PLS14-196 | 124.50 | 125.00 | 0.50 | 0.209 |
| PLS14-196 | 125.00 | 125.50 | 0.50 | 0.124 |
| PLS14-196 | 125.50 | 126.00 | 0.50 | 0.068 |
| PLS14-196 | 126.00 | 126.50 | 0.50 | 0.057 |
| PLS14-196 | 126.50 | 127.00 | 0.50 | 0.288 |
| PLS14-196 | 127.00 | 127.50 | 0.50 | 0.381 |
| PLS14-196 | 127.50 | 128.00 | 0.50 | 0.069 |
| PLS14-196 | 128.00 | 128.50 | 0.50 | 0.094 |
| PLS14-196 | 128.50 | 129.00 | 0.50 | 0.020 |
| PLS14-196 | 129.00 | 129.50 | 0.50 | 0.002 |
| PLS14-196 | 129.50 | 130.00 | 0.50 | 0.002 |
| PLS14-196 | 130.00 | 130.50 | 0.50 | 0.015 |
| PLS14-196 | 130.50 | 131.00 | 0.50 | 0.014 |
| PLS14-196 | 131.00 | 131.50 | 0.50 | 0.008 |
| PLS14-196 | 131.50 | 132.00 | 0.50 | 0.008 |
| PLS14-196 | 132.00 | 132.50 | 0.50 | 0.003 |
| PLS14-196 | 132.50 | 133.00 | 0.50 | 0.004 |
| PLS14-196 | 133.00 | 133.50 | 0.50 | 0.016 |
| PLS14-196 | 133.50 | 134.00 | 0.50 | 0.008 |
| PLS14-196 | 134.00 | 134.50 | 0.50 | 0.002 |
| PLS14-196 | 134.50 | 135.00 | 0.50 | 0.001 |
| PLS14-196 | 135.00 | 135.50 | 0.50 | 0.002 |
| PLS14-196 | 135.50 | 136.00 | 0.50 | 0.003 |
| PLS14-196 | 136.00 | 136.50 | 0.50 | 0.002 |
| PLS14-196 | 136.50 | 137.00 | 0.50 | 0.009 |
| PLS14-196 | 137.00 | 137.50 | 0.50 | 0.042 |
| PLS14-196 | 137.50 | 138.00 | 0.50 | 0.003 |
| PLS14-196 | 138.00 | 138.50 | 0.50 | 0.005 |
| PLS14-196 | 138.50 | 139.00 | 0.50 | 0.003 |

| PLS14-196 | 139.00 | 139.50 | 0.50 | 0.002 |
|-----------|----------|--------|--------------|------------|
| Hole ID | From (m) | To (m) | Interval (m) | U3O8 (wt%) |
| PLS14-208 | 71.00 | 74.00 | 3.00 | 0.001 |
| PLS14-208 | 74.00 | 77.00 | 3.00 | 0.001 |
| PLS14-208 | 77.00 | 77.50 | 0.50 | 0.013 |
| PLS14-208 | 77.50 | 78.00 | 0.50 | 0.015 |
| PLS14-208 | 78.00 | 78.50 | 0.50 | 0.016 |
| PLS14-208 | 78.50 | 79.00 | 0.50 | 0.020 |
| PLS14-208 | 79.00 | 79.50 | 0.50 | 0.020 |
| PLS14-208 | 79.50 | 80.00 | 0.50 | 0.018 |
| PLS14-208 | 80.00 | 80.50 | 0.50 | 0.013 |
| PLS14-208 | 80.50 | 81.00 | 0.50 | 0.018 |
| PLS14-208 | 81.00 | 81.50 | 0.50 | 0.006 |
| PLS14-208 | 81.50 | 82.00 | 0.50 | 0.008 |
| PLS14-208 | 82.00 | 82.50 | 0.50 | 0.338 |
| PLS14-208 | 82.50 | 83.00 | 0.50 | 0.515 |
| PLS14-208 | 83.00 | 83.50 | 0.50 | 0.310 |
| PLS14-208 | 83.50 | 84.00 | 0.50 | 0.128 |
| PLS14-208 | 84.00 | 84.50 | 0.50 | 0.697 |
| PLS14-208 | 84.50 | 85.00 | 0.50 | 0.079 |
| PLS14-208 | 85.00 | 85.50 | 0.50 | 0.224 |
| PLS14-208 | 85.50 | 86.00 | 0.50 | 0.017 |
| PLS14-208 | 86.00 | 86.50 | 0.50 | 0.016 |
| PLS14-208 | 86.50 | 87.00 | 0.50 | 0.020 |
| PLS14-208 | 87.00 | 87.50 | 0.50 | 0.197 |
| PLS14-208 | 87.50 | 88.00 | 0.50 | 0.054 |
| PLS14-208 | 88.00 | 88.50 | 0.50 | 0.019 |
| PLS14-208 | 88.50 | 89.00 | 0.50 | 0.018 |
| PLS14-208 | 89.00 | 89.50 | 0.50 | 0.033 |
| PLS14-208 | 89.50 | 90.00 | 0.50 | 0.210 |
| PLS14-208 | 90.00 | 90.50 | 0.50 | 0.005 |
| PLS14-208 | 90.50 | 91.00 | 0.50 | 0.006 |
| PLS14-208 | 91.00 | 91.50 | 0.50 | 0.023 |
| PLS14-208 | 91.50 | 92.00 | 0.50 | 0.064 |
| PLS14-208 | 92.00 | 92.50 | 0.50 | 0.017 |
| PLS14-208 | 92.50 | 93.00 | 0.50 | 0.024 |
| PLS14-208 | 93.00 | 93.50 | 0.50 | 0.011 |
| PLS14-208 | 93.50 | 94.00 | 0.50 | 0.015 |
| PLS14-208 | 94.00 | 94.50 | 0.50 | 0.013 |
| PLS14-208 | 94.50 | 95.00 | 0.50 | 0.015 |
| PLS14-208 | 95.00 | 95.50 | 0.50 | 0.049 |
| PLS14-208 | 95.50 | 96.00 | 0.50 | 0.009 |
| PLS14-208 | 96.00 | 96.50 | 0.50 | 0.007 |
| PLS14-208 | 96.50 | 97.00 | 0.50 | 0.004 |
| PLS14-208 | 97.00 | 97.50 | 0.50 | 0.018 |
| PLS14-208 | 97.50 | 98.00 | 0.50 | 0.017 |

| | | | | |
|-----------|--------|--------|------|-------|
| PLS14-208 | 98.00 | 98.50 | 0.50 | 0.682 |
| PLS14-208 | 98.50 | 99.00 | 0.50 | 0.149 |
| PLS14-208 | 99.00 | 99.50 | 0.50 | 0.014 |
| PLS14-208 | 99.50 | 100.00 | 0.50 | 0.024 |
| PLS14-208 | 100.00 | 100.50 | 0.50 | 0.003 |
| PLS14-208 | 100.50 | 101.00 | 0.50 | 0.002 |
| PLS14-208 | 101.00 | 101.50 | 0.50 | 0.003 |
| PLS14-208 | 101.50 | 102.00 | 0.50 | 0.011 |
| PLS14-208 | 102.00 | 102.50 | 0.50 | 0.041 |
| PLS14-208 | 102.50 | 103.00 | 0.50 | 0.016 |
| PLS14-208 | 103.00 | 103.50 | 0.50 | 0.021 |
| PLS14-208 | 103.50 | 104.00 | 0.50 | 0.259 |
| PLS14-208 | 104.00 | 104.50 | 0.50 | 0.008 |
| PLS14-208 | 104.50 | 105.00 | 0.50 | 0.044 |
| PLS14-208 | 105.00 | 105.50 | 0.50 | 0.036 |
| PLS14-208 | 105.50 | 106.00 | 0.50 | 0.103 |
| PLS14-208 | 106.00 | 106.50 | 0.50 | 0.045 |
| PLS14-208 | 106.50 | 107.00 | 0.50 | 0.028 |
| PLS14-208 | 107.00 | 107.50 | 0.50 | 0.010 |
| PLS14-208 | 107.50 | 108.00 | 0.50 | 0.013 |
| PLS14-208 | 108.00 | 108.50 | 0.50 | 0.082 |
| PLS14-208 | 108.50 | 109.00 | 0.50 | 0.238 |
| PLS14-208 | 109.00 | 109.50 | 0.50 | 0.138 |
| PLS14-208 | 109.50 | 110.00 | 0.50 | 0.264 |
| PLS14-208 | 110.00 | 110.50 | 0.50 | 0.045 |
| PLS14-208 | 110.50 | 111.00 | 0.50 | 0.166 |
| PLS14-208 | 111.00 | 111.50 | 0.50 | 0.109 |
| PLS14-208 | 111.50 | 112.00 | 0.50 | 0.130 |
| PLS14-208 | 112.00 | 112.50 | 0.50 | 0.137 |
| PLS14-208 | 112.50 | 113.00 | 0.50 | 0.091 |
| PLS14-208 | 113.00 | 113.50 | 0.50 | 0.116 |
| PLS14-208 | 113.50 | 114.00 | 0.50 | 0.041 |
| PLS14-208 | 114.00 | 114.50 | 0.50 | 0.247 |
| PLS14-208 | 114.50 | 115.00 | 0.50 | 0.050 |
| PLS14-208 | 115.00 | 115.50 | 0.50 | 0.014 |
| PLS14-208 | 115.50 | 116.00 | 0.50 | 0.159 |
| PLS14-208 | 116.00 | 116.50 | 0.50 | 0.016 |
| PLS14-208 | 116.50 | 117.00 | 0.50 | 0.007 |
| PLS14-208 | 117.00 | 117.50 | 0.50 | 0.023 |
| PLS14-208 | 117.50 | 118.00 | 0.50 | 0.019 |
| PLS14-208 | 118.00 | 118.50 | 0.50 | 0.008 |
| PLS14-208 | 131.00 | 131.50 | 0.50 | 0.007 |
| PLS14-208 | 131.50 | 132.00 | 0.50 | 0.009 |
| PLS14-208 | 132.00 | 132.50 | 0.50 | 0.001 |
| PLS14-208 | 132.50 | 133.00 | 0.50 | 0.002 |
| PLS14-208 | 133.00 | 133.50 | 0.50 | 0.005 |
| PLS14-208 | 133.50 | 134.00 | 0.50 | 0.621 |

| PLS14-208 | 134.00 | 134.50 | 0.50 | 0.007 |
|-----------|----------|--------|--------------|------------|
| PLS14-208 | 134.50 | 135.00 | 0.50 | 0.002 |
| PLS14-208 | 135.00 | 135.50 | 0.50 | 0.004 |
| PLS14-208 | 135.50 | 136.00 | 0.50 | 0.001 |
| PLS14-208 | 136.00 | 136.50 | 0.50 | 0.003 |
| PLS14-208 | 303.00 | 303.50 | 0.50 | 0.002 |
| PLS14-208 | 303.50 | 304.00 | 0.50 | 0.001 |
| PLS14-208 | 304.00 | 304.50 | 0.50 | 0.001 |
| PLS14-208 | 304.50 | 305.00 | 0.50 | 0.001 |
| PLS14-208 | 305.00 | 305.50 | 0.50 | 0.062 |
| PLS14-208 | 305.50 | 306.00 | 0.50 | 0.004 |
| PLS14-208 | 306.00 | 306.50 | 0.50 | 0.002 |
| PLS14-208 | 306.50 | 307.00 | 0.50 | 0.002 |
| PLS14-208 | 307.00 | 307.50 | 0.50 | 0.009 |
| Hole ID | From (m) | To (m) | Interval (m) | U3O8 (wt%) |
| PLS15-357 | 102.00 | 102.50 | 0.50 | 0.001 |
| PLS15-357 | 102.50 | 103.00 | 0.50 | 0.001 |
| PLS15-357 | 103.00 | 103.50 | 0.50 | 0.004 |
| PLS15-357 | 103.50 | 104.00 | 0.50 | 0.006 |
| PLS15-357 | 104.00 | 104.50 | 0.50 | 0.035 |
| PLS15-357 | 104.50 | 105.00 | 0.50 | 0.046 |
| PLS15-357 | 105.00 | 105.50 | 0.50 | 0.030 |
| PLS15-357 | 105.50 | 106.00 | 0.50 | 0.018 |
| PLS15-357 | 106.00 | 106.50 | 0.50 | 0.009 |
| PLS15-357 | 106.50 | 107.00 | 0.50 | 0.011 |
| PLS15-357 | 107.00 | 107.50 | 0.50 | 0.021 |
| PLS15-357 | 107.50 | 108.00 | 0.50 | 0.051 |
| PLS15-357 | 108.00 | 108.50 | 0.50 | 0.049 |
| PLS15-357 | 108.50 | 109.00 | 0.50 | 0.034 |
| PLS15-357 | 109.00 | 109.50 | 0.50 | 0.163 |
| PLS15-357 | 109.50 | 110.00 | 0.50 | 0.358 |
| PLS15-357 | 110.00 | 110.50 | 0.50 | 0.733 |
| PLS15-357 | 110.50 | 111.00 | 0.50 | 0.250 |
| PLS15-357 | 111.00 | 111.50 | 0.50 | 0.041 |
| PLS15-357 | 111.50 | 112.00 | 0.50 | 0.011 |
| PLS15-357 | 112.00 | 112.50 | 0.50 | 0.011 |
| PLS15-357 | 112.50 | 113.00 | 0.50 | 0.012 |
| PLS15-357 | 113.00 | 113.50 | 0.50 | 0.014 |
| PLS15-357 | 113.50 | 114.00 | 0.50 | 0.099 |
| PLS15-357 | 114.00 | 114.50 | 0.50 | 0.031 |
| PLS15-357 | 114.50 | 115.00 | 0.50 | 0.002 |
| PLS15-357 | 115.00 | 115.50 | 0.50 | 0.003 |
| PLS15-357 | 115.50 | 116.00 | 0.50 | 0.002 |
| PLS15-357 | 116.00 | 116.50 | 0.50 | 0.005 |
| PLS15-357 | 116.50 | 117.00 | 0.50 | 0.002 |
| PLS15-357 | 117.00 | 117.50 | 0.50 | 0.045 |

| | | | | |
|------------------|-----------------|---------------|---------------------|-------------------|
| PLS15-357 | 117.50 | 118.00 | 0.50 | 0.047 |
| PLS15-357 | 118.00 | 118.50 | 0.50 | 0.030 |
| PLS15-357 | 118.50 | 119.00 | 0.50 | 0.003 |
| PLS15-357 | 119.00 | 119.50 | 0.50 | 0.003 |
| PLS15-357 | 119.50 | 120.00 | 0.50 | 0.002 |
| PLS15-357 | 120.00 | 120.50 | 0.50 | 0.004 |
| PLS15-357 | 120.50 | 121.00 | 0.50 | 0.086 |
| PLS15-357 | 121.00 | 121.50 | 0.50 | 0.053 |
| PLS15-357 | 121.50 | 122.00 | 0.50 | 0.058 |
| PLS15-357 | 122.00 | 122.50 | 0.50 | 0.003 |
| PLS15-357 | 122.50 | 123.00 | 0.50 | 0.003 |
| PLS15-357 | 123.00 | 123.50 | 0.50 | 0.003 |
| PLS15-357 | 123.50 | 124.00 | 0.50 | 0.028 |
| PLS15-357 | 124.00 | 124.50 | 0.50 | 0.052 |
| PLS15-357 | 124.50 | 125.00 | 0.50 | 0.011 |
| PLS15-357 | 125.00 | 125.50 | 0.50 | 0.009 |
| PLS15-357 | 125.50 | 126.00 | 0.50 | 0.034 |
| PLS15-357 | 126.00 | 126.50 | 0.50 | 0.040 |
| PLS15-357 | 126.50 | 127.00 | 0.50 | 0.038 |
| PLS15-357 | 127.00 | 127.50 | 0.50 | 0.078 |
| PLS15-357 | 127.50 | 128.00 | 0.50 | 0.019 |
| PLS15-357 | 128.00 | 128.50 | 0.50 | 0.009 |
| PLS15-357 | 128.50 | 129.00 | 0.50 | 0.002 |
| PLS15-357 | 129.00 | 129.50 | 0.50 | 0.003 |
| PLS15-357 | 129.50 | 130.00 | 0.50 | 0.001 |
| Hole ID | From (m) | To (m) | Interval (m) | U3O8 (wt%) |
| PLS15-394 | 118.00 | 118.50 | 0.50 | 0.002 |
| PLS15-394 | 118.50 | 119.00 | 0.50 | 0.002 |
| PLS15-394 | 119.00 | 119.50 | 0.50 | 0.003 |
| PLS15-394 | 119.50 | 120.00 | 0.50 | 0.017 |
| PLS15-394 | 120.00 | 120.50 | 0.50 | 0.322 |
| PLS15-394 | 120.50 | 121.00 | 0.50 | 0.034 |
| PLS15-394 | 121.00 | 121.50 | 0.50 | 0.021 |
| PLS15-394 | 121.50 | 122.00 | 0.50 | 0.054 |
| PLS15-394 | 122.00 | 122.50 | 0.50 | 2.130 |
| PLS15-394 | 122.50 | 123.00 | 0.50 | 0.471 |
| PLS15-394 | 123.00 | 123.50 | 0.50 | 0.437 |
| PLS15-394 | 123.50 | 124.00 | 0.50 | 0.412 |
| PLS15-394 | 124.00 | 124.50 | 0.50 | 0.105 |
| PLS15-394 | 124.50 | 125.00 | 0.50 | 4.200 |
| PLS15-394 | 125.00 | 125.50 | 0.50 | 0.232 |
| PLS15-394 | 125.50 | 126.00 | 0.50 | 0.194 |
| PLS15-394 | 126.00 | 126.50 | 0.50 | 0.668 |
| PLS15-394 | 126.50 | 127.00 | 0.50 | 0.324 |
| PLS15-394 | 127.00 | 127.50 | 0.50 | 0.031 |
| PLS15-394 | 127.50 | 128.00 | 0.50 | 0.010 |

| PLS15-394 | 128.00 | 128.50 | 0.50 | 0.012 |
|-----------|----------|--------|--------------|------------|
| PLS15-394 | 128.50 | 129.00 | 0.50 | 0.011 |
| Hole ID | From (m) | To (m) | Interval (m) | U3O8 (wt%) |
| PLS15-400 | 88.50 | 89.00 | 0.50 | 0.005 |
| PLS15-400 | 89.00 | 89.50 | 0.50 | 0.004 |
| PLS15-400 | 89.50 | 90.00 | 0.50 | 0.009 |
| PLS15-400 | 90.00 | 90.50 | 0.50 | 0.006 |
| PLS15-400 | 90.50 | 91.00 | 0.50 | 0.046 |
| PLS15-400 | 91.00 | 91.50 | 0.50 | 0.038 |
| PLS15-400 | 91.50 | 92.00 | 0.50 | 0.007 |
| PLS15-400 | 92.00 | 92.50 | 0.50 | 0.016 |
| PLS15-400 | 92.50 | 93.00 | 0.50 | 0.022 |
| PLS15-400 | 93.00 | 93.50 | 0.50 | 0.009 |
| PLS15-400 | 93.50 | 94.00 | 0.50 | 0.004 |
| PLS15-400 | 94.00 | 94.50 | 0.50 | 0.005 |
| PLS15-400 | 94.50 | 95.00 | 0.50 | 0.006 |
| PLS15-400 | 95.00 | 95.50 | 0.50 | 0.012 |
| PLS15-400 | 95.50 | 96.00 | 0.50 | 0.004 |
| PLS15-400 | 96.00 | 96.50 | 0.50 | 0.006 |
| PLS15-400 | 96.50 | 97.00 | 0.50 | 0.023 |
| PLS15-400 | 97.00 | 97.50 | 0.50 | 0.031 |
| PLS15-400 | 97.50 | 98.00 | 0.50 | 0.035 |
| PLS15-400 | 98.00 | 98.50 | 0.50 | 0.013 |
| PLS15-400 | 98.50 | 99.00 | 0.50 | 0.002 |
| PLS15-400 | 99.00 | 99.50 | 0.50 | 0.005 |
| PLS15-400 | 99.50 | 100.00 | 0.50 | 0.005 |
| Hole ID | From (m) | To (m) | Interval (m) | U3O8 (wt%) |
| PLS15-405 | 64.00 | 64.50 | 0.50 | <0.001 |
| PLS15-405 | 65.00 | 65.50 | 0.50 | 0.002 |
| PLS15-405 | 65.50 | 66.00 | 0.50 | 0.003 |
| PLS15-405 | 66.00 | 66.50 | 0.50 | 0.001 |
| PLS15-405 | 66.50 | 67.00 | 0.50 | <0.001 |
| Hole ID | From (m) | To (m) | Interval (m) | U3O8 (wt%) |
| PLS15-413 | 114.50 | 115.00 | 0.50 | 0.002 |
| PLS15-413 | 115.00 | 115.50 | 0.50 | <0.001 |
| PLS15-413 | 115.50 | 116.00 | 0.50 | 0.004 |
| PLS15-413 | 116.00 | 116.50 | 0.50 | 0.007 |
| PLS15-413 | 116.50 | 117.00 | 0.50 | 0.060 |
| PLS15-413 | 117.00 | 117.50 | 0.50 | 0.020 |
| PLS15-413 | 117.50 | 118.00 | 0.50 | 0.047 |
| PLS15-413 | 118.00 | 118.50 | 0.50 | 0.132 |
| PLS15-413 | 118.50 | 119.00 | 0.50 | 0.115 |
| PLS15-413 | 119.00 | 119.50 | 0.50 | 0.478 |
| PLS15-413 | 119.50 | 120.00 | 0.50 | 0.085 |
| PLS15-413 | 120.00 | 120.50 | 0.50 | 0.064 |
| PLS15-413 | 120.50 | 121.00 | 0.50 | 0.013 |

| | | | | |
|------------------|-------------------------------|---------------|---------------------|-------------------|
| PLS15-413 | 121.00 | 121.50 | 0.50 | 0.199 |
| PLS15-413 | 121.50 | 122.00 | 0.50 | 0.211 |
| PLS15-413 | 122.00 | 122.50 | 0.50 | 0.094 |
| PLS15-413 | 122.50 | 123.00 | 0.50 | 0.257 |
| PLS15-413 | 123.00 | 123.50 | 0.50 | 0.432 |
| PLS15-413 | 123.50 | 124.00 | 0.50 | 0.035 |
| PLS15-413 | 124.00 | 124.50 | 0.50 | 0.031 |
| PLS15-413 | 124.50 | 125.00 | 0.50 | 0.074 |
| PLS15-413 | 125.00 | 125.50 | 0.50 | 0.042 |
| PLS15-413 | 125.50 | 126.00 | 0.50 | 0.031 |
| PLS15-413 | 126.00 | 126.50 | 0.50 | 0.010 |
| PLS15-413 | 126.50 | 127.00 | 0.50 | 0.005 |
| PLS15-413 | 127.00 | 127.50 | 0.50 | 0.026 |
| PLS15-413 | 127.50 | 128.00 | 0.50 | 0.002 |
| Hole ID | From (m) | To (m) | Interval (m) | U3O8 (wt%) |
| PLS16-459 | No Significant Mineralization | | | |
| Hole ID | From (m) | To (m) | Interval (m) | U3O8 (wt%) |
| PLS16-460 | 65.50 | 66.00 | 0.50 | 0.007 |
| PLS16-460 | 66.00 | 66.50 | 0.50 | 0.107 |
| PLS16-460 | 66.50 | 67.00 | 0.50 | 0.214 |
| PLS16-460 | 67.00 | 67.50 | 0.50 | 0.373 |
| PLS16-460 | 67.50 | 68.00 | 0.50 | 0.021 |
| PLS16-460 | 68.00 | 68.50 | 0.50 | 0.026 |
| PLS16-460 | 68.50 | 69.00 | 0.50 | 0.111 |
| PLS16-460 | 69.00 | 69.50 | 0.50 | 0.049 |
| PLS16-460 | 69.50 | 70.00 | 0.50 | 0.225 |
| PLS16-460 | 70.00 | 70.50 | 0.50 | 0.016 |
| PLS16-460 | 70.50 | 71.00 | 0.50 | 0.026 |
| PLS16-460 | 71.00 | 71.50 | 0.50 | 0.012 |
| PLS16-460 | 71.50 | 72.00 | 0.50 | 0.036 |
| PLS16-460 | 72.00 | 72.50 | 0.50 | 0.154 |
| PLS16-460 | 72.50 | 73.00 | 0.50 | 0.372 |
| PLS16-460 | 73.00 | 73.50 | 0.50 | 0.035 |
| PLS16-460 | 73.50 | 74.00 | 0.50 | 0.013 |
| PLS16-460 | 74.00 | 74.50 | 0.50 | 0.004 |
| PLS16-460 | 74.50 | 75.00 | 0.50 | 0.036 |
| PLS16-460 | 75.00 | 75.50 | 0.50 | 0.098 |
| PLS16-460 | 75.50 | 76.00 | 0.50 | 0.124 |
| PLS16-460 | 76.00 | 76.50 | 0.50 | 0.073 |
| PLS16-460 | 76.50 | 77.00 | 0.50 | 0.041 |
| PLS16-460 | 77.00 | 77.50 | 0.50 | 0.292 |
| PLS16-460 | 77.50 | 78.00 | 0.50 | 0.112 |
| PLS16-460 | 78.00 | 78.50 | 0.50 | 0.012 |
| PLS16-460 | 78.50 | 79.00 | 0.50 | 0.843 |
| PLS16-460 | 79.00 | 79.50 | 0.50 | 2.220 |
| PLS16-460 | 79.50 | 80.00 | 0.50 | 6.530 |

| | | | | |
|-----------|--------|--------|------|--------|
| PLS16-460 | 80.00 | 80.50 | 0.50 | 12.900 |
| PLS16-460 | 80.50 | 81.00 | 0.50 | 7.610 |
| PLS16-460 | 81.00 | 81.50 | 0.50 | 3.580 |
| PLS16-460 | 81.50 | 82.00 | 0.50 | 3.540 |
| PLS16-460 | 82.00 | 82.50 | 0.50 | 11.200 |
| PLS16-460 | 82.50 | 83.00 | 0.50 | 2.000 |
| PLS16-460 | 83.00 | 83.50 | 0.50 | 1.000 |
| PLS16-460 | 83.50 | 84.00 | 0.50 | 1.300 |
| PLS16-460 | 84.00 | 84.50 | 0.50 | 0.200 |
| PLS16-460 | 84.50 | 85.00 | 0.50 | 0.128 |
| PLS16-460 | 85.00 | 85.50 | 0.50 | 0.276 |
| PLS16-460 | 85.50 | 86.00 | 0.50 | 1.420 |
| PLS16-460 | 86.00 | 86.50 | 0.50 | 3.920 |
| PLS16-460 | 86.50 | 87.00 | 0.50 | 6.110 |
| PLS16-460 | 87.00 | 87.50 | 0.50 | 4.050 |
| PLS16-460 | 87.50 | 88.00 | 0.50 | 0.255 |
| PLS16-460 | 88.00 | 88.50 | 0.50 | 1.170 |
| PLS16-460 | 88.50 | 89.00 | 0.50 | 0.250 |
| PLS16-460 | 89.00 | 89.50 | 0.50 | 0.718 |
| PLS16-460 | 89.50 | 90.00 | 0.50 | 1.200 |
| PLS16-460 | 90.00 | 90.50 | 0.50 | 0.354 |
| PLS16-460 | 90.50 | 91.00 | 0.50 | 0.266 |
| PLS16-460 | 91.00 | 91.50 | 0.50 | 0.122 |
| PLS16-460 | 91.50 | 92.00 | 0.50 | 0.086 |
| PLS16-460 | 92.00 | 92.50 | 0.50 | 0.032 |
| PLS16-460 | 92.50 | 93.00 | 0.50 | 1.120 |
| PLS16-460 | 93.00 | 93.50 | 0.50 | 5.270 |
| PLS16-460 | 93.50 | 94.00 | 0.50 | 1.620 |
| PLS16-460 | 94.00 | 94.50 | 0.50 | 0.014 |
| PLS16-460 | 94.50 | 95.00 | 0.50 | 0.091 |
| PLS16-460 | 95.00 | 95.50 | 0.50 | 0.669 |
| PLS16-460 | 95.50 | 96.00 | 0.50 | 3.600 |
| PLS16-460 | 96.00 | 96.50 | 0.50 | 0.126 |
| PLS16-460 | 96.50 | 97.00 | 0.50 | 0.047 |
| PLS16-460 | 97.00 | 97.50 | 0.50 | 0.410 |
| PLS16-460 | 97.50 | 98.00 | 0.50 | 2.850 |
| PLS16-460 | 98.00 | 98.50 | 0.50 | 3.800 |
| PLS16-460 | 98.50 | 99.00 | 0.50 | 1.290 |
| PLS16-460 | 99.00 | 99.50 | 0.50 | 0.757 |
| PLS16-460 | 99.50 | 100.00 | 0.50 | 2.830 |
| PLS16-460 | 100.00 | 100.50 | 0.50 | 6.980 |
| PLS16-460 | 100.50 | 101.00 | 0.50 | 12.000 |
| PLS16-460 | 101.00 | 101.50 | 0.50 | 22.700 |
| PLS16-460 | 101.50 | 102.00 | 0.50 | 15.700 |
| PLS16-460 | 102.00 | 102.50 | 0.50 | 25.200 |
| PLS16-460 | 102.50 | 103.00 | 0.50 | 0.492 |
| PLS16-460 | 103.00 | 103.50 | 0.50 | 0.996 |

| | | | | |
|------------------|---------------|---------------|-------------|---------------|
| PLS16-460 | 103.50 | 104.00 | 0.50 | 12.200 |
| PLS16-460 | 104.00 | 104.50 | 0.50 | 8.480 |
| PLS16-460 | 104.50 | 105.00 | 0.50 | 4.750 |
| PLS16-460 | 105.00 | 105.50 | 0.50 | 1.060 |
| PLS16-460 | 105.50 | 106.00 | 0.50 | 0.261 |
| PLS16-460 | 106.00 | 106.50 | 0.50 | 0.044 |
| PLS16-460 | 106.50 | 107.00 | 0.50 | 0.018 |
| PLS16-460 | 107.00 | 107.50 | 0.50 | 0.019 |
| PLS16-460 | 107.50 | 108.00 | 0.50 | 0.021 |
| PLS16-460 | 108.00 | 108.50 | 0.50 | 0.013 |
| PLS16-460 | 108.50 | 109.00 | 0.50 | 0.010 |
| PLS16-460 | 109.00 | 109.50 | 0.50 | 0.014 |
| PLS16-460 | 109.50 | 110.00 | 0.50 | 0.094 |
| PLS16-460 | 110.00 | 110.50 | 0.50 | 0.120 |
| PLS16-460 | 110.50 | 111.00 | 0.50 | 0.049 |
| PLS16-460 | 111.00 | 111.50 | 0.50 | 0.131 |
| PLS16-460 | 111.50 | 112.00 | 0.50 | 0.048 |
| PLS16-460 | 112.00 | 112.50 | 0.50 | 0.083 |
| PLS16-460 | 112.50 | 113.00 | 0.50 | 0.318 |
| PLS16-460 | 113.00 | 113.50 | 0.50 | 2.560 |
| PLS16-460 | 113.50 | 114.00 | 0.50 | 6.800 |
| PLS16-460 | 114.00 | 114.50 | 0.50 | 0.425 |
| PLS16-460 | 114.50 | 115.00 | 0.50 | 0.009 |
| PLS16-460 | 115.00 | 115.50 | 0.50 | 0.006 |
| PLS16-460 | 115.50 | 116.00 | 0.50 | 0.001 |
| PLS16-460 | 116.00 | 116.50 | 0.50 | 0.002 |
| PLS16-460 | 116.50 | 117.00 | 0.50 | 0.004 |
| PLS16-460 | 117.00 | 117.50 | 0.50 | 0.020 |
| PLS16-460 | 117.50 | 118.00 | 0.50 | 0.016 |
| PLS16-460 | 118.00 | 118.50 | 0.50 | 0.825 |
| PLS16-460 | 118.50 | 119.00 | 0.50 | 1.190 |
| PLS16-460 | 119.00 | 119.50 | 0.50 | 0.471 |
| PLS16-460 | 119.50 | 120.00 | 0.50 | 0.167 |
| PLS16-460 | 120.00 | 120.50 | 0.50 | 0.006 |
| PLS16-460 | 120.50 | 121.00 | 0.50 | 0.021 |
| PLS16-460 | 121.00 | 121.50 | 0.50 | 0.018 |
| PLS16-460 | 121.50 | 122.00 | 0.50 | 0.022 |
| PLS16-460 | 132.00 | 132.50 | 0.50 | 0.003 |
| PLS16-460 | 132.50 | 133.00 | 0.50 | 0.010 |
| PLS16-460 | 133.00 | 133.50 | 0.50 | 0.009 |
| PLS16-460 | 133.50 | 134.00 | 0.50 | 0.007 |
| PLS16-460 | 134.00 | 134.50 | 0.50 | 0.019 |
| PLS16-460 | 134.50 | 135.00 | 0.50 | 0.020 |
| PLS16-460 | 135.00 | 135.50 | 0.50 | 0.041 |
| PLS16-460 | 135.50 | 136.00 | 0.50 | 0.079 |
| PLS16-460 | 136.00 | 136.50 | 0.50 | 0.018 |
| PLS16-460 | 136.50 | 137.00 | 0.50 | 0.002 |

| PLS16-460 | 137.00 | 137.50 | 0.50 | 0.003 |
|------------------|--------------|--------------|--------------|--------------|
| PLS16-460 | 137.50 | 138.00 | 0.50 | 0.003 |
| PLS16-460 | 144.50 | 145.00 | 0.50 | 0.004 |
| PLS16-460 | 145.00 | 145.50 | 0.50 | 0.004 |
| PLS16-460 | 145.50 | 146.00 | 0.50 | 0.003 |
| PLS16-460 | 146.00 | 146.50 | 0.50 | 0.004 |
| PLS16-460 | 146.50 | 147.00 | 0.50 | 0.036 |
| PLS16-460 | 147.00 | 147.50 | 0.50 | 0.082 |
| PLS16-460 | 147.50 | 148.00 | 0.50 | 0.263 |
| PLS16-460 | 148.00 | 148.50 | 0.50 | 0.017 |
| PLS16-460 | 148.50 | 149.00 | 0.50 | 0.002 |
| PLS16-460 | 149.00 | 149.50 | 0.50 | 0.002 |
| PLS16-460 | 149.50 | 150.00 | 0.50 | 0.002 |
| Hole ID | From (m) | To (m) | Interval (m) | U3O8 (wt%) |
| PLS16-464 | 67.50 | 68.00 | 0.50 | <0.001 |
| PLS16-464 | 68.00 | 68.50 | 0.50 | <0.001 |
| PLS16-464 | 68.50 | 69.00 | 0.50 | 0.001 |
| PLS16-464 | 69.00 | 69.50 | 0.50 | 0.004 |
| PLS16-464 | 69.50 | 70.00 | 0.50 | 0.009 |
| PLS16-464 | 70.00 | 70.50 | 0.50 | 0.043 |
| PLS16-464 | 70.50 | 71.00 | 0.50 | 0.037 |
| PLS16-464 | 71.00 | 71.50 | 0.50 | 0.142 |
| PLS16-464 | 71.50 | 72.00 | 0.50 | 0.108 |
| PLS16-464 | 72.00 | 72.50 | 0.50 | 0.082 |
| PLS16-464 | 72.50 | 73.00 | 0.50 | 0.224 |
| PLS16-464 | 73.00 | 73.50 | 0.50 | 0.302 |
| PLS16-464 | 73.50 | 74.00 | 0.50 | 0.633 |
| PLS16-464 | 74.00 | 74.50 | 0.50 | 0.728 |
| PLS16-464 | 74.50 | 75.00 | 0.50 | 0.793 |
| PLS16-464 | 75.00 | 75.50 | 0.50 | 1.180 |
| PLS16-464 | 75.50 | 76.00 | 0.50 | 0.217 |
| PLS16-464 | 76.00 | 76.50 | 0.50 | 0.405 |
| PLS16-464 | 76.50 | 77.00 | 0.50 | 0.240 |
| PLS16-464 | 77.00 | 77.50 | 0.50 | 0.075 |
| PLS16-464 | 77.50 | 78.00 | 0.50 | 0.313 |
| PLS16-464 | 78.00 | 78.50 | 0.50 | 0.196 |
| PLS16-464 | 78.50 | 79.00 | 0.50 | 0.150 |
| PLS16-464 | 79.00 | 79.50 | 0.50 | 0.067 |
| PLS16-464 | 79.50 | 80.00 | 0.50 | 0.029 |
| PLS16-464 | 80.00 | 80.50 | 0.50 | 0.405 |
| PLS16-464 | 80.50 | 81.00 | 0.50 | 0.124 |
| PLS16-464 | 81.00 | 81.50 | 0.50 | 0.214 |
| PLS16-464 | 82.00 | 82.50 | 0.50 | 0.210 |
| PLS16-464 | 82.50 | 83.00 | 0.50 | 0.360 |
| PLS16-464 | 83.00 | 83.50 | 0.50 | 0.060 |
| PLS16-464 | 83.50 | 84.00 | 0.50 | 0.054 |

| | | | | |
|------------------|---------------|---------------|-------------|---------------|
| PLS16-464 | 84.00 | 84.50 | 0.50 | 0.388 |
| PLS16-464 | 84.50 | 85.00 | 0.50 | 0.385 |
| PLS16-464 | 85.00 | 85.50 | 0.50 | 0.412 |
| PLS16-464 | 85.50 | 86.00 | 0.50 | 0.453 |
| PLS16-464 | 86.00 | 86.50 | 0.50 | 0.271 |
| PLS16-464 | 86.50 | 87.00 | 0.50 | 0.176 |
| PLS16-464 | 87.00 | 87.50 | 0.50 | 0.279 |
| PLS16-464 | 87.50 | 88.00 | 0.50 | 2.470 |
| PLS16-464 | 88.00 | 88.50 | 0.50 | 7.520 |
| PLS16-464 | 88.50 | 89.00 | 0.50 | 3.390 |
| PLS16-464 | 89.00 | 89.50 | 0.50 | 0.188 |
| PLS16-464 | 89.50 | 90.00 | 0.50 | 7.560 |
| PLS16-464 | 90.00 | 90.50 | 0.50 | 0.541 |
| PLS16-464 | 90.50 | 91.00 | 0.50 | 2.280 |
| PLS16-464 | 91.00 | 91.50 | 0.50 | 6.290 |
| PLS16-464 | 91.50 | 92.00 | 0.50 | 5.730 |
| PLS16-464 | 92.00 | 92.50 | 0.50 | 0.712 |
| PLS16-464 | 92.50 | 93.00 | 0.50 | 0.441 |
| PLS16-464 | 93.00 | 93.50 | 0.50 | 0.523 |
| PLS16-464 | 93.50 | 94.00 | 0.50 | 0.726 |
| PLS16-464 | 94.00 | 94.50 | 0.50 | 2.750 |
| PLS16-464 | 94.50 | 95.00 | 0.50 | 5.170 |
| PLS16-464 | 95.00 | 95.50 | 0.50 | 9.160 |
| PLS16-464 | 95.50 | 96.00 | 0.50 | 1.460 |
| PLS16-464 | 96.00 | 96.50 | 0.50 | 4.000 |
| PLS16-464 | 96.50 | 97.00 | 0.50 | 0.122 |
| PLS16-464 | 97.00 | 97.50 | 0.50 | 0.264 |
| PLS16-464 | 97.50 | 98.00 | 0.50 | 0.168 |
| PLS16-464 | 98.00 | 98.50 | 0.50 | 9.450 |
| PLS16-464 | 98.50 | 99.00 | 0.50 | 5.120 |
| PLS16-464 | 99.00 | 99.50 | 0.50 | 7.640 |
| PLS16-464 | 99.50 | 100.00 | 0.50 | 1.530 |
| PLS16-464 | 100.00 | 100.50 | 0.50 | 3.320 |
| PLS16-464 | 100.50 | 101.00 | 0.50 | 3.050 |
| PLS16-464 | 101.00 | 101.50 | 0.50 | 3.140 |
| PLS16-464 | 101.50 | 102.00 | 0.50 | 2.430 |
| PLS16-464 | 102.00 | 102.50 | 0.50 | 1.860 |
| PLS16-464 | 102.50 | 103.00 | 0.50 | 1.340 |
| PLS16-464 | 103.00 | 103.50 | 0.50 | 2.330 |
| PLS16-464 | 103.50 | 104.00 | 0.50 | 0.508 |
| PLS16-464 | 104.00 | 104.50 | 0.50 | 0.883 |
| PLS16-464 | 104.50 | 105.00 | 0.50 | 0.176 |
| PLS16-464 | 105.00 | 105.50 | 0.50 | 0.621 |
| PLS16-464 | 105.50 | 106.00 | 0.50 | 1.080 |
| PLS16-464 | 106.00 | 106.50 | 0.50 | 3.760 |
| PLS16-464 | 106.50 | 107.00 | 0.50 | 6.630 |
| PLS16-464 | 107.00 | 107.50 | 0.50 | 13.000 |

| | | | | |
|----------------|-------------------------------|---------------|---------------------|-------------------|
| PLS16-464 | 107.50 | 108.00 | 0.50 | 13.400 |
| PLS16-464 | 108.00 | 108.50 | 0.50 | 14.200 |
| PLS16-464 | 108.50 | 109.00 | 0.50 | 4.370 |
| PLS16-464 | 109.00 | 109.50 | 0.50 | 1.700 |
| PLS16-464 | 109.50 | 110.00 | 0.50 | 1.400 |
| PLS16-464 | 110.00 | 110.50 | 0.50 | 17.100 |
| PLS16-464 | 110.50 | 111.00 | 0.50 | 26.500 |
| PLS16-464 | 111.00 | 111.50 | 0.50 | 6.550 |
| PLS16-464 | 111.50 | 112.00 | 0.50 | 3.230 |
| PLS16-464 | 112.00 | 112.50 | 0.50 | 0.991 |
| PLS16-464 | 112.50 | 113.00 | 0.50 | 0.615 |
| PLS16-464 | 113.00 | 113.50 | 0.50 | 0.936 |
| PLS16-464 | 113.50 | 114.00 | 0.50 | 0.169 |
| PLS16-464 | 114.00 | 114.50 | 0.50 | 0.569 |
| PLS16-464 | 114.50 | 115.00 | 0.50 | 5.030 |
| PLS16-464 | 115.00 | 115.50 | 0.50 | 8.720 |
| PLS16-464 | 115.50 | 116.00 | 0.50 | 19.000 |
| PLS16-464 | 116.00 | 116.50 | 0.50 | 2.190 |
| PLS16-464 | 116.50 | 117.00 | 0.50 | 0.171 |
| PLS16-464 | 117.00 | 117.50 | 0.50 | 0.052 |
| PLS16-464 | 117.50 | 118.00 | 0.50 | 0.027 |
| PLS16-464 | 118.00 | 118.50 | 0.50 | 0.030 |
| PLS16-464 | 118.50 | 119.00 | 0.50 | 0.032 |
| PLS16-464 | 119.00 | 119.50 | 0.50 | 0.050 |
| PLS16-464 | 119.50 | 120.00 | 0.50 | 0.098 |
| PLS16-464 | 120.00 | 120.50 | 0.50 | 0.137 |
| PLS16-464 | 120.50 | 121.00 | 0.50 | 0.173 |
| PLS16-464 | 121.00 | 121.50 | 0.50 | 0.022 |
| PLS16-464 | 121.50 | 122.00 | 0.50 | 0.015 |
| PLS16-464 | 122.00 | 122.50 | 0.50 | 0.007 |
| PLS16-464 | 122.50 | 123.00 | 0.50 | 0.010 |
| PLS16-464 | 123.00 | 123.50 | 0.50 | 0.006 |
| PLS16-464 | 123.50 | 124.00 | 0.50 | 0.012 |
| PLS16-464 | 124.00 | 124.50 | 0.50 | 0.019 |
| PLS16-464 | 124.50 | 125.00 | 0.50 | 0.071 |
| PLS16-464 | 125.00 | 125.50 | 0.50 | 0.096 |
| PLS16-464 | 125.50 | 126.00 | 0.50 | 0.009 |
| PLS16-464 | 126.00 | 126.50 | 0.50 | 0.002 |
| PLS16-464 | 126.50 | 127.00 | 0.50 | 0.002 |
| PLS16-464 | 127.00 | 127.50 | 0.50 | 0.005 |
| Hole ID | From (m) | To (m) | Interval (m) | U3O8 (wt%) |
| PLS16-466 | No Significant Mineralization | | | |
| Hole ID | From (m) | To (m) | Interval (m) | U3O8 (wt%) |
| PLS16-468 | 70.00 | 70.50 | 0.50 | 0.001 |
| PLS16-468 | 70.50 | 71.00 | 0.50 | 0.002 |
| PLS16-468 | 71.00 | 71.50 | 0.50 | 0.002 |

| | | | | |
|-----------|-------|-------|------|--------|
| PLS16-468 | 71.50 | 72.00 | 0.50 | 0.008 |
| PLS16-468 | 72.00 | 72.50 | 0.50 | 0.040 |
| PLS16-468 | 72.50 | 73.00 | 0.50 | 0.157 |
| PLS16-468 | 73.00 | 73.50 | 0.50 | 0.733 |
| PLS16-468 | 73.50 | 74.00 | 0.50 | 0.066 |
| PLS16-468 | 74.00 | 74.50 | 0.50 | 0.150 |
| PLS16-468 | 74.50 | 75.00 | 0.50 | 0.063 |
| PLS16-468 | 75.00 | 75.50 | 0.50 | 0.049 |
| PLS16-468 | 75.50 | 76.00 | 0.50 | 0.012 |
| PLS16-468 | 76.00 | 76.50 | 0.50 | 0.078 |
| PLS16-468 | 76.50 | 77.00 | 0.50 | 0.153 |
| PLS16-468 | 77.00 | 77.50 | 0.50 | 0.307 |
| PLS16-468 | 77.50 | 78.00 | 0.50 | 0.522 |
| PLS16-468 | 78.00 | 78.50 | 0.50 | 0.147 |
| PLS16-468 | 78.50 | 79.00 | 0.50 | 0.084 |
| PLS16-468 | 79.00 | 79.50 | 0.50 | 0.027 |
| PLS16-468 | 79.50 | 80.00 | 0.50 | 0.053 |
| PLS16-468 | 80.00 | 80.50 | 0.50 | 0.007 |
| PLS16-468 | 80.50 | 81.00 | 0.50 | 0.010 |
| PLS16-468 | 81.00 | 81.50 | 0.50 | 0.037 |
| PLS16-468 | 81.50 | 82.00 | 0.50 | 0.004 |
| PLS16-468 | 82.00 | 82.50 | 0.50 | 0.001 |
| PLS16-468 | 82.50 | 83.00 | 0.50 | <0.001 |
| PLS16-468 | 83.00 | 83.50 | 0.50 | <0.001 |
| PLS16-468 | 83.50 | 84.00 | 0.50 | 0.001 |
| PLS16-468 | 84.00 | 84.50 | 0.50 | 0.001 |
| PLS16-468 | 84.50 | 85.00 | 0.50 | <0.001 |
| PLS16-468 | 85.00 | 85.50 | 0.50 | 0.003 |
| PLS16-468 | 85.50 | 86.00 | 0.50 | 0.002 |
| PLS16-468 | 86.00 | 86.50 | 0.50 | 0.001 |
| PLS16-468 | 86.50 | 87.00 | 0.50 | 0.007 |
| PLS16-468 | 87.00 | 87.50 | 0.50 | 0.058 |
| PLS16-468 | 87.50 | 88.00 | 0.50 | 0.066 |
| PLS16-468 | 88.00 | 88.50 | 0.50 | 0.030 |
| PLS16-468 | 88.50 | 89.00 | 0.50 | 0.028 |
| PLS16-468 | 89.00 | 89.50 | 0.50 | 0.021 |
| PLS16-468 | 89.50 | 90.00 | 0.50 | 0.059 |
| PLS16-468 | 90.00 | 90.50 | 0.50 | 0.067 |
| PLS16-468 | 90.50 | 91.00 | 0.50 | 0.246 |
| PLS16-468 | 91.00 | 91.50 | 0.50 | 0.247 |
| PLS16-468 | 91.50 | 92.00 | 0.50 | 0.073 |
| PLS16-468 | 92.00 | 92.50 | 0.50 | 0.342 |
| PLS16-468 | 92.50 | 93.00 | 0.50 | 0.183 |
| PLS16-468 | 93.00 | 93.50 | 0.50 | 0.128 |
| PLS16-468 | 93.50 | 94.00 | 0.50 | 0.022 |
| PLS16-468 | 94.00 | 94.50 | 0.50 | 0.020 |
| PLS16-468 | 94.50 | 95.00 | 0.50 | 0.020 |

| | | | | |
|----------------|-----------------|---------------|---------------------|-------------------|
| PLS16-468 | 95.00 | 95.50 | 0.50 | 0.097 |
| PLS16-468 | 95.50 | 96.00 | 0.50 | 0.087 |
| PLS16-468 | 96.00 | 96.50 | 0.50 | 0.232 |
| PLS16-468 | 96.50 | 97.00 | 0.50 | 0.065 |
| PLS16-468 | 97.00 | 97.50 | 0.50 | 0.196 |
| PLS16-468 | 97.50 | 98.00 | 0.50 | 0.060 |
| PLS16-468 | 98.00 | 98.50 | 0.50 | 0.084 |
| PLS16-468 | 98.50 | 99.00 | 0.50 | 0.488 |
| PLS16-468 | 99.00 | 99.50 | 0.50 | 0.189 |
| PLS16-468 | 99.50 | 100.00 | 0.50 | 0.114 |
| PLS16-468 | 100.00 | 100.50 | 0.50 | 0.059 |
| PLS16-468 | 100.50 | 101.00 | 0.50 | 0.056 |
| PLS16-468 | 101.00 | 101.50 | 0.50 | 0.068 |
| PLS16-468 | 101.50 | 102.00 | 0.50 | 0.007 |
| PLS16-468 | 102.00 | 102.50 | 0.50 | 0.002 |
| PLS16-468 | 102.50 | 103.00 | 0.50 | 0.004 |
| PLS16-468 | 103.00 | 103.50 | 0.50 | 0.004 |
| PLS16-468 | 103.50 | 104.00 | 0.50 | 0.005 |
| PLS16-468 | 104.00 | 104.50 | 0.50 | 0.005 |
| PLS16-468 | 104.50 | 105.00 | 0.50 | 0.021 |
| PLS16-468 | 105.00 | 105.50 | 0.50 | 0.029 |
| PLS16-468 | 105.50 | 106.00 | 0.50 | 0.141 |
| PLS16-468 | 106.00 | 106.50 | 0.50 | 0.222 |
| PLS16-468 | 106.50 | 107.00 | 0.50 | 0.580 |
| PLS16-468 | 107.00 | 107.50 | 0.50 | 0.720 |
| PLS16-468 | 107.50 | 108.00 | 0.50 | 0.127 |
| PLS16-468 | 108.00 | 108.50 | 0.50 | 0.054 |
| PLS16-468 | 108.50 | 109.00 | 0.50 | 0.052 |
| PLS16-468 | 109.00 | 109.50 | 0.50 | 0.258 |
| PLS16-468 | 109.50 | 110.00 | 0.50 | 0.265 |
| PLS16-468 | 110.00 | 110.50 | 0.50 | 0.038 |
| PLS16-468 | 110.50 | 111.00 | 0.50 | 0.102 |
| PLS16-468 | 111.00 | 111.50 | 0.50 | 0.054 |
| PLS16-468 | 111.50 | 112.00 | 0.50 | 0.033 |
| PLS16-468 | 112.00 | 112.50 | 0.50 | 0.042 |
| PLS16-468 | 112.50 | 113.00 | 0.50 | 0.099 |
| PLS16-468 | 113.00 | 113.50 | 0.50 | 0.053 |
| PLS16-468 | 113.50 | 114.00 | 0.50 | 0.149 |
| PLS16-468 | 114.00 | 114.50 | 0.50 | 0.076 |
| PLS16-468 | 114.50 | 115.00 | 0.50 | 0.055 |
| PLS16-468 | 115.00 | 115.50 | 0.50 | 0.013 |
| PLS16-468 | 115.50 | 116.00 | 0.50 | 0.016 |
| PLS16-468 | 116.00 | 116.50 | 0.50 | 0.013 |
| PLS16-468 | 116.50 | 117.00 | 0.50 | 0.007 |
| Hole ID | From (m) | To (m) | Interval (m) | U3O8 (wt%) |
| PLS16-474 | 69.50 | 70.00 | 0.50 | 0.050 |

| PLS16-474 | 70.00 | 70.50 | 0.50 | 0.100 |
|------------------|--------------|--------------|--------------|--------------|
| PLS16-474 | 70.50 | 71.00 | 0.50 | 0.184 |
| PLS16-474 | 71.00 | 71.50 | 0.50 | 0.061 |
| PLS16-474 | 71.50 | 72.00 | 0.50 | 0.021 |
| PLS16-474 | 72.00 | 72.50 | 0.50 | 0.223 |
| PLS16-474 | 72.50 | 73.00 | 0.50 | 0.026 |
| PLS16-474 | 73.00 | 73.50 | 0.50 | 0.008 |
| PLS16-474 | 73.50 | 74.00 | 0.50 | 0.005 |
| PLS16-474 | 74.00 | 74.50 | 0.50 | 0.004 |
| Hole ID | From (m) | To (m) | Interval (m) | U3O8 (wt%) |
| PLS16-481 | 80.00 | 80.50 | 0.50 | 0.001 |
| PLS16-481 | 80.50 | 81.00 | 0.50 | 0.002 |
| PLS16-481 | 81.00 | 81.50 | 0.50 | <0.001 |
| PLS16-481 | 81.50 | 82.00 | 0.50 | 0.008 |
| PLS16-481 | 82.00 | 82.50 | 0.50 | 0.032 |
| PLS16-481 | 82.50 | 83.00 | 0.50 | 0.022 |
| PLS16-481 | 83.00 | 83.50 | 0.50 | 0.004 |
| PLS16-481 | 83.50 | 84.00 | 0.50 | 0.012 |
| PLS16-481 | 84.00 | 84.50 | 0.50 | <0.001 |
| PLS16-481 | 84.50 | 85.00 | 0.50 | 0.004 |
| PLS16-481 | 85.00 | 85.50 | 0.50 | 0.001 |
| PLS16-481 | 85.50 | 86.00 | 0.50 | 0.005 |
| PLS16-481 | 86.00 | 86.50 | 0.50 | 0.023 |
| PLS16-481 | 86.50 | 87.00 | 0.50 | 0.006 |
| PLS16-481 | 87.00 | 87.50 | 0.50 | 0.005 |
| PLS16-481 | 87.50 | 88.00 | 0.50 | 0.051 |
| PLS16-481 | 88.00 | 88.50 | 0.50 | 0.008 |
| PLS16-481 | 88.50 | 89.00 | 0.50 | 0.024 |
| PLS16-481 | 89.00 | 89.50 | 0.50 | 0.046 |
| PLS16-481 | 89.50 | 90.00 | 0.50 | 0.092 |
| PLS16-481 | 90.00 | 90.50 | 0.50 | 0.346 |
| PLS16-481 | 90.50 | 91.00 | 0.50 | 0.119 |
| PLS16-481 | 91.00 | 91.50 | 0.50 | 0.118 |
| PLS16-481 | 91.50 | 92.00 | 0.50 | 0.175 |
| PLS16-481 | 92.00 | 92.50 | 0.50 | 0.074 |
| PLS16-481 | 92.50 | 93.00 | 0.50 | 0.086 |
| PLS16-481 | 93.00 | 93.50 | 0.50 | 0.064 |
| PLS16-481 | 93.50 | 94.00 | 0.50 | 0.072 |
| PLS16-481 | 94.00 | 94.50 | 0.50 | 0.176 |
| PLS16-481 | 94.50 | 95.00 | 0.50 | 0.362 |
| PLS16-481 | 95.00 | 95.50 | 0.50 | 0.039 |
| PLS16-481 | 95.50 | 96.00 | 0.50 | 0.381 |
| PLS16-481 | 96.00 | 96.50 | 0.50 | 0.174 |
| PLS16-481 | 96.50 | 97.00 | 0.50 | 1.030 |
| PLS16-481 | 97.00 | 97.50 | 0.50 | 0.165 |
| PLS16-481 | 97.50 | 98.00 | 0.50 | 0.239 |

| | | | | |
|------------------|---------------|---------------|-------------|--------------|
| PLS16-481 | 98.00 | 98.50 | 0.50 | 0.138 |
| PLS16-481 | 98.50 | 99.00 | 0.50 | 0.146 |
| PLS16-481 | 99.00 | 99.50 | 0.50 | 0.068 |
| PLS16-481 | 99.50 | 100.00 | 0.50 | 0.044 |
| PLS16-481 | 100.00 | 100.50 | 0.50 | 0.013 |
| PLS16-481 | 100.50 | 101.00 | 0.50 | 0.037 |
| PLS16-481 | 101.00 | 101.50 | 0.50 | 0.003 |
| PLS16-481 | 101.50 | 102.00 | 0.50 | 0.002 |
| PLS16-481 | 102.00 | 102.50 | 0.50 | <0.001 |
| PLS16-481 | 102.50 | 103.00 | 0.50 | 0.003 |
| PLS16-481 | 103.00 | 103.50 | 0.50 | 0.002 |
| PLS16-481 | 103.50 | 104.00 | 0.50 | <0.001 |
| PLS16-481 | 104.00 | 104.50 | 0.50 | 0.006 |
| PLS16-481 | 104.50 | 105.00 | 0.50 | <0.001 |
| PLS16-481 | 105.00 | 105.50 | 0.50 | 0.002 |
| PLS16-481 | 105.50 | 106.00 | 0.50 | <0.001 |
| PLS16-481 | 106.00 | 106.50 | 0.50 | <0.001 |
| PLS16-481 | 106.50 | 107.00 | 0.50 | <0.001 |
| PLS16-481 | 107.00 | 107.50 | 0.50 | 0.001 |
| PLS16-481 | 107.50 | 108.00 | 0.50 | 0.003 |
| PLS16-481 | 108.00 | 108.50 | 0.50 | 0.161 |
| PLS16-481 | 108.50 | 109.00 | 0.50 | 0.064 |
| PLS16-481 | 109.00 | 109.50 | 0.50 | 0.010 |
| PLS16-481 | 109.50 | 110.00 | 0.50 | 0.012 |
| PLS16-481 | 110.00 | 110.50 | 0.50 | 0.044 |
| PLS16-481 | 110.50 | 111.00 | 0.50 | 0.008 |
| PLS16-481 | 111.00 | 111.50 | 0.50 | 0.032 |
| PLS16-481 | 111.50 | 112.00 | 0.50 | 0.055 |
| PLS16-481 | 112.00 | 112.50 | 0.50 | 0.084 |
| PLS16-481 | 112.50 | 113.00 | 0.50 | 0.126 |
| PLS16-481 | 113.00 | 113.50 | 0.50 | 0.198 |
| PLS16-481 | 113.50 | 114.00 | 0.50 | 1.070 |
| PLS16-481 | 114.00 | 114.50 | 0.50 | 0.124 |
| PLS16-481 | 114.50 | 115.00 | 0.50 | 0.086 |
| PLS16-481 | 115.00 | 115.50 | 0.50 | 0.103 |
| PLS16-481 | 115.50 | 116.00 | 0.50 | 0.094 |
| PLS16-481 | 116.00 | 116.50 | 0.50 | 0.134 |
| PLS16-481 | 116.50 | 117.00 | 0.50 | 0.063 |
| PLS16-481 | 117.00 | 117.50 | 0.50 | 0.077 |
| PLS16-481 | 117.50 | 118.00 | 0.50 | 0.032 |
| PLS16-481 | 118.00 | 118.50 | 0.50 | 0.006 |
| PLS16-481 | 118.50 | 119.00 | 0.50 | 0.008 |
| PLS16-481 | 119.00 | 119.50 | 0.50 | 0.003 |
| PLS16-481 | 119.50 | 120.00 | 0.50 | 0.006 |
| PLS16-481 | 120.00 | 120.50 | 0.50 | 0.007 |
| PLS16-481 | 120.50 | 121.00 | 0.50 | 0.009 |
| PLS16-481 | 121.00 | 121.50 | 0.50 | 0.011 |

| | | | | |
|-----------|--------|--------|------|-------|
| PLS16-481 | 121.50 | 122.00 | 0.50 | 0.005 |
| PLS16-481 | 122.00 | 122.50 | 0.50 | 0.004 |
| PLS16-481 | 122.50 | 123.00 | 0.50 | 0.003 |
| PLS16-481 | 123.00 | 123.50 | 0.50 | 0.002 |
| PLS16-481 | 123.50 | 124.00 | 0.50 | 0.001 |
| PLS16-481 | 124.00 | 124.50 | 0.50 | 0.002 |
| PLS16-481 | 124.50 | 125.00 | 0.50 | 0.002 |
| PLS16-481 | 125.00 | 125.50 | 0.50 | 0.008 |
| PLS16-481 | 125.50 | 126.00 | 0.50 | 0.026 |
| PLS16-481 | 126.00 | 126.50 | 0.50 | 0.079 |
| PLS16-481 | 126.50 | 127.00 | 0.50 | 0.007 |
| PLS16-481 | 127.00 | 127.50 | 0.50 | 0.014 |
| PLS16-481 | 127.50 | 128.00 | 0.50 | 0.008 |
| PLS16-481 | 128.00 | 128.50 | 0.50 | 0.011 |
| PLS16-481 | 128.50 | 129.00 | 0.50 | 0.005 |
| PLS16-481 | 129.00 | 129.50 | 0.50 | 0.006 |
| PLS16-481 | 129.50 | 130.00 | 0.50 | 0.001 |
| PLS16-481 | 130.00 | 130.50 | 0.50 | 0.002 |
| PLS16-481 | 130.50 | 131.00 | 0.50 | 0.001 |
| PLS16-481 | 131.00 | 131.50 | 0.50 | 0.014 |
| PLS16-481 | 131.50 | 132.00 | 0.50 | 0.011 |
| PLS16-481 | 132.00 | 132.50 | 0.50 | 0.002 |
| PLS16-481 | 132.50 | 133.00 | 0.50 | 0.003 |
| PLS16-481 | 133.00 | 133.50 | 0.50 | 0.004 |
| PLS16-481 | 133.50 | 134.00 | 0.50 | 0.010 |
| PLS16-481 | 134.00 | 134.50 | 0.50 | 0.004 |
| PLS16-481 | 134.50 | 135.00 | 0.50 | 0.017 |
| PLS16-481 | 135.00 | 135.50 | 0.50 | 0.003 |
| PLS16-481 | 135.50 | 136.00 | 0.50 | 0.022 |
| PLS16-481 | 136.00 | 136.50 | 0.50 | 0.199 |
| PLS16-481 | 136.50 | 137.00 | 0.50 | 0.148 |
| PLS16-481 | 137.00 | 137.50 | 0.50 | 0.022 |
| PLS16-481 | 137.50 | 138.00 | 0.50 | 0.051 |
| PLS16-481 | 138.00 | 138.50 | 0.50 | 0.052 |
| PLS16-481 | 138.50 | 139.00 | 0.50 | 0.306 |
| PLS16-481 | 139.00 | 139.50 | 0.50 | 0.160 |
| PLS16-481 | 139.50 | 140.00 | 0.50 | 0.190 |
| PLS16-481 | 140.00 | 140.50 | 0.50 | 0.018 |
| PLS16-481 | 140.50 | 141.00 | 0.50 | 0.073 |
| PLS16-481 | 141.00 | 141.50 | 0.50 | 0.098 |
| PLS16-481 | 141.50 | 142.00 | 0.50 | 0.236 |
| PLS16-481 | 142.00 | 142.50 | 0.50 | 0.134 |
| PLS16-481 | 142.50 | 143.00 | 0.50 | 0.061 |
| PLS16-481 | 143.00 | 143.50 | 0.50 | 0.108 |
| PLS16-481 | 143.50 | 144.00 | 0.50 | 0.048 |
| PLS16-481 | 144.00 | 144.50 | 0.50 | 0.002 |
| PLS16-481 | 144.50 | 145.00 | 0.50 | 0.001 |

| | | | | |
|-----------|--------|--------|------|-------|
| PLS16-481 | 145.00 | 145.50 | 0.50 | 0.003 |
| PLS16-481 | 145.50 | 146.00 | 0.50 | 0.002 |