



# Fission

URANIUM CORP.

## Drill Core Assay Summary: R840W - Patterson Lake South

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-445	151.50	152.00	0.50	0.008
PLS16-445	152.00	152.50	0.50	0.008
PLS16-445	152.50	153.00	0.50	0.008
PLS16-445	153.00	153.50	0.50	0.008
PLS16-445	153.50	154.00	0.50	0.030
PLS16-445	154.00	154.50	0.50	0.003
PLS16-445	154.50	155.00	0.50	0.017
PLS16-445	155.00	155.50	0.50	0.013
PLS16-445	155.50	156.00	0.50	0.006
PLS16-445	156.00	156.50	0.50	0.011
PLS16-445	156.50	157.00	0.50	0.033
PLS16-445	157.00	157.50	0.50	0.023
PLS16-445	157.50	158.00	0.50	0.049
PLS16-445	158.00	158.50	0.50	0.020
PLS16-445	158.50	159.00	0.50	0.010
PLS16-445	159.00	159.50	0.50	0.010
PLS16-445	159.50	160.00	0.50	0.009
PLS16-445	176.00	176.50	0.50	0.007
PLS16-445	176.50	177.00	0.50	0.021
PLS16-445	177.00	177.50	0.50	0.006
PLS16-445	177.50	178.00	0.50	0.024
PLS16-445	178.00	178.50	0.50	0.032
PLS16-445	178.50	179.00	0.50	0.048
PLS16-445	179.00	179.50	0.50	0.035
PLS16-445	179.50	180.00	0.50	0.017
PLS16-445	180.00	180.50	0.50	0.013
PLS16-445	180.50	181.00	0.50	0.035
PLS16-445	181.00	181.50	0.50	0.475
PLS16-445	181.50	182.00	0.50	0.178
PLS16-445	182.00	182.50	0.50	0.107
PLS16-445	182.50	183.00	0.50	0.662
<b>PLS16-445</b>	<b>183.00</b>	<b>183.50</b>	<b>0.50</b>	<b>1.070</b>
PLS16-445	183.50	184.00	0.50	0.079
<b>PLS16-445</b>	<b>184.00</b>	<b>184.50</b>	<b>0.50</b>	<b>1.060</b>
<b>PLS16-445</b>	<b>184.50</b>	<b>185.00</b>	<b>0.50</b>	<b>1.370</b>
PLS16-445	185.00	185.50	0.50	0.028
PLS16-445	185.50	186.00	0.50	0.124

PLS16-445	186.00	186.50	0.50	0.083
PLS16-445	186.50	187.00	0.50	0.049
PLS16-445	187.00	187.50	0.50	0.033
PLS16-445	187.50	188.00	0.50	0.012
PLS16-445	188.00	188.50	0.50	0.009
PLS16-445	188.50	189.00	0.50	0.013
PLS16-445	189.00	189.50	0.50	0.252
PLS16-445	189.50	190.00	0.50	0.521
PLS16-445	190.00	190.50	0.50	0.328
PLS16-445	190.50	191.00	0.50	0.521
PLS16-445	191.00	191.50	0.50	0.526
PLS16-445	191.50	192.00	0.50	0.702
PLS16-445	192.00	192.50	0.50	0.094
PLS16-445	192.50	193.00	0.50	0.127
PLS16-445	193.00	193.50	0.50	0.032
PLS16-445	193.50	194.00	0.50	0.045
PLS16-445	194.00	194.50	0.50	0.020
PLS16-445	194.50	195.00	0.50	0.119
PLS16-445	195.00	195.50	0.50	0.127
PLS16-445	195.50	196.00	0.50	0.167
PLS16-445	196.00	196.50	0.50	0.278
<b>PLS16-445</b>	<b>196.50</b>	<b>197.00</b>	<b>0.50</b>	<b>2.000</b>
<b>PLS16-445</b>	<b>197.00</b>	<b>197.50</b>	<b>0.50</b>	<b>1.640</b>
PLS16-445	197.50	198.00	0.50	0.543
PLS16-445	198.00	198.50	0.50	0.518
PLS16-445	198.50	199.00	0.50	0.967
PLS16-445	199.00	199.50	0.50	0.011
PLS16-445	199.50	200.00	0.50	0.009
PLS16-445	200.00	200.50	0.50	0.086
PLS16-445	200.50	201.00	0.50	0.035
PLS16-445	201.00	201.50	0.50	0.733
PLS16-445	201.50	202.00	0.50	0.119
PLS16-445	202.00	202.50	0.50	0.049
PLS16-445	202.50	203.00	0.50	0.069
PLS16-445	203.00	203.50	0.50	0.340
PLS16-445	203.50	204.00	0.50	0.063
PLS16-445	204.00	204.50	0.50	0.102
PLS16-445	204.50	205.00	0.50	0.245
PLS16-445	205.00	205.50	0.50	0.132
PLS16-445	205.50	206.00	0.50	0.024
PLS16-445	206.00	206.50	0.50	0.166
PLS16-445	206.50	207.00	0.50	0.962
PLS16-445	207.00	207.50	0.50	0.686
PLS16-445	207.50	208.00	0.50	0.442
PLS16-445	208.00	208.50	0.50	0.255
PLS16-445	208.50	209.00	0.50	0.038
PLS16-445	209.00	209.50	0.50	0.181

PLS16-445	209.50	210.00	0.50	0.397
PLS16-445	210.00	210.50	0.50	0.085
PLS16-445	210.50	211.00	0.50	0.790
<b>PLS16-445</b>	<b>211.00</b>	<b>211.50</b>	<b>0.50</b>	<b>10.200</b>
<b>PLS16-445</b>	<b>211.50</b>	<b>212.00</b>	<b>0.50</b>	<b>18.500</b>
<b>PLS16-445</b>	<b>212.00</b>	<b>212.50</b>	<b>0.50</b>	<b>12.200</b>
<b>PLS16-445</b>	<b>212.50</b>	<b>213.00</b>	<b>0.50</b>	<b>5.210</b>
<b>PLS16-445</b>	<b>213.00</b>	<b>213.50</b>	<b>0.50</b>	<b>1.960</b>
<b>PLS16-445</b>	<b>213.50</b>	<b>214.00</b>	<b>0.50</b>	<b>1.380</b>
PLS16-445	214.00	214.50	0.50	0.248
PLS16-445	214.50	215.00	0.50	0.167
PLS16-445	215.00	215.50	0.50	0.055
PLS16-445	215.50	216.00	0.50	0.032
PLS16-445	216.00	216.50	0.50	0.036
PLS16-445	216.50	217.00	0.50	0.045
PLS16-445	217.00	217.50	0.50	0.121
PLS16-445	217.50	218.00	0.50	0.134
PLS16-445	218.00	218.50	0.50	0.039
PLS16-445	218.50	219.00	0.50	0.015
PLS16-445	219.00	219.50	0.50	0.004
PLS16-445	219.50	220.00	0.50	0.032
PLS16-445	220.00	220.50	0.50	0.004
PLS16-445	220.50	221.00	0.50	0.010
PLS16-445	221.00	221.50	0.50	0.003
PLS16-445	221.50	222.00	0.50	0.002
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-462	141.00	141.50	0.50	0.005
PLS16-462	141.50	142.00	0.50	0.008
PLS16-462	142.00	142.50	0.50	0.007
PLS16-462	142.50	143.00	0.50	0.002
PLS16-462	143.00	143.50	0.50	0.008
PLS16-462	143.50	144.00	0.50	0.026
PLS16-462	144.00	144.50	0.50	0.033
PLS16-462	144.50	145.00	0.50	0.924
PLS16-462	145.00	145.50	0.50	0.057
PLS16-462	145.50	146.00	0.50	0.122
PLS16-462	146.00	146.50	0.50	0.043
PLS16-462	146.50	147.00	0.50	0.152
PLS16-462	147.00	147.50	0.50	0.228
PLS16-462	147.50	148.00	0.50	0.026
PLS16-462	148.00	148.50	0.50	0.020
PLS16-462	148.50	149.00	0.50	0.008
PLS16-462	149.00	149.50	0.50	0.029
PLS16-462	149.50	150.00	0.50	0.020
PLS16-462	150.00	150.50	0.50	0.022
PLS16-462	150.50	151.00	0.50	0.013

PLS16-462	151.00	151.50	0.50	0.020
PLS16-462	151.50	152.00	0.50	0.011
PLS16-462	152.00	152.50	0.50	0.012
PLS16-462	152.50	153.00	0.50	0.017
PLS16-462	153.00	153.50	0.50	0.024
PLS16-462	153.50	154.00	0.50	0.017
PLS16-462	154.00	154.50	0.50	0.012
PLS16-462	154.50	155.00	0.50	0.068
PLS16-462	155.00	155.50	0.50	0.015
PLS16-462	155.50	156.00	0.50	0.020
PLS16-462	156.00	156.50	0.50	0.013
PLS16-462	156.50	157.00	0.50	0.015
PLS16-462	157.00	157.50	0.50	0.005
PLS16-462	157.50	158.00	0.50	0.004
PLS16-462	158.00	158.50	0.50	0.003
PLS16-462	158.50	159.00	0.50	0.002
PLS16-462	159.00	159.50	0.50	0.004
PLS16-462	159.50	160.00	0.50	0.020
PLS16-462	160.00	160.50	0.50	0.060
PLS16-462	160.50	161.00	0.50	0.072
PLS16-462	161.00	161.50	0.50	0.103
PLS16-462	161.50	162.00	0.50	0.256
PLS16-462	162.00	162.50	0.50	0.390
PLS16-462	162.50	163.00	0.50	0.133
PLS16-462	163.00	163.50	0.50	0.171
<b>PLS16-462</b>	<b>163.50</b>	<b>164.00</b>	<b>0.50</b>	<b>1.230</b>
<b>PLS16-462</b>	<b>164.00</b>	<b>164.50</b>	<b>0.50</b>	<b>1.260</b>
<b>PLS16-462</b>	<b>164.50</b>	<b>165.00</b>	<b>0.50</b>	<b>2.280</b>
<b>PLS16-462</b>	<b>165.00</b>	<b>165.50</b>	<b>0.50</b>	<b>1.320</b>
<b>PLS16-462</b>	<b>165.50</b>	<b>166.00</b>	<b>0.50</b>	<b>2.950</b>
<b>PLS16-462</b>	<b>166.00</b>	<b>166.50</b>	<b>0.50</b>	<b>3.080</b>
<b>PLS16-462</b>	<b>166.50</b>	<b>167.00</b>	<b>0.50</b>	<b>3.340</b>
<b>PLS16-462</b>	<b>167.00</b>	<b>167.50</b>	<b>0.50</b>	<b>2.200</b>
<b>PLS16-462</b>	<b>167.50</b>	<b>168.00</b>	<b>0.50</b>	<b>1.830</b>
<b>PLS16-462</b>	<b>168.00</b>	<b>168.50</b>	<b>0.50</b>	<b>5.110</b>
<b>PLS16-462</b>	<b>168.50</b>	<b>169.00</b>	<b>0.50</b>	<b>2.450</b>
<b>PLS16-462</b>	<b>169.00</b>	<b>169.50</b>	<b>0.50</b>	<b>3.200</b>
PLS16-462	169.50	170.00	0.50	0.081
<b>PLS16-462</b>	<b>170.00</b>	<b>170.50</b>	<b>0.50</b>	<b>3.090</b>
<b>PLS16-462</b>	<b>170.50</b>	<b>171.00</b>	<b>0.50</b>	<b>5.760</b>
<b>PLS16-462</b>	<b>171.00</b>	<b>171.50</b>	<b>0.50</b>	<b>1.720</b>
<b>PLS16-462</b>	<b>171.50</b>	<b>172.00</b>	<b>0.50</b>	<b>2.210</b>
PLS16-462	172.00	172.50	0.50	0.084
PLS16-462	172.50	173.00	0.50	0.404
PLS16-462	173.00	173.50	0.50	0.386
PLS16-462	173.50	174.00	0.50	0.011
PLS16-462	174.00	174.50	0.50	0.008

PLS16-462	174.50	175.00	0.50	0.011
PLS16-462	175.00	175.50	0.50	0.100
PLS16-462	175.50	176.00	0.50	0.227
PLS16-462	176.00	176.50	0.50	0.212
PLS16-462	176.50	177.00	0.50	0.016
PLS16-462	177.00	177.50	0.50	0.082
<b>PLS16-462</b>	<b>177.50</b>	<b>178.00</b>	<b>0.50</b>	<b>1.130</b>
PLS16-462	178.00	178.50	0.50	0.217
PLS16-462	178.50	179.00	0.50	0.449
PLS16-462	179.00	179.50	0.50	0.351
PLS16-462	179.50	180.00	0.50	0.085
PLS16-462	180.00	180.50	0.50	0.035
PLS16-462	180.50	181.00	0.50	0.005
PLS16-462	181.00	181.50	0.50	0.009
PLS16-462	181.50	182.00	0.50	0.161
PLS16-462	182.00	182.50	0.50	0.011
PLS16-462	182.50	183.00	0.50	0.013
PLS16-462	183.00	183.50	0.50	0.023
PLS16-462	183.50	184.00	0.50	0.018
PLS16-462	184.00	184.50	0.50	0.009
PLS16-462	184.50	185.00	0.50	0.009
PLS16-462	185.00	185.50	0.50	0.013
PLS16-462	185.50	186.00	0.50	0.018
PLS16-462	186.00	186.50	0.50	0.014
PLS16-462	186.50	187.00	0.50	0.006
PLS16-462	187.00	187.50	0.50	0.009
PLS16-462	187.50	188.00	0.50	0.003
PLS16-462	195.50	196.00	0.50	0.006
PLS16-462	196.00	196.50	0.50	0.006
PLS16-462	196.50	197.00	0.50	0.014
PLS16-462	197.00	197.50	0.50	0.005
PLS16-462	197.50	198.00	0.50	0.022
PLS16-462	198.00	198.50	0.50	0.092
PLS16-462	198.50	199.00	0.50	0.131
PLS16-462	199.00	199.50	0.50	0.076
PLS16-462	199.50	200.00	0.50	0.068
PLS16-462	200.00	200.50	0.50	0.108
PLS16-462	200.50	201.00	0.50	0.029
PLS16-462	201.00	201.50	0.50	0.094
PLS16-462	201.50	202.00	0.50	0.216
PLS16-462	202.00	202.50	0.50	0.196
PLS16-462	202.50	203.00	0.50	0.248
PLS16-462	203.00	203.50	0.50	0.436
PLS16-462	203.50	204.00	0.50	0.029
PLS16-462	204.00	204.50	0.50	0.053
PLS16-462	204.50	205.00	0.50	0.704
PLS16-462	205.00	205.50	0.50	0.642

PLS16-462	205.50	206.00	0.50	0.360
PLS16-462	206.00	206.50	0.50	0.442
PLS16-462	206.50	207.00	0.50	0.119
PLS16-462	207.00	207.50	0.50	0.528
PLS16-462	207.50	208.00	0.50	0.226
PLS16-462	208.00	208.50	0.50	0.009
PLS16-462	208.50	209.00	0.50	0.009
PLS16-462	209.00	209.50	0.50	0.049
PLS16-462	209.50	210.00	0.50	0.353
PLS16-462	210.00	210.50	0.50	0.808
PLS16-462	210.50	211.00	0.50	0.249
PLS16-462	211.00	211.50	0.50	0.019
PLS16-462	211.50	212.00	0.50	0.069
PLS16-462	212.00	212.50	0.50	0.106
PLS16-462	212.50	213.00	0.50	0.120
PLS16-462	213.00	213.50	0.50	0.131
PLS16-462	213.50	214.00	0.50	0.009
PLS16-462	214.00	214.50	0.50	0.028
PLS16-462	214.50	215.00	0.50	0.022
PLS16-462	215.00	215.50	0.50	0.007
PLS16-462	215.50	216.00	0.50	0.012
PLS16-462	216.00	216.50	0.50	0.011
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-465	154.00	154.50	0.50	0.002
PLS16-465	154.50	155.00	0.50	0.003
PLS16-465	155.00	155.50	0.50	0.001
PLS16-465	155.50	156.00	0.50	0.010
PLS16-465	156.00	156.50	0.50	0.010
PLS16-465	156.50	157.00	0.50	0.014
PLS16-465	157.00	157.50	0.50	0.003
PLS16-465	157.50	158.00	0.50	0.005
PLS16-465	158.00	158.50	0.50	0.009
PLS16-465	158.50	159.00	0.50	0.008
PLS16-465	159.00	159.50	0.50	0.004
PLS16-465	159.50	160.00	0.50	0.004
PLS16-465	160.00	160.50	0.50	0.002
PLS16-465	160.50	161.00	0.50	0.010
PLS16-465	161.00	161.50	0.50	0.001
PLS16-465	161.50	162.00	0.50	<0.001
PLS16-465	162.00	162.50	0.50	0.003
PLS16-465	162.50	163.00	0.50	0.004
PLS16-465	163.00	163.50	0.50	0.005
PLS16-465	163.50	164.00	0.50	0.005
PLS16-465	164.00	164.50	0.50	0.007
PLS16-465	164.50	165.00	0.50	0.021
PLS16-465	165.00	165.50	0.50	0.008

PLS16-465	165.50	166.00	0.50	0.016
PLS16-465	166.00	166.50	0.50	0.005
PLS16-465	166.50	167.00	0.50	0.007
PLS16-465	167.00	167.50	0.50	0.008
PLS16-465	167.50	168.00	0.50	0.003
PLS16-465	168.00	168.50	0.50	0.003
PLS16-465	168.50	169.00	0.50	0.002
PLS16-465	169.00	169.50	0.50	0.003
PLS16-465	169.50	170.00	0.50	0.001
PLS16-465	170.00	170.50	0.50	0.006
PLS16-465	170.50	171.00	0.50	0.004
PLS16-465	171.00	171.50	0.50	0.015
PLS16-465	171.50	172.00	0.50	0.440
<b>PLS16-465</b>	<b>172.00</b>	<b>172.50</b>	<b>0.50</b>	<b>1.200</b>
<b>PLS16-465</b>	<b>172.50</b>	<b>173.00</b>	<b>0.50</b>	<b>1.400</b>
PLS16-465	173.00	173.50	0.50	0.996
PLS16-465	173.50	174.00	0.50	0.157
PLS16-465	174.00	174.50	0.50	0.088
PLS16-465	174.50	175.00	0.50	0.076
PLS16-465	175.00	175.50	0.50	0.037
PLS16-465	175.50	176.00	0.50	0.172
PLS16-465	176.00	176.50	0.50	0.162
PLS16-465	176.50	177.00	0.50	0.017
PLS16-465	177.00	177.50	0.50	0.017
PLS16-465	177.50	178.00	0.50	0.023
PLS16-465	178.00	178.50	0.50	0.026
PLS16-465	178.50	179.00	0.50	0.188
PLS16-465	179.00	179.50	0.50	0.218
PLS16-465	179.50	180.00	0.50	0.142
PLS16-465	180.00	180.50	0.50	0.019
PLS16-465	180.50	181.00	0.50	0.045
PLS16-465	181.00	181.50	0.50	0.647
PLS16-465	181.50	182.00	0.50	0.560
PLS16-465	182.00	182.50	0.50	0.194
PLS16-465	182.50	183.00	0.50	0.366
PLS16-465	183.00	183.50	0.50	0.110
PLS16-465	183.50	184.00	0.50	0.050
PLS16-465	184.00	184.50	0.50	0.100
PLS16-465	184.50	185.00	0.50	0.019
PLS16-465	185.00	185.50	0.50	0.067
PLS16-465	185.50	186.00	0.50	0.107
<b>PLS16-465</b>	<b>186.00</b>	<b>186.50</b>	<b>0.50</b>	<b>1.790</b>
<b>PLS16-465</b>	<b>186.50</b>	<b>187.00</b>	<b>0.50</b>	<b>4.320</b>
PLS16-465	187.00	187.50	0.50	0.422
PLS16-465	187.50	188.00	0.50	0.326
<b>PLS16-465</b>	<b>188.00</b>	<b>188.50</b>	<b>0.50</b>	<b>1.040</b>
<b>PLS16-465</b>	<b>188.50</b>	<b>189.00</b>	<b>0.50</b>	<b>3.750</b>

PLS16-465	189.00	189.50	0.50	0.180
PLS16-465	189.50	190.00	0.50	0.172
PLS16-465	190.00	190.50	0.50	0.062
<b>PLS16-465</b>	<b>190.50</b>	<b>191.00</b>	<b>0.50</b>	<b>2.910</b>
<b>PLS16-465</b>	<b>191.00</b>	<b>191.50</b>	<b>0.50</b>	<b>6.070</b>
<b>PLS16-465</b>	<b>191.50</b>	<b>192.00</b>	<b>0.50</b>	<b>2.160</b>
PLS16-465	192.00	192.50	0.50	0.139
PLS16-465	192.50	193.00	0.50	0.108
PLS16-465	193.00	193.50	0.50	0.152
PLS16-465	193.50	194.00	0.50	0.266
<b>PLS16-465</b>	<b>194.00</b>	<b>194.50</b>	<b>0.50</b>	<b>1.120</b>
PLS16-465	194.50	195.00	0.50	0.279
PLS16-465	195.00	195.50	0.50	0.027
PLS16-465	195.50	196.00	0.50	0.219
PLS16-465	196.00	196.50	0.50	0.933
PLS16-465	196.50	197.00	0.50	0.022
PLS16-465	197.00	197.50	0.50	0.012
PLS16-465	197.50	198.00	0.50	0.082
PLS16-465	198.00	198.50	0.50	0.046
PLS16-465	198.50	199.00	0.50	0.014
PLS16-465	199.00	199.50	0.50	0.050
PLS16-465	199.50	200.00	0.50	0.027
PLS16-465	200.00	200.50	0.50	0.075
PLS16-465	200.50	201.00	0.50	0.029
PLS16-465	201.00	201.50	0.50	0.020
PLS16-465	201.50	202.00	0.50	0.064
PLS16-465	202.00	202.50	0.50	0.331
PLS16-465	202.50	203.00	0.50	0.023
PLS16-465	203.00	203.50	0.50	0.012
PLS16-465	203.50	204.00	0.50	0.017
PLS16-465	204.00	204.50	0.50	0.021
PLS16-465	204.50	205.00	0.50	0.013
PLS16-465	205.00	205.50	0.50	0.238
PLS16-465	205.50	206.00	0.50	0.697
PLS16-465	206.00	206.50	0.50	0.521
PLS16-465	206.50	207.00	0.50	0.012
PLS16-465	207.00	207.50	0.50	0.013
PLS16-465	207.50	208.00	0.50	0.093
PLS16-465	208.00	208.50	0.50	0.010
PLS16-465	208.50	209.00	0.50	0.011
PLS16-465	209.00	209.50	0.50	0.762
PLS16-465	209.50	210.00	0.50	0.203
<b>PLS16-465</b>	<b>210.00</b>	<b>210.50</b>	<b>0.50</b>	<b>1.280</b>
PLS16-465	210.50	211.00	0.50	0.287
PLS16-465	211.00	211.50	0.50	0.042
PLS16-465	211.50	212.00	0.50	0.017
PLS16-465	212.00	212.50	0.50	0.024



PLS16-465	212.50	213.00	0.50	0.024
PLS16-465	213.00	213.50	0.50	0.471
PLS16-465	213.50	214.00	0.50	0.359
PLS16-465	214.00	214.50	0.50	0.414
PLS16-465	214.50	215.00	0.50	0.114
PLS16-465	215.00	215.50	0.50	0.095
PLS16-465	215.50	216.00	0.50	0.077
PLS16-465	216.00	216.50	0.50	0.032
PLS16-465	216.50	217.00	0.50	0.017
PLS16-465	217.00	217.50	0.50	0.113
PLS16-465	217.50	218.00	0.50	0.028
PLS16-465	218.00	218.50	0.50	0.320
PLS16-465	218.50	219.00	0.50	0.096
PLS16-465	219.00	219.50	0.50	0.101
PLS16-465	219.50	220.00	0.50	0.042
PLS16-465	220.00	220.50	0.50	0.004
PLS16-465	220.50	221.00	0.50	0.019
PLS16-465	221.00	221.50	0.50	0.058
PLS16-465	221.50	222.00	0.50	0.007
PLS16-465	222.00	222.50	0.50	0.001
PLS16-465	222.50	223.00	0.50	0.009
PLS16-465	223.00	223.50	0.50	0.003
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-470	186.50	187.00	0.50	0.006
PLS16-470	187.00	187.50	0.50	0.007
PLS16-470	187.50	188.00	0.50	0.014
PLS16-470	188.00	188.50	0.50	0.006
PLS16-470	188.50	189.00	0.50	0.375
PLS16-470	189.00	189.50	0.50	0.088
PLS16-470	189.50	190.00	0.50	0.014
PLS16-470	190.00	190.50	0.50	0.002
PLS16-470	190.50	191.00	0.50	0.001
PLS16-470	191.00	191.50	0.50	<0.001
PLS16-470	191.50	192.00	0.50	<0.001
PLS16-470	192.00	192.50	0.50	0.004
PLS16-470	192.50	193.00	0.50	0.002
PLS16-470	193.00	193.50	0.50	0.014
PLS16-470	193.50	194.00	0.50	0.004
PLS16-470	194.00	194.50	0.50	0.021
PLS16-470	194.50	195.00	0.50	0.009
PLS16-470	195.00	195.50	0.50	0.005
PLS16-470	195.50	196.00	0.50	0.004
PLS16-470	196.00	196.50	0.50	0.014
PLS16-470	196.50	197.00	0.50	0.029
PLS16-470	197.00	197.50	0.50	0.020
PLS16-470	197.50	198.00	0.50	0.008

PLS16-470	198.00	198.50	0.50	0.011
PLS16-470	198.50	199.00	0.50	0.002
PLS16-470	199.00	199.50	0.50	0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-473	136.50	137.00	0.50	0.009
PLS16-473	137.00	137.50	0.50	0.004
PLS16-473	137.50	138.00	0.50	0.004
PLS16-473	138.00	138.50	0.50	0.007
PLS16-473	138.50	139.00	0.50	0.022
PLS16-473	139.00	139.50	0.50	0.024
PLS16-473	139.50	140.00	0.50	0.008
PLS16-473	140.00	140.50	0.50	0.002
PLS16-473	140.50	141.00	0.50	0.003
PLS16-473	141.00	141.50	0.50	0.005
PLS16-473	141.50	142.00	0.50	0.003
PLS16-473	142.00	142.50	0.50	0.004
PLS16-473	142.50	143.00	0.50	0.005
PLS16-473	143.00	143.50	0.50	0.003
PLS16-473	143.50	144.00	0.50	0.005
PLS16-473	144.00	144.50	0.50	0.004
PLS16-473	144.50	145.00	0.50	0.003
PLS16-473	145.00	145.50	0.50	0.008
PLS16-473	145.50	146.00	0.50	0.022
PLS16-473	146.00	146.50	0.50	0.017
PLS16-473	146.50	147.00	0.50	0.014
PLS16-473	147.00	147.50	0.50	0.011
PLS16-473	147.50	148.00	0.50	0.005
PLS16-473	148.00	148.50	0.50	0.006
PLS16-473	148.50	149.00	0.50	0.002
PLS16-473	149.00	149.50	0.50	0.005
PLS16-473	149.50	150.00	0.50	0.008
PLS16-473	150.00	150.50	0.50	0.013
PLS16-473	150.50	151.00	0.50	0.014
PLS16-473	151.00	151.50	0.50	0.042
PLS16-473	151.50	152.00	0.50	0.028
PLS16-473	152.00	152.50	0.50	0.022
PLS16-473	152.50	153.00	0.50	0.024
PLS16-473	153.00	153.50	0.50	0.020
PLS16-473	153.50	154.00	0.50	0.020
PLS16-473	154.00	154.50	0.50	0.027
PLS16-473	154.50	155.00	0.50	0.038
PLS16-473	155.00	155.50	0.50	0.033
PLS16-473	155.50	156.00	0.50	0.008
PLS16-473	156.00	156.50	0.50	0.016
PLS16-473	156.50	157.00	0.50	0.020
PLS16-473	157.00	157.50	0.50	0.123

PLS16-473	157.50	158.00	0.50	0.013
PLS16-473	158.00	158.50	0.50	0.007
PLS16-473	158.50	159.00	0.50	0.023
PLS16-473	159.00	159.50	0.50	0.024
PLS16-473	159.50	160.00	0.50	0.624
PLS16-473	160.00	160.50	0.50	0.115
PLS16-473	160.50	161.00	0.50	0.111
PLS16-473	161.00	161.50	0.50	0.349
PLS16-473	161.50	162.00	0.50	0.060
PLS16-473	162.00	162.50	0.50	0.098
PLS16-473	162.50	163.00	0.50	0.219
PLS16-473	163.00	163.50	0.50	0.496
PLS16-473	163.50	164.00	0.50	0.329
PLS16-473	164.00	164.50	0.50	0.355
PLS16-473	164.50	165.00	0.50	0.159
PLS16-473	165.00	165.50	0.50	0.006
PLS16-473	165.50	166.00	0.50	0.001
PLS16-473	166.00	166.50	0.50	<0.001
PLS16-473	166.50	167.00	0.50	<0.001
PLS16-473	167.00	167.50	0.50	<0.001
PLS16-473	185.00	185.50	0.50	<0.001
PLS16-473	185.50	186.00	0.50	0.002
PLS16-473	186.00	186.50	0.50	0.009
PLS16-473	186.50	187.00	0.50	0.007
PLS16-473	187.00	187.50	0.50	0.012
PLS16-473	187.50	188.00	0.50	0.007
PLS16-473	188.00	188.50	0.50	0.079
PLS16-473	188.50	189.00	0.50	0.073
PLS16-473	189.00	189.50	0.50	0.046
PLS16-473	189.50	190.00	0.50	0.044
PLS16-473	190.00	190.50	0.50	0.043
PLS16-473	190.50	191.00	0.50	0.079
PLS16-473	191.00	191.50	0.50	0.079
PLS16-473	191.50	192.00	0.50	0.064
PLS16-473	192.00	192.50	0.50	0.082
PLS16-473	192.50	193.00	0.50	0.029
PLS16-473	193.00	193.50	0.50	0.006
PLS16-473	193.50	194.00	0.50	0.008
PLS16-473	194.00	194.50	0.50	0.005
PLS16-473	194.50	195.00	0.50	0.002
PLS16-473	195.00	195.50	0.50	0.013
PLS16-473	195.50	196.00	0.50	0.004
PLS16-473	196.00	196.50	0.50	0.014
PLS16-473	196.50	197.00	0.50	0.015
PLS16-473	197.00	197.50	0.50	0.056
PLS16-473	197.50	198.00	0.50	0.173
PLS16-473	198.00	198.50	0.50	0.118

PLS16-473	198.50	199.00	0.50	0.098
PLS16-473	199.00	199.50	0.50	0.282
PLS16-473	199.50	200.00	0.50	0.149
PLS16-473	200.00	200.50	0.50	0.060
PLS16-473	200.50	201.00	0.50	0.050
PLS16-473	201.00	201.50	0.50	0.016
PLS16-473	201.50	202.00	0.50	0.025
PLS16-473	202.00	202.50	0.50	0.002
PLS16-473	202.50	203.00	0.50	0.003
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-476	168.70	169.00	0.30	0.141
PLS16-476	169.00	169.50	0.50	0.939
PLS16-476	169.50	170.00	0.50	0.621
PLS16-476	170.00	170.50	0.50	0.385
PLS16-476	170.50	171.00	0.50	0.565
PLS16-476	171.00	171.50	0.50	0.193
PLS16-476	171.50	172.00	0.50	0.047
PLS16-476	172.00	172.50	0.50	0.038
PLS16-476	172.50	173.00	0.50	0.108
PLS16-476	173.00	173.50	0.50	0.016
PLS16-476	173.50	174.00	0.50	0.022
PLS16-476	174.00	174.50	0.50	0.118
PLS16-476	174.50	175.00	0.50	0.761
PLS16-476	175.00	175.50	0.50	0.985
PLS16-476	175.50	176.00	0.50	0.512
<b>PLS16-476</b>	<b>176.00</b>	<b>176.50</b>	<b>0.50</b>	<b>1.050</b>
PLS16-476	176.50	177.00	0.50	0.215
<b>PLS16-476</b>	<b>177.00</b>	<b>177.50</b>	<b>0.50</b>	<b>1.230</b>
<b>PLS16-476</b>	<b>177.50</b>	<b>178.00</b>	<b>0.50</b>	<b>1.090</b>
<b>PLS16-476</b>	<b>178.00</b>	<b>178.50</b>	<b>0.50</b>	<b>1.480</b>
<b>PLS16-476</b>	<b>178.50</b>	<b>179.00</b>	<b>0.50</b>	<b>2.260</b>
PLS16-476	179.00	179.50	0.50	0.515
PLS16-476	179.50	180.00	0.50	0.311
<b>PLS16-476</b>	<b>180.00</b>	<b>180.50</b>	<b>0.50</b>	<b>1.290</b>
<b>PLS16-476</b>	<b>180.50</b>	<b>181.00</b>	<b>0.50</b>	<b>1.480</b>
PLS16-476	181.00	181.50	0.50	0.143
PLS16-476	181.50	182.00	0.50	0.107
PLS16-476	182.00	182.50	0.50	0.298
<b>PLS16-476</b>	<b>182.50</b>	<b>183.00</b>	<b>0.50</b>	<b>1.830</b>
PLS16-476	183.00	183.50	0.50	0.916
PLS16-476	183.50	184.00	0.50	0.882
PLS16-476	184.00	184.50	0.50	0.272
PLS16-476	184.50	185.00	0.50	0.549
PLS16-476	185.00	185.50	0.50	0.238
PLS16-476	185.50	186.00	0.50	0.243
PLS16-476	186.00	186.50	0.50	0.011

PLS16-476	186.50	187.00	0.50	0.026
PLS16-476	187.00	187.50	0.50	0.023
PLS16-476	187.50	188.00	0.50	0.264
PLS16-476	188.00	188.50	0.50	0.300
PLS16-476	188.50	189.00	0.50	0.013
PLS16-476	189.00	189.50	0.50	0.010
PLS16-476	189.50	190.00	0.50	0.003
PLS16-476	190.00	190.50	0.50	0.008
PLS16-476	190.50	191.00	0.50	0.016
PLS16-476	191.00	191.50	0.50	0.019
PLS16-476	191.50	192.00	0.50	0.010
PLS16-476	192.00	192.50	0.50	0.024
PLS16-476	192.50	193.00	0.50	0.030
PLS16-476	193.00	193.50	0.50	0.030
<b>PLS16-476</b>	<b>193.50</b>	<b>194.00</b>	<b>0.50</b>	<b>1.840</b>
<b>PLS16-476</b>	<b>194.00</b>	<b>194.50</b>	<b>0.50</b>	<b>2.350</b>
PLS16-476	194.50	195.00	0.50	0.397
PLS16-476	195.00	195.50	0.50	0.223
PLS16-476	195.50	196.00	0.50	0.228
<b>PLS16-476</b>	<b>196.00</b>	<b>196.50</b>	<b>0.50</b>	<b>1.530</b>
PLS16-476	196.50	197.00	0.50	0.736
PLS16-476	197.00	197.50	0.50	0.053
PLS16-476	197.50	198.00	0.50	0.065
<b>PLS16-476</b>	<b>198.00</b>	<b>198.50</b>	<b>0.50</b>	<b>3.260</b>
<b>PLS16-476</b>	<b>198.50</b>	<b>199.00</b>	<b>0.50</b>	<b>1.810</b>
PLS16-476	199.00	199.50	0.50	0.052
PLS16-476	199.50	200.00	0.50	0.039
PLS16-476	200.00	200.50	0.50	0.113
PLS16-476	200.50	201.00	0.50	0.400
PLS16-476	201.00	201.50	0.50	0.134
PLS16-476	201.50	202.00	0.50	0.849
PLS16-476	202.00	202.50	0.50	0.145
PLS16-476	202.50	203.00	0.50	0.356
PLS16-476	203.00	203.50	0.50	0.121
PLS16-476	203.50	204.00	0.50	0.019
PLS16-476	204.00	204.50	0.50	0.005
PLS16-476	204.50	205.00	0.50	0.003
PLS16-476	205.00	205.50	0.50	0.002
PLS16-476	205.50	206.00	0.50	0.002
PLS16-476	206.00	206.50	0.50	0.002
PLS16-476	206.50	207.00	0.50	0.003
PLS16-476	207.00	207.50	0.50	0.002
PLS16-476	207.50	208.00	0.50	0.001
PLS16-476	208.00	208.50	0.50	0.013
PLS16-476	208.50	209.00	0.50	0.048
PLS16-476	209.00	209.50	0.50	0.116
PLS16-476	209.50	210.00	0.50	0.011

PLS16-476	210.00	210.50	0.50	0.002
PLS16-476	210.50	211.00	0.50	0.006
PLS16-476	211.00	211.50	0.50	0.005
PLS16-476	211.50	212.00	0.50	0.001
PLS16-476	212.00	212.50	0.50	0.001
PLS16-476	212.50	213.00	0.50	0.001
PLS16-476	213.00	213.50	0.50	0.002
PLS16-476	213.50	214.00	0.50	0.001
PLS16-476	214.00	214.50	0.50	0.002
PLS16-476	214.50	215.00	0.50	0.002
PLS16-476	215.00	215.50	0.50	0.002
PLS16-476	215.50	216.00	0.50	0.369
PLS16-476	216.00	216.50	0.50	0.055
PLS16-476	216.50	217.00	0.50	0.028
PLS16-476	217.00	217.50	0.50	0.037
PLS16-476	217.50	218.00	0.50	0.012
PLS16-476	218.00	218.50	0.50	0.002
PLS16-476	218.50	219.00	0.50	0.002
PLS16-476	219.00	219.50	0.50	<0.001
PLS16-476	228.50	229.00	0.50	0.002
PLS16-476	229.00	229.50	0.50	<0.001
PLS16-476	229.50	230.00	0.50	<0.001
PLS16-476	230.00	230.50	0.50	0.009
PLS16-476	230.50	231.00	0.50	0.008
PLS16-476	231.00	231.50	0.50	0.002
PLS16-476	231.50	232.00	0.50	0.002
PLS16-476	232.00	232.50	0.50	0.003
PLS16-476	232.50	233.00	0.50	0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-479	111.50	112.00	0.50	0.006
PLS16-479	112.00	112.50	0.50	0.005
PLS16-479	112.50	113.00	0.50	0.005
PLS16-479	113.00	113.50	0.50	0.008
PLS16-479	113.50	114.00	0.50	0.011
PLS16-479	114.00	114.50	0.50	0.025
PLS16-479	114.50	115.00	0.50	0.026
PLS16-479	115.00	115.50	0.50	0.042
PLS16-479	115.50	116.00	0.50	0.028
PLS16-479	116.00	116.50	0.50	0.023
PLS16-479	116.50	117.00	0.50	0.029
PLS16-479	117.00	117.50	0.50	0.018
PLS16-479	117.50	118.00	0.50	0.006
PLS16-479	138.50	139.00	0.50	0.008
PLS16-479	139.00	139.50	0.50	0.006
PLS16-479	139.50	140.00	0.50	0.004
PLS16-479	140.00	140.50	0.50	0.006

PLS16-479	140.50	141.00	0.50	0.026
PLS16-479	141.00	141.50	0.50	0.049
PLS16-479	141.50	142.00	0.50	0.012
PLS16-479	142.00	142.50	0.50	0.010
PLS16-479	142.50	143.00	0.50	0.007
PLS16-479	143.00	143.50	0.50	0.021
PLS16-479	143.50	144.00	0.50	0.013
PLS16-479	144.00	144.50	0.50	0.013
PLS16-479	144.50	145.00	0.50	0.006
PLS16-479	145.00	145.50	0.50	0.007
PLS16-479	145.50	146.00	0.50	0.006
PLS16-479	146.00	146.50	0.50	0.006
PLS16-479	146.50	147.00	0.50	0.003
PLS16-479	147.00	147.50	0.50	0.009
PLS16-479	147.50	148.00	0.50	0.036
PLS16-479	148.00	148.50	0.50	0.162
PLS16-479	148.50	149.00	0.50	0.040
PLS16-479	149.00	149.50	0.50	0.124
PLS16-479	149.50	150.00	0.50	0.129
PLS16-479	150.00	150.50	0.50	0.245
<b>PLS16-479</b>	<b>150.50</b>	<b>151.00</b>	<b>0.50</b>	<b>2.560</b>
<b>PLS16-479</b>	<b>151.00</b>	<b>151.50</b>	<b>0.50</b>	<b>4.640</b>
<b>PLS16-479</b>	<b>151.50</b>	<b>152.00</b>	<b>0.50</b>	<b>9.650</b>
<b>PLS16-479</b>	<b>152.00</b>	<b>152.50</b>	<b>0.50</b>	<b>5.200</b>
<b>PLS16-479</b>	<b>152.50</b>	<b>153.00</b>	<b>0.50</b>	<b>4.350</b>
<b>PLS16-479</b>	<b>153.00</b>	<b>153.50</b>	<b>0.50</b>	<b>3.380</b>
<b>PLS16-479</b>	<b>153.50</b>	<b>154.00</b>	<b>0.50</b>	<b>1.180</b>
PLS16-479	154.00	154.50	0.50	0.046
PLS16-479	154.50	155.00	0.50	0.016
PLS16-479	155.00	155.50	0.50	0.037
PLS16-479	155.50	156.00	0.50	0.078
PLS16-479	156.00	156.50	0.50	0.086
PLS16-479	156.50	157.00	0.50	0.013
PLS16-479	157.00	157.50	0.50	0.038
PLS16-479	157.50	158.00	0.50	0.046
<b>PLS16-479</b>	<b>158.00</b>	<b>158.50</b>	<b>0.50</b>	<b>1.890</b>
<b>PLS16-479</b>	<b>158.50</b>	<b>159.00</b>	<b>0.50</b>	<b>3.400</b>
<b>PLS16-479</b>	<b>159.00</b>	<b>159.50</b>	<b>0.50</b>	<b>1.300</b>
PLS16-479	159.50	160.00	0.50	0.220
PLS16-479	160.00	160.50	0.50	0.171
PLS16-479	160.50	161.00	0.50	0.014
PLS16-479	161.00	161.50	0.50	0.120
PLS16-479	161.50	162.00	0.50	0.039
PLS16-479	162.00	162.50	0.50	0.003
PLS16-479	162.50	163.00	0.50	0.009
PLS16-479	163.00	163.50	0.50	0.024
PLS16-479	163.50	164.00	0.50	0.442

<b>PLS16-479</b>	<b>164.00</b>	<b>164.50</b>	<b>0.50</b>	<b>3.230</b>
<b>PLS16-479</b>	<b>164.50</b>	<b>165.00</b>	<b>0.50</b>	<b>6.480</b>
PLS16-479	165.00	165.50	0.50	0.494
<b>PLS16-479</b>	<b>165.50</b>	<b>166.00</b>	<b>0.50</b>	<b>4.210</b>
PLS16-479	166.00	166.50	0.50	0.584
PLS16-479	166.50	167.00	0.50	0.491
<b>PLS16-479</b>	<b>167.00</b>	<b>167.50</b>	<b>0.50</b>	<b>1.670</b>
<b>PLS16-479</b>	<b>167.50</b>	<b>168.00</b>	<b>0.50</b>	<b>1.830</b>
<b>PLS16-479</b>	<b>168.00</b>	<b>168.50</b>	<b>0.50</b>	<b>1.090</b>
PLS16-479	168.50	169.00	0.50	0.468
PLS16-479	169.00	169.50	0.50	0.198
PLS16-479	169.50	170.00	0.50	0.193
PLS16-479	170.00	170.50	0.50	0.122
PLS16-479	170.50	171.00	0.50	0.017
PLS16-479	171.00	171.50	0.50	0.012
PLS16-479	171.50	172.00	0.50	0.017
PLS16-479	172.00	172.50	0.50	0.009
PLS16-479	172.50	173.00	0.50	0.019
PLS16-479	173.00	173.50	0.50	0.040
PLS16-479	173.50	174.00	0.50	0.085
PLS16-479	174.00	174.50	0.50	0.006
PLS16-479	174.50	175.00	0.50	0.003
PLS16-479	175.00	175.50	0.50	0.086
PLS16-479	175.50	176.00	0.50	0.066
PLS16-479	176.00	176.50	0.50	0.011
PLS16-479	176.50	177.00	0.50	0.016
PLS16-479	177.00	177.50	0.50	0.010
PLS16-479	177.50	178.00	0.50	0.021
PLS16-479	178.00	178.50	0.50	0.015
PLS16-479	178.50	179.00	0.50	0.010
PLS16-479	179.00	179.50	0.50	0.007
PLS16-479	179.50	180.00	0.50	0.001
PLS16-479	180.00	180.50	0.50	0.002
PLS16-479	180.50	181.00	0.50	<0.001
PLS16-479	181.00	181.50	0.50	0.002
PLS16-479	181.50	182.00	0.50	0.001
PLS16-479	182.00	182.50	0.50	<0.001
PLS16-479	182.50	183.00	0.50	0.005
PLS16-479	183.00	183.50	0.50	0.008
PLS16-479	183.50	184.00	0.50	0.006
PLS16-479	184.00	184.50	0.50	0.011
PLS16-479	184.50	185.00	0.50	0.015
PLS16-479	185.00	185.50	0.50	0.020
PLS16-479	185.50	186.00	0.50	0.018
PLS16-479	186.00	186.50	0.50	0.017
PLS16-479	186.50	187.00	0.50	0.002
PLS16-479	187.00	187.50	0.50	<0.001



PLS16-479	187.50	188.00	0.50	0.004
PLS16-479	188.00	188.50	0.50	<0.001
PLS16-479	278.00	278.50	0.50	0.002
PLS16-479	278.50	279.00	0.50	0.003
PLS16-479	279.00	279.50	0.50	0.001
PLS16-479	279.50	280.00	0.50	0.003
PLS16-479	280.00	280.50	0.50	0.065
PLS16-479	280.50	281.00	0.50	0.007
PLS16-479	281.00	281.50	0.50	0.018
PLS16-479	281.50	282.00	0.50	0.004
PLS16-479	282.00	282.50	0.50	0.002
PLS16-479	282.50	283.00	0.50	0.006
PLS16-479	283.00	283.50	0.50	0.002